



# Depth of Field Tables in feet

for

## Compact Prime CP.2 Lenses

for

	MFT format	ANSI Super 35, Normal 35, APS-H and APS-C Format	Full Format
CP.2 15 mm/T2.9	■	■	■
CP.2 18 mm/T3.6	■	■	
CP.2 21 mm/T2.9	■	■	■
CP.2 25 mm/T2.1	■	■	■
CP.2 25 mm/T2.9	■	■	■
CP.2 28 mm/T2.1	■	■	■
CP.2 35 mm/T2.1	■	■	■
CP.2 50 mm/T2.1	■	■	■
CP.2 85 mm/T2.1	■	■	■
CP.2 100 mm/T2.1 CF	■	■	■
CP.2 135 mm/T2.1	■	■	■
CP.2 50 mm/T2.1 Macro	■	■	■

Depth of field tables

# Compact Prime CP.2 15mm/T2.9 T\*

circle of confusion: 0.020 mm

Engraving feet	T-Stop					
	2.9		4		5.6	
	from	to	from	to	from	to
<b>INF</b>	14' 1/4"	INF	10' 11 3/4"	INF	9' 10 1/2"	INF
<b>30'</b>	9' 8 1/2"	INF	8' 2 1/4"	INF	7' 6 3/4"	INF
<b>15'</b>	7' 5 1/4"	INF	6' 6 1/4"	INF	6' 1 1/2"	INF
<b>10'</b>	6' 1/4"	33' 3"	5' 5"	136' 9 1/4"	5' 1 3/4"	INF
<b>8'</b>	5' 3 1/4"	17' 8 3/4"	4' 9 3/4"	29' 4 1/4"	4' 7 1/4"	INF
<b>6'</b>	4' 4 1/4"	9' 11 3/4"	4' 1/2"	12' 8 1/2"	3' 10 3/4"	73' 7 1/2"
<b>5'</b>	3' 10"	7' 4 3/4"	3' 7"	8' 9"	3' 5 3/4"	19' 7 1/2"
<b>4' 6"</b>	3' 6 1/2"	6' 3 3/4"	3' 4"	7' 3"	3' 3"	13' 2 1/4"
<b>4'</b>	3' 2 3/4"	5' 4"	3' 3/4"	5' 11 1/2"	3'	9' 4 1/4"
<b>3' 6"</b>	2' 11"	4' 5 1/4"	2' 9 1/2"	4' 10 1/4"	2' 8 3/4"	6' 9 3/4"
<b>3'</b>	2' 7"	3' 7 1/2"	2' 5 3/4"	3' 10 3/4"	2' 5"	5'
<b>2' 9"</b>	2' 4 3/4"	3' 3"	2' 3 3/4"	3' 5 1/2"	2' 3 1/4"	4' 3 1/2"
<b>2' 6"</b>	2' 2 1/2"	2' 10 3/4"	2' 1 3/4"	3' 3/4"	2' 1 1/4"	3' 7 3/4"
<b>2' 3"</b>	2' 1/4"	2' 6 3/4"	1' 11 1/2"	2' 8"	1' 11 1/4"	3' 1 1/4"
<b>2'</b>	1' 10"	2' 2 3/4"	1' 9 1/4"	2' 3 3/4"	1' 9"	2' 7 1/4"
<b>1' 11"</b>	1' 9"	2' 1 1/2"	1' 8 1/2"	2' 2 1/4"	1' 8 1/4"	2' 5 1/4"
<b>1' 10"</b>	1' 8 1/4"	2' 1/4"	1' 7 3/4"	2' 1"	1' 7 3/4"	2' 3 1/2"
<b>1' 9"</b>	1' 7 1/2"	1' 11"	1' 7"	1' 11 1/2"	1' 7"	2' 2"
<b>1' 8"</b>	1' 6 3/4"	1' 9 3/4"	1' 6 1/4"	1' 10 1/4"	1' 6"	2' 1/4"
<b>1' 7"</b>	1' 5 3/4"	1' 8 1/2"	1' 5 1/2"	1' 9"	1' 5 1/4"	1' 10 3/4"
<b>1' 6"</b>	1' 5"	1' 7 1/4"	1' 4 3/4"	1' 7 3/4"	1' 4 1/2"	1' 9"
<b>1' 5"</b>	1' 4"	1' 6"	1' 3 3/4"	1' 6 1/2"	1' 3 3/4"	1' 7 3/4"
<b>1' 4"</b>	1' 3 1/4"	1' 5"	1' 3"	1' 5 1/4"	1' 3"	1' 6 1/4"
<b>1' 3"</b>	1' 2 1/4"	1' 3 3/4"	1' 2 1/4"	1' 4"	1' 2"	1' 4 3/4"
<b>1' 2"</b>	1' 1 1/2"	1' 2 1/2"	1' 1 1/4"	1' 2 3/4"	1' 1 1/4"	1' 3 1/2"
<b>1' 1"</b>	1' 1/2"	1' 1 1/2"	1' 1/2"	1' 1 3/4"	1' 1/2"	1' 2 1/4"
<b>1'</b>	11 3/4"	1' 1/2"	11 1/2"	1' 1/2"	11 1/2"	1' 1"

Depth of field tables

# Compact Prime CP.2 15mm/T2.9 T\*

circle of confusion: 0.020 mm

Engraving feet	T-Stop					
	8		11		16	
	from	to	from	to	from	to
<b>INF</b>	7' 6 1/2"	INF	5' 2 3/4"	INF	3' 7"	INF
<b>30'</b>	6' 1 3/4"	INF	4' 6 1/2"	INF	3' 3 1/4"	INF
<b>15'</b>	5' 2"	INF	4' 1/4"	INF	3'	INF
<b>10'</b>	4' 5 3/4"	INF	3' 7"	INF	2' 9 1/4"	INF
<b>8'</b>	4' 3/4"	INF	3' 4"	INF	2' 7 1/2"	INF
<b>6'</b>	3' 6 1/4"	INF	2' 11 3/4"	INF	2' 5"	INF
<b>5'</b>	3' 2 1/4"	INF	2' 8 3/4"	INF	2' 3 1/4"	INF
<b>4' 6"</b>	2' 11 3/4"	947' 1 1/2"	2' 7 1/4"	INF	2' 2"	INF
<b>4'</b>	2' 9 1/4"	29' 6 1/2"	2' 5 1/4"	INF	2' 3/4"	INF
<b>3' 6"</b>	2' 6 1/2"	13' 2"	2' 3 1/4"	INF	1' 11 1/2"	INF
<b>3'</b>	2' 3 1/2"	7' 7"	2' 3/4"	21' 4 3/4"	1' 9 3/4"	INF
<b>2' 9"</b>	2' 1 3/4"	5' 11 3/4"	1' 11 1/2"	11' 10"	1' 8 3/4"	INF
<b>2' 6"</b>	2'	4' 9 1/4"	1' 10 1/4"	7' 8 1/2"	1' 7 3/4"	57' 2 1/2"
<b>2' 3"</b>	1' 10 1/4"	3' 9 3/4"	1' 8 3/4"	5' 5"	1' 6 3/4"	12' 11 1/4"
<b>2'</b>	1' 8 1/4"	3' 3/4"	1' 7"	3' 11 1/4"	1' 5 1/2"	6' 7"
<b>1' 11"</b>	1' 7 3/4"	2' 10 1/4"	1' 6 1/2"	3' 6 3/4"	1' 5"	5' 6 1/2"
<b>1' 10"</b>	1' 7"	2' 7 3/4"	1' 6"	3' 2 3/4"	1' 4 1/2"	4' 8 1/2"
<b>1' 9"</b>	1' 6 1/4"	2' 5 1/4"	1' 5 1/4"	2' 11 1/4"	1' 4"	4' 3/4"
<b>1' 8"</b>	1' 5 1/2"	2' 3 1/4"	1' 4 3/4"	2' 8"	1' 3 1/2"	3' 6 1/4"
<b>1' 7"</b>	1' 4 3/4"	2' 1"	1' 4"	2' 5"	1' 3"	3' 3/4"
<b>1' 6"</b>	1' 4 1/4"	1' 11 1/4"	1' 3 1/2"	2' 2 1/4"	1' 2 1/2"	2' 8 1/4"
<b>1' 5"</b>	1' 3 1/4"	1' 9 1/4"	1' 2 3/4"	1' 11 3/4"	1' 2"	2' 4 1/2"
<b>1' 4"</b>	1' 2 1/2"	1' 7 1/2"	1' 2"	1' 9 1/2"	1' 1 1/4"	2' 1"
<b>1' 3"</b>	1' 1 3/4"	1' 6"	1' 1 1/4"	1' 7 1/2"	1' 3/4"	1' 10"
<b>1' 2"</b>	1' 1"	1' 4 1/4"	1' 3/4"	1' 5 1/2"	1'	1' 7 1/2"
<b>1' 1"</b>	1' 1/4"	1' 2 3/4"	1'	1' 3 3/4"	11 1/2"	1' 5 1/4"
<b>1'</b>	11 1/4"	1' 1 1/2"	11"	1' 2"	10 3/4"	1' 3"

Depth of field tables

# Compact Prime CP.2 15mm/T2.9 T\*

circle of confusion: 0.020 mm

Engraving	T-Stop	
	22	
feet	from	to
<b>INF</b>	2' 6 1/2"	INF
<b>30'</b>	2' 4 1/2"	INF
<b>15'</b>	2' 3"	INF
<b>10'</b>	2' 1 1/2"	INF
<b>8'</b>	2' 3/4"	INF
<b>6'</b>	1' 11 1/4"	INF
<b>5'</b>	1' 10"	INF
<b>4' 6"</b>	1' 9 1/2"	INF
<b>4'</b>	1' 8 3/4"	INF
<b>3' 6"</b>	1' 7 3/4"	INF
<b>3'</b>	1' 6 3/4"	INF
<b>2' 9"</b>	1' 6"	INF
<b>2' 6"</b>	1' 5 1/4"	INF
<b>2' 3"</b>	1' 4 1/2"	INF
<b>2'</b>	1' 3 1/2"	INF
<b>1' 11"</b>	1' 3 1/4"	34' 4 1/2"
<b>1' 10"</b>	1' 2 3/4"	15' 6 1/2"
<b>1' 9"</b>	1' 2 1/2"	9' 8 3/4"
<b>1' 8"</b>	1' 2"	6' 11"
<b>1' 7"</b>	1' 1 3/4"	5' 2 3/4"
<b>1' 6"</b>	1' 1 1/4"	4' 1 1/2"
<b>1' 5"</b>	1' 3/4"	3' 4 1/4"
<b>1' 4"</b>	1' 1/2"	2' 9 1/4"
<b>1' 3"</b>	1'	2' 3 3/4"
<b>1' 2"</b>	11 1/2"	1' 11 1/2"
<b>1' 1"</b>	10 3/4"	1' 7 3/4"
<b>1'</b>	10 1/4"	1' 5"

Depth of field tables

# Compact Prime CP.2 18mm/T3.6 T\*

circle of confusion: 0.020 mm

Engraving feet	T-Stop					
	3.6		4		5.6	
	from	to	from	to	from	to
INF	16' 1 1/4"	INF	14' 3 1/2"	INF	15' 11 3/4"	INF
50'	12' 3 1/4"	INF	11' 2 1/2"	INF	12' 2 1/2"	INF
25'	9' 11"	INF	9' 2 1/2"	INF	9' 10 1/2"	INF
15'	7' 10 3/4"	222' 9 3/4"	7' 5 1/2"	144' 1 1/2"	7' 10 1/4"	INF
12'	7'	46' 1 1/4"	6' 7 3/4"	41' 5 1/4"	6' 11 3/4"	INF
10'	6' 3 1/2"	25' 8 1/2"	6'	24' 2 1/2"	6' 3 1/4"	INF
8'	5' 5 1/2"	15' 5 1/2"	5' 3"	14' 10 3/4"	5' 5 1/4"	151' 11 1/2"
7'	4' 11 3/4"	12' 1/4"	4' 9 3/4"	11' 8 1/4"	4' 11 3/4"	39' 3/4"
6'	4' 5 3/4"	9' 3 1/2"	4' 4"	9' 1"	4' 5 1/2"	19' 7 1/2"
5'	3' 11"	7' 1/2"	3' 9 3/4"	6' 11"	3' 10 3/4"	11' 6 3/4"
4'6	3' 7 1/4"	6' 3/4"	3' 6 1/4"	5' 11 3/4"	3' 7 1/4"	9' 1"
4'	3' 3 1/2"	5' 2"	3' 2 1/2"	5' 1 1/4"	3' 3 1/4"	7' 2"
3'9	3' 1 1/2"	4' 9"	3' 3/4"	4' 8 1/4"	3' 1 1/4"	6' 4 1/4"
3'6	2' 11 1/2"	4' 4"	2' 10 3/4"	4' 3 1/2"	2' 11 1/4"	5' 7 1/2"
3'3	2' 9 1/4"	3' 11 1/2"	2' 8 3/4"	3' 11"	2' 9 1/4"	4' 11 3/4"
3'	2' 7 1/4"	3' 7"	2' 6 3/4"	3' 6 1/2"	2' 7"	4' 4 1/2"
2'9	2' 5"	3' 2 1/2"	2' 4 1/2"	3' 2 1/4"	2' 5"	3' 10"
2'6	2' 2 3/4"	2' 10 1/2"	2' 2 1/4"	2' 10 1/4"	2' 2 3/4"	3' 4 1/4"
2'3	2' 1/4"	2' 6 1/2"	2'	2' 6 1/4"	2' 1/4"	2' 10 3/4"
2'	1' 10"	2' 2 1/2"	1' 9 3/4"	2' 2 1/2"	1' 10"	2' 5 3/4"
23"	1' 9"	2' 1 1/4"	1' 9"	2' 1 1/4"	1' 9"	2' 4"
22"	1' 8 1/4"	2'	1' 8"	2'	1' 8 1/4"	2' 2 1/2"
21"	1' 7 1/2"	1' 10 3/4"	1' 7 1/4"	1' 10 3/4"	1' 7 1/2"	2' 1"
20"	1' 6 1/2"	1' 9 3/4"	1' 6 1/2"	1' 9 1/2"	1' 6 1/2"	1' 11 1/2"
19"	1' 5 3/4"	1' 8 1/2"	1' 5 3/4"	1' 8 1/2"	1' 5 3/4"	1' 10"
18"	1' 5"	1' 7 1/4"	1' 4 3/4"	1' 7 1/4"	1' 5"	1' 8 3/4"
17"	1' 4"	1' 6"	1' 4"	1' 6"	1' 4"	1' 7 1/4"
16"	1' 3 1/4"	1' 5"	1' 3"	1' 5"	1' 3 1/4"	1' 6"
15"	1' 2 1/4"	1' 3 3/4"	1' 2 1/4"	1' 3 3/4"	1' 2 1/4"	1' 4 3/4"
14"	1' 1 1/2"	1' 2 3/4"	1' 1 1/4"	1' 2 3/4"	1' 1 1/2"	1' 3 1/4"
13"	1' 1/2"	1' 1 1/2"	1' 1/2"	1' 1 1/2"	1' 1/2"	1' 2"
12"	11 1/2"	1' 1/2"	11 1/2"	1' 1/2"	11 1/2"	1' 1"

Depth of field tables

# Compact Prime CP.2 18mm/T3.6 T\*

circle of confusion: 0.020 mm

Engraving feet	T-Stop					
	8		11		16	
	from	to	from	to	from	to
INF	21' 1/4"	INF	14' 6 3/4"	INF	7' 11 1/2"	INF
50'	14' 10 3/4"	INF	11' 4 1/2"	INF	6' 11"	INF
25'	11' 6 1/2"	INF	9' 3 3/4"	INF	6' 1 1/2"	INF
15'	8' 10 1/2"	INF	7' 6"	INF	5' 3 3/4"	INF
12'	7' 9"	INF	6' 8 1/2"	INF	4' 10 3/4"	INF
10'	6' 10 1/2"	INF	6' 1/2"	INF	4' 6 3/4"	INF
8'	5' 10 3/4"	INF	5' 3 1/4"	INF	4' 1 1/4"	INF
7'	5' 4"	INF	4' 10"	INF	3' 10 1/4"	INF
6'	4' 9"	INF	4' 4 1/4"	INF	3' 6 1/2"	INF
5'	4' 1 1/4"	INF	3' 9 3/4"	INF	3' 2 1/4"	INF
4'6	3' 9 1/4"	49' 11 3/4"	3' 6 1/4"	INF	2' 11 3/4"	INF
4'	3' 5"	19' 7 1/4"	3' 2 1/2"	INF	2' 9 1/4"	INF
3'9	3' 3"	14' 4 1/4"	3' 3/4"	INF	2' 7 3/4"	INF
3'6	3' 3/4"	11'	2' 10 3/4"	217' 3/4"	2' 6 1/2"	INF
3'3	2' 10 1/2"	8' 8"	2' 8 3/4"	33' 1/2"	2' 5"	INF
3'	2' 8"	6' 11 1/2"	2' 6 3/4"	16' 7 1/2"	2' 3 1/4"	INF
2'9	2' 5 3/4"	5' 7 1/2"	2' 4 1/2"	10' 5 3/4"	2' 1 3/4"	INF
2'6	2' 3 1/4"	4' 7"	2' 2 1/4"	7' 3 1/4"	2'	21' 6 1/4"
2'3	2' 3/4"	3' 9"	2'	5' 3 1/2"	1' 10"	9' 11 1/4"
2'	1' 10 1/4"	3' 1/2"	1' 9 3/4"	3' 11 1/4"	1' 8"	5' 11 1/4"
23"	1' 9 1/2"	2' 10"	1' 9"	3' 7"	1' 7 1/2"	5' 1 3/4"
22"	1' 8 3/4"	2' 7 3/4"	1' 8"	3' 3 1/4"	1' 6 3/4"	4' 5 3/4"
21"	1' 7 3/4"	2' 5 1/2"	1' 7 1/4"	2' 11 3/4"	1' 6"	3' 11 1/4"
20"	1' 7"	2' 3 1/4"	1' 6 1/2"	2' 8 1/2"	1' 5 1/4"	3' 5 1/2"
19"	1' 6"	2' 1 1/4"	1' 5 1/2"	2' 5 1/2"	1' 4 3/4"	3' 3/4"
18"	1' 5 1/4"	1' 11 1/2"	1' 4 3/4"	2' 3"	1' 4"	2' 8 1/2"
17"	1' 4 1/4"	1' 9 1/2"	1' 4"	2' 1/2"	1' 3 1/4"	2' 4 3/4"
16"	1' 3 1/4"	1' 7 3/4"	1' 3"	1' 10 1/4"	1' 2 1/2"	2' 1 1/2"
15"	1' 2 1/2"	1' 6 1/4"	1' 2 1/4"	1' 8"	1' 1 1/2"	1' 10 3/4"
14"	1' 1 1/2"	1' 4 1/2"	1' 1 1/4"	1' 6"	1' 3/4"	1' 8"
13"	1' 1/2"	1' 3"	1' 1/2"	1' 4 1/4"	1'	1' 5 3/4"
12"	11 3/4"	1' 1 3/4"	11 1/2"	1' 2 1/2"	11 1/4"	1' 3 3/4"

Depth of field tables

# Compact Prime CP.2 18mm/T3.6 T\*

circle of confusion: 0.020 mm

Engraving	T-Stop	
	22	
feet	from	to
INF	4' 7"	INF
50'	4' 3"	INF
25'	3' 11 1/4"	INF
15'	3' 7 1/4"	INF
12'	3' 5"	INF
10'	3' 3"	INF
8'	3' 1/2"	INF
7'	2' 10 3/4"	INF
6'	2' 8 3/4"	INF
5'	2' 6 1/4"	INF
4'6"	2' 4 3/4"	INF
4'	2' 3 1/4"	INF
3'9"	2' 2 1/4"	INF
3'6"	2' 1 1/4"	INF
3'3"	2' 1/4"	INF
3'	1' 11 1/4"	INF
2'9"	1' 10"	INF
2'6"	1' 8 3/4"	INF
2'3"	1' 7 1/2"	INF
2'	1' 6"	17' 11 1/4"
23"	1' 5 1/2"	11' 11 1/4"
22"	1' 5"	8' 9"
21"	1' 4 1/2"	6' 9 1/4"
20"	1' 3 3/4"	5' 5 1/4"
19"	1' 3 1/4"	4' 5 1/2"
18"	1' 2 3/4"	3' 8 1/2"
17"	1' 2"	3' 1 3/4"
16"	1' 1 1/2"	2' 8"
15"	1' 3/4"	2' 3 1/2"
14"	1'	1' 11 1/2"
13"	11 1/2"	1' 8 1/4"
12"	10 3/4"	1' 5 1/2"

Depth of field tables

# Compact Prime CP.2 21mm/T2.9 T\*

circle of confusion: 0.020 mm

Engraving	T-Stop					
	2.9		4		5.6	
feet	from	to	from	to	from	to
<b>INF</b>	27' 5 1/4"	INF	22' 11 3/4"	INF	23' 7 1/2"	INF
<b>30'</b>	14' 6"	INF	13' 2 1/4"	INF	13' 4 3/4"	INF
<b>15'</b>	9' 10 1/4"	32' 3 3/4"	9' 3"	50' 1 3/4"	9' 4"	INF
<b>10'</b>	7' 5 1/2"	15' 4 1/4"	7' 1 1/2"	18' 4 1/2"	7' 2"	61' 7 1/4"
<b>8'</b>	6' 3 3/4"	11' 1/4"	6' 3/4"	12' 5 1/2"	6' 1 1/4"	23' 4 1/2"
<b>6'</b>	5' 1/4"	7' 6"	4' 10 1/2"	8' 1 1/4"	4' 10 3/4"	11' 6"
<b>5'</b>	4' 3 3/4"	5' 11 1/2"	4' 2 1/2"	6' 4"	4' 2 3/4"	8' 2"
<b>4' 6"</b>	3' 11 1/2"	5' 3"	3' 10 1/4"	5' 6 1/2"	3' 10 1/2"	6' 10 1/4"
<b>4'</b>	3' 6 3/4"	4' 6 3/4"	3' 6"	4' 9 1/4"	3' 6"	5' 8 1/2"
<b>3' 6"</b>	3' 2"	3' 11"	3' 1 1/2"	4' 3/4"	3' 1 1/2"	4' 8 1/4"
<b>2' 9"</b>	2' 6 3/4"	2' 11 3/4"	2' 6 1/4"	3' 3/4"	2' 6 1/4"	3' 4 1/2"
<b>2' 6"</b>	2' 4"	2' 8 1/4"	2' 3 3/4"	2' 9"	2' 3 3/4"	3'
<b>2' 3"</b>	2' 1 1/2"	2' 4 3/4"	2' 1 1/4"	2' 5 1/4"	2' 1 1/4"	2' 7 1/2"
<b>1' 11"</b>	1' 10"	2' 1/4"	1' 9 3/4"	2' 1/2"	1' 9 3/4"	2' 2"
<b>1' 10"</b>	1' 9"	1' 11"	1' 9"	1' 11 1/4"	1' 9"	2' 3/4"
<b>1' 9"</b>	1' 8 1/4"	1' 10"	1' 8"	1' 10 1/4"	1' 8"	1' 11 1/4"
<b>1' 8"</b>	1' 7 1/4"	1' 8 3/4"	1' 7 1/4"	1' 9"	1' 7 1/4"	1' 10"
<b>1' 7"</b>	1' 6 1/4"	1' 7 3/4"	1' 6 1/4"	1' 8"	1' 6 1/4"	1' 8 3/4"
<b>1' 6"</b>	1' 5 1/2"	1' 6 1/2"	1' 5 1/4"	1' 6 3/4"	1' 5 1/4"	1' 7 1/2"
<b>1' 5"</b>	1' 4 1/2"	1' 5 1/2"	1' 4 1/2"	1' 5 3/4"	1' 4 1/2"	1' 6 1/4"
<b>1' 4"</b>	1' 3 1/2"	1' 4 1/2"	1' 3 1/2"	1' 4 1/2"	1' 3 1/2"	1' 5"
<b>1' 3"</b>	1' 2 3/4"	1' 3 1/4"	1' 2 1/2"	1' 3 1/2"	1' 2 1/2"	1' 4"
<b>1' 2"</b>	1' 1 3/4"	1' 2 1/4"	1' 1 3/4"	1' 2 1/2"	1' 1 3/4"	1' 2 3/4"
<b>1' 1"</b>	1' 3/4"	1' 1 1/4"	1' 3/4"	1' 1 1/4"	1' 3/4"	1' 1 1/2"
<b>1'</b>	11 3/4"	1' 1/4"	11 3/4"	1' 1/4"	11 3/4"	1' 1/2"
<b>11"</b>	10 3/4"	11 1/4"	10 3/4"	11 1/4"	10 3/4"	11 1/4"
<b>10"</b>	10"	10"	10"	10 1/4"	10"	10 1/4"



Depth of field tables

# Compact Prime CP.2 21mm/T2.9 T\*

circle of confusion: 0.020 mm

Engraving feet	T-Stop					
	8		11		16	
	from	to	from	to	from	to
<b>INF</b>	19' 6"	INF	12' 10 1/2"	INF	8' 1 3/4"	INF
<b>30'</b>	11' 11 3/4"	INF	9' 1 3/4"	INF	6' 6 1/4"	INF
<b>15'</b>	8' 7 3/4"	INF	7' 1 1/4"	INF	5' 5 1/4"	INF
<b>10'</b>	6' 9 1/4"	INF	5' 9 1/2"	INF	4' 8"	INF
<b>8'</b>	5' 9 3/4"	INF	5' 1 1/4"	INF	4' 2 1/2"	INF
<b>6'</b>	4' 8 1/2"	22' 5 1/2"	4' 3"	INF	3' 7 1/2"	INF
<b>5'</b>	4' 1"	12' 4 1/4"	3' 8 3/4"	29' 2 1/2"	3' 3 1/4"	INF
<b>4' 6"</b>	3' 9"	9' 6"	3' 5 1/2"	16' 10 1/4"	3' 3/4"	INF
<b>4'</b>	3' 5"	7' 4 1/2"	3' 2"	11' 1/4"	2' 10"	29' 7"
<b>3' 6"</b>	3' 3/4"	5' 8 3/4"	2' 10 1/2"	7' 7 3/4"	2' 7"	13' 2 1/2"
<b>2' 9"</b>	2' 5 3/4"	3' 10 1/4"	2' 4 1/4"	4' 7"	2' 2 1/4"	6'
<b>2' 6"</b>	2' 3 1/2"	3' 4 1/4"	2' 2 1/4"	3' 10 1/4"	2' 1/2"	4' 9 1/4"
<b>2' 3"</b>	2' 1"	2' 10 1/2"	2'	3' 2 3/4"	1' 10 1/2"	3' 10"
<b>1' 11"</b>	1' 9 1/2"	2' 3 3/4"	1' 9"	2' 6 1/4"	1' 7 3/4"	2' 10 1/4"
<b>1' 10"</b>	1' 8 3/4"	2' 2 1/4"	1' 8"	2' 4 1/2"	1' 7 1/4"	2' 7 3/4"
<b>1' 9"</b>	1' 7 3/4"	2' 3/4"	1' 7 1/4"	2' 2 3/4"	1' 6 1/2"	2' 5 1/2"
<b>1' 8"</b>	1' 7"	1' 11 1/4"	1' 6 1/2"	2' 1"	1' 5 3/4"	2' 3 1/4"
<b>1' 7"</b>	1' 6"	1' 9 3/4"	1' 5 3/4"	1' 11 1/4"	1' 5"	2' 1 1/4"
<b>1' 6"</b>	1' 5 1/4"	1' 8 1/2"	1' 4 3/4"	1' 9 1/2"	1' 4 1/4"	1' 11 1/4"
<b>1' 5"</b>	1' 4 1/4"	1' 7"	1' 4"	1' 8"	1' 3 1/2"	1' 9 1/4"
<b>1' 4"</b>	1' 3 1/2"	1' 5 3/4"	1' 3 1/4"	1' 6 1/2"	1' 2 3/4"	1' 7 1/2"
<b>1' 3"</b>	1' 2 1/2"	1' 4 1/2"	1' 2 1/4"	1' 5"	1' 2"	1' 6"
<b>1' 2"</b>	1' 1 1/2"	1' 3 1/4"	1' 1 1/2"	1' 3 3/4"	1' 1"	1' 4 1/4"
<b>1' 1"</b>	1' 3/4"	1' 2"	1' 1/2"	1' 2 1/4"	1' 1/4"	1' 2 3/4"
<b>1'</b>	11 3/4"	1' 3/4"	11 1/2"	1' 1"	11 1/2"	1' 1 1/2"
<b>11"</b>	10 3/4"	11 1/2"	10 3/4"	11 3/4"	10 1/2"	1'
<b>10"</b>	9 3/4"	10 1/2"	9 3/4"	10 1/2"	9 3/4"	10 3/4"

Depth of field tables

# Compact Prime CP.2 21mm/T2.9 T\*

circle of confusion: 0.020 mm

Engraving	T-Stop	
	22	
feet	from	to
INF	5' 4"	INF
30'	4' 7 1/2"	INF
15'	4' 3/4"	INF
10'	3' 7 3/4"	INF
8'	3' 4 1/2"	INF
6'	3'	INF
5'	2' 9"	INF
4'6"	2' 7 1/4"	INF
4'	2' 5 1/2"	INF
3'6"	2' 3 1/4"	INF
3'	1' 11 3/4"	10' 8"
2'9"	1' 10 1/4"	7' 2 3/4"
2'6"	1' 8 3/4"	5' 2 1/4"
2'3"	1' 6 1/2"	3' 5 3/4"
2'	1' 6"	3' 2"
23"	1' 5 1/4"	2' 10 1/2"
22"	1' 4 3/4"	2' 7 1/2"
21"	1' 4"	2' 4 1/2"
20"	1' 3 1/2"	2' 2"
19"	1' 2 3/4"	1' 11 1/2"
18"	1' 2"	1' 9 1/4"
17"	1' 1 1/4"	1' 7 1/4"
16"	1' 1/2"	1' 5 1/2"
15"	11 3/4"	1' 3 3/4"
14"	11"	1' 2"
13"	10 1/4"	1' 1/2"
12"	9 1/2"	11"

Depth of field tables

# Compact Prime CP.2 25mm/T2.1 T\*

circle of confusion: 0.020 mm

Engraving	T-Stop					
	2.1		2.8		4	
feet	from	to	from	to	from	to
INF	55' 7 1/2"	INF	51' 3 3/4"	INF	38' 3 3/4"	INF
40'	23' 5"	156' 7 3/4"	22' 7 1/2"	INF	19' 8 1/2"	INF
20'	14' 10"	31' 7"	14' 6 1/4"	46' 7 1/2"	13' 3 1/4"	124' 4 1/2"
13'	10' 7 1/2"	16' 11 3/4"	10' 5 1/2"	20' 5 3/4"	9' 9 3/4"	28' 1/2"
10'	8' 6 3/4"	12' 2"	8' 5 1/2"	13' 10"	8' 1/4"	16' 10 1/4"
8'	7' 3/4"	9' 3 3/4"	7'	10' 2 3/4"	6' 8 1/2"	11' 9 1/4"
7'	6' 3 1/4"	7' 11 1/2"	6' 2 3/4"	8' 7 1/2"	6'	9' 8 1/4"
6'	5' 5 1/2"	6' 8 1/4"	5' 5"	7' 1 1/2"	5' 3"	7' 10"
5'	4' 7 1/2"	5' 5 1/2"	4' 7 1/4"	5' 9"	4' 5 3/4"	6' 2 1/4"
4' 6"	4' 2 1/2"	4' 10 1/4"	4' 2 1/4"	5' 1"	4' 1"	5' 5"
4'	3' 9 1/4"	4' 3 1/4"	3' 9"	4' 5 1/4"	3' 8"	4' 8 1/4"
3' 6"	3' 4"	3' 8 1/2"	3' 3 3/4"	3' 10"	3' 3"	4'
3' 3"	3' 1 1/4"	3' 5"	3' 1"	3' 6 1/4"	3' 1/2"	3' 8"
3'	2' 10 1/2"	3' 1 3/4"	2' 10 1/4"	3' 2 3/4"	2' 9 3/4"	3' 4 1/4"
2' 9"	2' 7 3/4"	2' 10 1/2"	2' 7 3/4"	2' 11 1/4"	2' 7 1/4"	3' 1/2"
2' 6"	2' 5"	2' 7 1/4"	2' 5"	2' 7 3/4"	2' 4 1/2"	2' 8 3/4"
2' 3"	2' 2 1/4"	2' 4"	2' 2 1/4"	2' 4 1/2"	2' 1 3/4"	2' 5"
2'	1' 11 1/2"	2' 3/4"	1' 11 1/4"	2' 1"	1' 11 1/4"	2' 1 1/2"
1' 11"	1' 10 1/2"	1' 11 1/2"	1' 10 1/2"	2'	1' 10 1/4"	2' 1/2"
1' 10"	1' 9 1/2"	1' 10 1/2"	1' 9 1/2"	1' 10 3/4"	1' 9 1/4"	1' 11 1/4"
1' 9"	1' 8 1/2"	1' 9 1/2"	1' 8 1/2"	1' 9 3/4"	1' 8 1/4"	1' 10 1/4"
1' 8"	1' 7 1/2"	1' 8 1/2"	1' 7 1/2"	1' 8 3/4"	1' 7 1/2"	1' 9"
1' 7"	1' 6 3/4"	1' 7 1/2"	1' 6 1/2"	1' 7 1/2"	1' 6 1/2"	1' 8"
1' 6"	1' 5 3/4"	1' 6 1/4"	1' 5 3/4"	1' 6 1/2"	1' 5 1/2"	1' 6 3/4"
1' 5"	1' 4 3/4"	1' 5 1/4"	1' 4 3/4"	1' 5 1/2"	1' 4 1/2"	1' 5 3/4"
1' 4"	1' 3 3/4"	1' 4 1/4"	1' 3 3/4"	1' 4 1/2"	1' 3 3/4"	1' 4 1/2"
1' 3"	1' 2 3/4"	1' 3 1/4"	1' 2 3/4"	1' 3 1/4"	1' 2 3/4"	1' 3 1/2"
1' 2"	1' 1 3/4"	1' 2 1/4"	1' 1 3/4"	1' 2 1/4"	1' 1 3/4"	1' 2 1/2"
1' 1"	1' 3/4"	1' 1 1/4"	1' 3/4"	1' 1 1/4"	1' 3/4"	1' 1 1/4"
1'	1'	1'	1'	1' 1/4"	11 3/4"	1' 1/4"
11"	11"	11"	11"	11 1/4"	11"	11 1/4"

Depth of field tables

# Compact Prime CP.2 25mm/T2.1 T\*

circle of confusion: 0.020 mm

Engraving feet	T-Stop					
	5.6		8		11	
	from	to	from	to	from	to
INF	26' 2"	INF	17' 7 1/2"	INF	11' 11 3/4"	INF
40'	15' 11 1/2"	INF	12' 4 1/2"	INF	9' 4"	INF
20'	11' 5 3/4"	INF	9' 6 1/4"	INF	7' 7 1/2"	INF
13'	8' 9 3/4"	50' 9 1/2"	7' 7 1/2"	INF	6' 4 1/2"	INF
10'	7' 4 1/4"	22' 11 1/4"	6' 6 1/4"	44' 3 1/4"	5' 7 1/4"	INF
8'	6' 2 3/4"	14' 4 3/4"	5' 7 1/2"	20' 5 3/4"	4' 11 1/4"	49' 7 1/2"
7'	5' 7 1/2"	11' 4 1/2"	5' 1 1/2"	14' 9 3/4"	4' 6 3/4"	25' 6"
6'	4' 11 3/4"	8' 10 1/2"	4' 7"	10' 9 3/4"	4' 1 1/2"	15' 5 3/4"
5'	4' 3 1/4"	6' 9 1/2"	4'	7' 10 1/4"	3' 7 3/4"	9' 11 3/4"
4' 6"	3' 11"	5' 10 1/2"	3' 8 1/4"	6' 7 1/2"	3' 4 3/4"	8' 1"
4'	3' 6 1/2"	5' 1/4"	3' 4 1/4"	5' 6 3/4"	3' 1 1/4"	6' 6 1/4"
3' 6"	3' 1 3/4"	4' 3"	3'	4' 7 1/4"	2' 9 3/4"	5' 2 3/4"
3' 3"	2' 11 1/4"	3' 10 1/2"	2' 9 3/4"	4' 2"	2' 7 3/4"	4' 7 3/4"
3'	2' 9"	3' 6"	2' 7 3/4"	3' 9"	2' 6"	4' 1 1/2"
2' 9"	2' 6 1/2"	3' 2"	2' 5 1/4"	3' 4 1/4"	2' 4"	3' 7 3/4"
2' 6"	2' 4"	2' 10"	2' 3"	2' 11 3/4"	2' 1 3/4"	3' 2 1/4"
2' 3"	2' 1 1/4"	2' 6"	2' 3/4"	2' 7 1/4"	1' 11 3/4"	2' 9 1/4"
2'	1' 10 3/4"	2' 2 1/4"	1' 10 1/4"	2' 3 1/4"	1' 9 1/2"	2' 4 3/4"
1' 11"	1' 9 3/4"	2' 1"	1' 9 1/4"	2' 1 3/4"	1' 8 3/4"	2' 3 1/4"
1' 10"	1' 9"	1' 11 3/4"	1' 8 1/2"	2' 1/2"	1' 7 3/4"	2' 1 3/4"
1' 9"	1' 8"	1' 10 1/2"	1' 7 3/4"	1' 11 1/4"	1' 7"	2' 1/4"
1' 8"	1' 7 1/4"	1' 9 1/2"	1' 6 3/4"	1' 10"	1' 6 1/4"	1' 10 3/4"
1' 7"	1' 6 1/4"	1' 8 1/4"	1' 6"	1' 8 3/4"	1' 5 1/2"	1' 9 1/2"
1' 6"	1' 5 1/4"	1' 7"	1' 5"	1' 7 1/2"	1' 4 3/4"	1' 8 1/4"
1' 5"	1' 4 1/2"	1' 6"	1' 4 1/4"	1' 6 1/4"	1' 3 3/4"	1' 6 3/4"
1' 4"	1' 3 1/2"	1' 4 3/4"	1' 3 1/4"	1' 5"	1' 3"	1' 5 1/2"
1' 3"	1' 2 1/2"	1' 3 3/4"	1' 2 1/2"	1' 4"	1' 2 1/4"	1' 4 1/4"
1' 2"	1' 1 3/4"	1' 2 1/2"	1' 1 1/2"	1' 2 3/4"	1' 1 1/4"	1' 3"
1' 1"	1' 3/4"	1' 1 1/2"	1' 1/2"	1' 1 1/2"	1' 1/2"	1' 1 3/4"
1'	11 3/4"	1' 1/4"	11 3/4"	1' 1/2"	11 1/2"	1' 3/4"
11"	10 3/4"	11 1/4"	10 3/4"	11 1/4"	10 3/4"	11 1/2"

Depth of field tables

# Compact Prime CP.2 25mm/T2.1 T\*

circle of confusion: 0.020 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
<b>INF</b>	8' 3"	INF	5' 9 1/4"	INF
<b>40'</b>	6' 11 1/4"	INF	5' 1 1/4"	INF
<b>20'</b>	5' 11 1/2"	INF	4' 7"	INF
<b>13'</b>	5' 2 1/4"	INF	4' 1 1/2"	INF
<b>10'</b>	4' 8"	INF	3' 9 1/2"	INF
<b>8'</b>	4' 2 1/2"	INF	3' 6"	INF
<b>7'</b>	3' 11 1/4"	INF	3' 3 3/4"	INF
<b>6'</b>	3' 7 1/2"	40' 2 1/4"	3' 1 1/4"	INF
<b>5'</b>	3' 3"	16' 3 3/4"	2' 10"	203' 7 3/4"
<b>4' 6"</b>	3' 1/2"	11' 8 1/4"	2' 8 1/4"	33' 3 3/4"
<b>4'</b>	2' 10"	8' 7 1/2"	2' 6"	16' 3 1/2"
<b>3' 6"</b>	2' 7"	6' 5 1/2"	2' 3 3/4"	9' 10"
<b>3' 3"</b>	2' 5 1/2"	5' 7 1/4"	2' 2 3/4"	7' 11"
<b>3'</b>	2' 3 3/4"	4' 10"	2' 1 1/4"	6' 5 1/4"
<b>2' 9"</b>	2' 2"	4' 2"	2'	5' 3 1/2"
<b>2' 6"</b>	2' 1/4"	3' 7"	1' 10 1/2"	4' 4 1/4"
<b>2' 3"</b>	1' 10 1/2"	3' 3/4"	1' 8 3/4"	3' 6 3/4"
<b>2'</b>	1' 8 1/2"	2' 7"	1' 7 1/4"	2' 11"
<b>1' 11"</b>	1' 7 3/4"	2' 5 1/4"	1' 6 1/2"	2' 8 3/4"
<b>1' 10"</b>	1' 7"	2' 3 1/2"	1' 6"	2' 6 1/2"
<b>1' 9"</b>	1' 6 1/4"	2' 1 3/4"	1' 5 1/2"	2' 4 1/2"
<b>1' 8"</b>	1' 5 1/2"	2' 1/4"	1' 4 3/4"	2' 2 1/2"
<b>1' 7"</b>	1' 4 3/4"	1' 10 3/4"	1' 4"	2' 1/2"
<b>1' 6"</b>	1' 4"	1' 9 1/4"	1' 3 1/2"	1' 10 3/4"
<b>1' 5"</b>	1' 3 1/4"	1' 7 3/4"	1' 2 3/4"	1' 9"
<b>1' 4"</b>	1' 2 1/2"	1' 6 1/4"	1' 2"	1' 7 1/4"
<b>1' 3"</b>	1' 1 3/4"	1' 4 3/4"	1' 1 1/4"	1' 5 3/4"
<b>1' 2"</b>	1' 1"	1' 3 1/2"	1' 1/2"	1' 4 1/4"
<b>1' 1"</b>	1' 1/4"	1' 2 1/4"	11 3/4"	1' 2 3/4"
<b>1'</b>	11 1/4"	1' 1"	11"	1' 1 1/2"
<b>11"</b>	10 1/2"	11 3/4"	10 1/4"	1'

Depth of field tables

# Compact Prime CP.2 25mm/T2.9 T\*

circle of confusion: 0.020 mm

Engraving feet	T-Stop					
	2.9		4		5.6	
	from	to	from	to	from	to
<b>INF</b>	39' 1/4"	INF	29' 8"	INF	26' 7 1/4"	INF
<b>12'</b>	9' 3 1/2"	17' 3/4"	8' 8"	20' 1 1/4"	8' 4 3/4"	38' 5 3/4"
<b>6'</b>	5' 3 1/4"	6' 11 3/4"	5' 1"	7' 5"	4' 11 3/4"	8' 10 3/4"
<b>4'</b>	3' 8 1/4"	4' 4 3/4"	3' 7"	4' 6 1/2"	3' 6 1/2"	5' 1/2"
<b>3'</b>	2' 10"	3' 2 1/2"	2' 9 1/4"	3' 3 1/4"	2' 9"	3' 6"
<b>2'6"</b>	2' 4 1/2"	2' 7 1/2"	2' 4 1/4"	2' 8 1/4"	2' 4"	2' 10"
<b>2'</b>	1' 11 1/4"	2' 1"	1' 11"	2' 1 1/4"	1' 10 3/4"	2' 2 1/4"
<b>22"</b>	1' 9 1/4"	1' 10 3/4"	1' 9"	1' 11"	1' 9"	1' 11 3/4"
<b>20"</b>	1' 7 1/2"	1' 8 1/2"	1' 7 1/4"	1' 8 3/4"	1' 7 1/4"	1' 9 1/2"
<b>18"</b>	1' 5 1/2"	1' 6 1/2"	1' 5 1/2"	1' 6 1/2"	1' 5 1/2"	1' 7"
<b>17"</b>	1' 4 3/4"	1' 5 1/2"	1' 4 1/2"	1' 5 1/2"	1' 4 1/2"	1' 6"
<b>16"</b>	1' 3 3/4"	1' 4 1/4"	1' 3 1/2"	1' 4 1/2"	1' 3 1/2"	1' 4 3/4"
<b>15"</b>	1' 2 3/4"	1' 3 1/4"	1' 2 3/4"	1' 3 1/2"	1' 2 1/2"	1' 3 3/4"
<b>14"</b>	1' 1 3/4"	1' 2 1/4"	1' 1 3/4"	1' 2 1/4"	1' 1 3/4"	1' 2 1/2"
<b>13"</b>	1' 3/4"	1' 1 1/4"	1' 3/4"	1' 1 1/4"	1' 3/4"	1' 1 1/2"
<b>12"</b>	11 3/4"	1' 1/4"	11 3/4"	1' 1/4"	11 3/4"	1' 1/4"
<b>11"</b>	11"	11"	10 3/4"	11 1/4"	10 3/4"	11 1/4"
<b>10"</b>	10"	10"	10"	10"	10"	10 1/4"
<b>9"</b>	9"	9"	9"	9"	9"	9 1/4"
<b>8"</b>	8"	8"	8"	8"	8"	8"
<b>7"</b>	7"	7"	7"	7"	7"	7"

Depth of field tables

# Compact Prime CP.2 25mm/T2.9 T\*

circle of confusion: 0.020 mm

Engraving feet	T-Stop					
	8		11		16	
	from	to	from	to	from	to
INF	20' 7"	INF	14' 2"	INF	9' 5 1/4"	INF
12'	7' 8 3/4"	INF	6' 7 3/4"	INF	5' 5 1/4"	INF
6'	4' 9"	11' 8 3/4"	4' 4"	19'	3' 9 3/4"	97' 8"
4'	3' 5 1/4"	5' 9 1/4"	3' 2 3/4"	7' 1/4"	2' 11 1/4"	9' 9 1/4"
3'	2' 8 1/4"	3' 10"	2' 6 3/4"	4' 3 3/4"	2' 4 3/4"	5' 1 3/4"
2'6"	2' 3 1/2"	3' 1/4"	2' 2 1/2"	3' 3 1/2"	2' 1"	3' 9"
2'	1' 10 1/2"	2' 3 1/2"	1' 9 3/4"	2' 5 1/4"	1' 8 3/4"	2' 7 3/4"
22"	1' 8 3/4"	2' 3/4"	1' 8 1/4"	2' 2 1/4"	1' 7 1/2"	2' 4"
20"	1' 7"	1' 10 1/4"	1' 6 1/2"	1' 11 1/4"	1' 6"	2' 3/4"
18"	1' 5 1/4"	1' 7 3/4"	1' 4 3/4"	1' 8 1/2"	1' 4 1/4"	1' 9 1/2"
17"	1' 4 1/4"	1' 6 1/2"	1' 4"	1' 7"	1' 3 1/2"	1' 8"
16"	1' 3 1/2"	1' 5 1/4"	1' 3 1/4"	1' 5 3/4"	1' 2 3/4"	1' 6 1/2"
15"	1' 2 1/2"	1' 4"	1' 2 1/4"	1' 4 1/2"	1' 2"	1' 5"
14"	1' 1 1/2"	1' 2 3/4"	1' 1 1/2"	1' 3 1/4"	1' 1"	1' 3 3/4"
13"	1' 3/4"	1' 1 3/4"	1' 1/2"	1' 2"	1' 1/4"	1' 2 1/4"
12"	11 3/4"	1' 1/2"	11 1/2"	1' 3/4"	11 1/2"	1' 1"
11"	10 3/4"	11 1/2"	10 3/4"	11 1/2"	10 1/2"	11 3/4"
10"	9 3/4"	10 1/4"	9 3/4"	10 1/2"	9 3/4"	10 1/2"
9"	9"	9 1/4"	8 3/4"	9 1/4"	8 3/4"	9 1/2"
8"	8"	8"	8"	8 1/4"	7 3/4"	8 1/4"
7"	7"	7"	7"	7"	7"	7"

Depth of field tables

# Compact Prime CP.2 25mm/T2.9 T\*

circle of confusion: 0.020 mm

Engraving	T-Stop	
	22	
feet	from	to
INF	6' 4 1/4"	INF
12'	4' 3 1/2"	INF
6'	3' 3"	INF
4'	2' 7 1/4"	21' 5 1/4"
3'	2' 2"	7' 3/4"
2'6"	1' 11"	4' 7 1/4"
2'	1' 7 1/2"	3' 1/4"
22"	1' 6 1/4"	2' 7 1/2"
20"	1' 5"	2' 3"
18"	1' 3 3/4"	1' 11 1/4"
17"	1' 3"	1' 9 1/4"
16"	1' 2 1/4"	1' 7 1/2"
15"	1' 1 1/2"	1' 6"
14"	1' 3/4"	1' 4 1/2"
13"	1'	1' 3"
12"	11 1/4"	1' 1 1/2"
11"	10 1/4"	1'
10"	9 1/2"	10 3/4"
9"	8 3/4"	9 1/2"
8"	7 3/4"	8 1/4"
7"	7"	7 1/4"





Depth of field tables

# Compact Prime CP.2 28mm/T2.1 T\*

circle of confusion: 0.020 mm

Engraving feet	T-Stop					
	5.6		8		11	
	from	to	from	to	from	to
INF	49' 10"	INF	35' 7 3/4"	INF	21' 9 1/4"	INF
30'	18' 10 1/4"	INF	16' 5 1/4"	INF	12' 9"	INF
15'	11' 7 1/2"	84' 11 1/2"	10' 8 1/4"	INF	9' 1/4"	INF
10'	8' 5"	21' 7 1/4"	7' 11"	43' 1 1/2"	6' 11 3/4"	INF
8'	6' 11 1/2"	13' 10 1/4"	6' 7 1/2"	20' 2 3/4"	5' 11 1/2"	42' 6 1/2"
6'	5' 5"	8' 8"	5' 2 1/2"	10' 8 3/4"	4' 9 3/4"	14' 8 1/2"
5'	4' 7"	6' 8 1/4"	4' 5 1/4"	7' 9 3/4"	4' 1 3/4"	9' 8"
4'6"	4' 2"	5' 9 1/2"	4' 1/2"	6' 7 1/4"	3' 9 3/4"	7' 10 1/4"
4'	3' 9"	4' 11 1/2"	3' 7 3/4"	5' 6 1/2"	3' 5 1/2"	6' 4 1/2"
3'6"	3' 3 3/4"	4' 2 1/4"	3' 2 3/4"	4' 7"	3' 1"	5' 1 1/2"
3'	2' 10 1/4"	3' 5 3/4"	2' 9 3/4"	3' 8 3/4"	2' 8 1/4"	4' 1"
2'9"	2' 7 1/2"	3' 1 3/4"	2' 7"	3' 4"	2' 6"	3' 7 1/4"
2'6"	2' 4 3/4"	2' 9 3/4"	2' 4 1/2"	2' 11 1/2"	2' 3 1/2"	3' 2"
2'3"	2' 2"	2' 5 3/4"	2' 1 3/4"	2' 7 1/4"	2' 1"	2' 9"
2'	1' 11 1/4"	2' 2"	1' 11"	2' 3 1/4"	1' 10 1/2"	2' 4 1/2"
23"	1' 10 1/2"	2' 1"	1' 10 1/4"	2' 1 3/4"	1' 9 3/4"	2' 3"
22"	1' 9 1/2"	1' 11 3/4"	1' 9 1/4"	2' 1/2"	1' 8 3/4"	2' 1 1/2"
21"	1' 8 1/2"	1' 10 1/2"	1' 8 1/4"	1' 11 1/4"	1' 8"	2'
20"	1' 7 1/2"	1' 9 1/4"	1' 7 1/2"	1' 10"	1' 7"	1' 10 3/4"
19"	1' 6 1/2"	1' 8 1/4"	1' 6 1/2"	1' 8 3/4"	1' 6 1/4"	1' 9 1/4"
18"	1' 5 3/4"	1' 7"	1' 5 1/2"	1' 7 1/2"	1' 5 1/4"	1' 8"
17"	1' 4 3/4"	1' 5 3/4"	1' 4 1/2"	1' 6 1/4"	1' 4 1/4"	1' 6 3/4"
16"	1' 3 3/4"	1' 4 3/4"	1' 3 3/4"	1' 5"	1' 3 1/2"	1' 5 1/2"
15"	1' 2 3/4"	1' 3 1/2"	1' 2 3/4"	1' 4"	1' 2 1/2"	1' 4 1/4"
14"	1' 1 3/4"	1' 2 1/2"	1' 1 3/4"	1' 2 3/4"	1' 1 1/2"	1' 3"
13"	1' 3/4"	1' 1 1/2"	1' 3/4"	1' 1 1/2"	1' 3/4"	1' 1 3/4"
12"	1'	1' 1/4"	11 3/4"	1' 1/2"	11 3/4"	1' 3/4"
11"	11"	11 1/4"	10 3/4"	11 1/4"	10 3/4"	11 1/2"
10"	10"	10 1/4"	10"	10 1/4"	9 3/4"	10 1/4"

Depth of field tables

# Compact Prime CP.2 28mm/T2.1 T\*

circle of confusion: 0.020 mm

Engraving feet	T-Stop			
	16		22	
	from	to	from	to
INF	13' 4 3/4"	INF	8' 7 1/2"	INF
30'	9' 4 3/4"	INF	6' 9 3/4"	INF
15'	7' 2 3/4"	INF	5' 7 1/2"	INF
10'	5' 10 1/2"	INF	4' 9 1/2"	INF
8'	5' 1 3/4"	INF	4' 3 1/2"	INF
6'	4' 3 1/4"	28' 3 1/2"	3' 8 1/4"	INF
5'	3' 9"	13' 11 1/2"	3' 3 3/4"	36' 10 1/4"
4'6	3' 5 3/4"	10' 5 1/4"	3' 1"	19' 3"
4'	3' 2 1/4"	7' 11 1/4"	2' 10 1/4"	12' 1/2"
3'6	2' 10 1/2"	6' 3/4"	2' 7 1/4"	8' 1 3/4"
3'	2' 6 1/2"	4' 7 1/2"	2' 4"	5' 8 1/4"
2'9	2' 4 1/4"	4' 1/4"	2' 2 1/4"	4' 9 1/4"
2'6	2' 2 1/4"	3' 5 1/2"	2' 1/2"	4'
2'3	2'	2' 11 3/4"	1' 10 1/2"	3' 4"
2'	1' 9 3/4"	2' 6 1/4"	1' 8 1/2"	2' 9 1/4"
23"	1' 9"	2' 4 1/2"	1' 7 3/4"	2' 7 1/4"
22"	1' 8"	2' 3"	1' 7 1/4"	2' 5 1/4"
21"	1' 7 1/4"	2' 1 1/4"	1' 6 1/2"	2' 3 1/4"
20"	1' 6 1/2"	1' 11 3/4"	1' 5 3/4"	2' 1 1/2"
19"	1' 5 3/4"	1' 10 1/4"	1' 5"	1' 11 3/4"
18"	1' 4 3/4"	1' 8 3/4"	1' 4 1/4"	1' 10"
17"	1' 4"	1' 7 1/2"	1' 3 1/2"	1' 8 1/2"
16"	1' 3"	1' 6"	1' 2 3/4"	1' 6 3/4"
15"	1' 2 1/4"	1' 4 3/4"	1' 1 3/4"	1' 5 1/4"
14"	1' 1 1/4"	1' 3 1/4"	1' 1"	1' 4"
13"	1' 1/2"	1' 2"	1' 1/4"	1' 2 1/2"
12"	11 1/2"	1' 3/4"	11 1/4"	1' 1 1/4"
11"	10 3/4"	11 3/4"	10 1/2"	1'
10"	9 3/4"	10 1/2"	9 3/4"	10 3/4"

Depth of field tables

# Compact Prime CP.2 35mm/T2.1 T\*

circle of confusion: 0.020 mm

Engraving feet	T-Stop					
	2.1		2.8		4	
	from	to	from	to	from	to
INF	107' 5"	INF	133' 11 1/4"	INF	122' 10 1/4"	INF
50'	34' 3"	93' 1"	36' 6 1/4"	364' 4"	35' 7 3/4"	INF
25'	20' 4 1/2"	32' 5"	21' 1 3/4"	43' 6 1/2"	20' 10 1/4"	74' 4 1/2"
15'	13' 2 3/4"	17' 4"	13' 6 1/2"	20' 1/2"	13' 5"	24' 7 3/4"
10'	9' 2 1/4"	10' 11 1/2"	9' 4"	11' 11 1/2"	9' 3 1/2"	13' 5 1/4"
8'	7' 5 3/4"	8' 7 1/4"	7' 7"	9' 2 1/4"	7' 6 1/2"	10' 1/4"
7'	6' 7 1/4"	7' 5 1/4"	6' 8 1/4"	7' 10 1/2"	6' 7 3/4"	8' 5 3/4"
6'	5' 8 1/2"	6' 3 3/4"	5' 9 1/4"	6' 7 1/2"	5' 9"	7' 1/4"
5'	4' 9 3/4"	5' 2 1/2"	4' 10"	5' 5"	4' 10"	5' 8 1/4"
4'6"	4' 4"	4' 8"	4' 4 1/2"	4' 10"	4' 4 1/4"	5' 1/2"
4'	3' 10 1/2"	4' 1 1/2"	3' 10 3/4"	4' 3"	3' 10 3/4"	4' 5"
3'9"	3' 7 3/4"	3' 10 1/2"	3' 8"	3' 11 1/2"	3' 7 3/4"	4' 1 1/4"
3'6"	3' 5"	3' 7 1/4"	3' 5"	3' 8 1/4"	3' 5"	3' 9 1/2"
3'3"	3' 2"	3' 4"	3' 2 1/4"	3' 5"	3' 2 1/4"	3' 6"
3'	2' 11 1/4"	3' 3/4"	2' 11 1/4"	3' 1 1/2"	2' 11 1/4"	3' 2 1/2"
2'9"	2' 8 1/4"	2' 9 3/4"	2' 8 1/2"	2' 10 1/4"	2' 8 1/2"	2' 11"
2'6"	2' 5 1/2"	2' 6 1/2"	2' 5 1/2"	2' 7"	2' 5 1/2"	2' 7 3/4"
2'3"	2' 2 1/2"	2' 3 1/2"	2' 2 3/4"	2' 3 3/4"	2' 2 1/2"	2' 4 1/4"
2'	1' 11 3/4"	2' 1/4"	1' 11 3/4"	2' 1/2"	1' 11 3/4"	2' 1"
23"	1' 10 3/4"	1' 11 1/4"	1' 10 3/4"	1' 11 1/2"	1' 10 3/4"	1' 11 3/4"
22"	1' 9 3/4"	1' 10 1/4"	1' 9 3/4"	1' 10 1/2"	1' 9 3/4"	1' 10 3/4"
21"	1' 8 3/4"	1' 9 1/4"	1' 8 3/4"	1' 9 1/2"	1' 8 3/4"	1' 9 3/4"
20"	1' 7 3/4"	1' 8 1/4"	1' 7 3/4"	1' 8 1/2"	1' 7 3/4"	1' 8 1/2"
19"	1' 6 3/4"	1' 7 1/4"	1' 6 3/4"	1' 7 1/4"	1' 6 3/4"	1' 7 1/2"
18"	1' 5 3/4"	1' 6 1/4"	1' 5 3/4"	1' 6 1/4"	1' 5 3/4"	1' 6 1/2"
17"	1' 4 3/4"	1' 5 1/4"	1' 5"	1' 5 1/4"	1' 4 3/4"	1' 5 1/2"
16"	1' 4"	1' 4"	1' 4"	1' 4 1/4"	1' 4"	1' 4 1/4"
15"	1' 3"	1' 3"	1' 3"	1' 3 1/4"	1' 3"	1' 3 1/4"
14"	1' 2"	1' 2"	1' 2"	1' 2 1/4"	1' 2"	1' 2 1/4"
13"	1' 1"	1' 1"	1' 1"	1' 1"	1' 1"	1' 1 1/4"
12"	1'	1'	1'	1'	1'	1' 1/4"

Depth of field tables

# Compact Prime CP.2 35mm/T2.1 T\*

circle of confusion: 0.020 mm

Engraving feet	T-Stop					
	5.6		8		11	
	from	to	from	to	from	to
INF	82' 7"	INF	49' 5 3/4"	INF	29' 9"	INF
50'	31' 3 1/4"	INF	25'	INF	18' 9 1/2"	INF
25'	19' 3 1/2"	345' 8 3/4"	16' 8 3/4"	INF	13' 8 3/4"	INF
15'	12' 9 1/4"	33' 1 1/2"	11' 7 1/4"	55' 10"	10' 1 1/4"	INF
10'	8' 11 3/4"	15' 6 1/2"	8' 4 3/4"	19' 1 1/2"	7' 7 1/4"	26' 11 1/4"
8'	7' 4"	11' 1 1/2"	6' 11 1/2"	12' 9 3/4"	6' 4 3/4"	15' 10"
7'	6' 6"	9' 3"	6' 2 1/4"	10' 4 1/4"	5' 9"	12' 2 3/4"
6'	5' 7 1/2"	7' 6 1/2"	5' 4 3/4"	8' 3 1/4"	5' 1"	9' 4 3/4"
5'	4' 9"	6'	4' 7"	6' 5 1/4"	4' 4 1/4"	7' 1"
4'6	4' 3 1/2"	5' 3 1/4"	4' 2"	5' 7 1/4"	3' 11 3/4"	6' 1"
4'	3' 10"	4' 7"	3' 8 3/4"	4' 10"	3' 7"	5' 2"
3'9	3' 7 1/4"	4' 3"	3' 6 1/4"	4' 5 1/2"	3' 4 3/4"	4' 9"
3'6	3' 4 1/2"	3' 11 1/4"	3' 3 3/4"	4' 1 1/4"	3' 2 1/4"	4' 4"
3'3	3' 1 3/4"	3' 7 1/4"	3' 1"	3' 9"	2' 11 3/4"	3' 11 1/2"
3'	2' 11"	3' 3 1/2"	2' 10 1/4"	3' 5"	2' 9 1/4"	3' 7"
2'9	2' 8 1/4"	3'	2' 7 1/2"	3' 1"	2' 6 3/4"	3' 2 1/2"
2'6	2' 5 1/4"	2' 8 1/4"	2' 4 3/4"	2' 9 1/4"	2' 4 1/4"	2' 10 1/2"
2'3	2' 2 1/2"	2' 4 3/4"	2' 2"	2' 5 1/2"	2' 1 1/2"	2' 6 1/4"
2'	1' 11 1/2"	2' 1 1/4"	1' 11 1/4"	2' 1 3/4"	1' 11"	2' 2 1/2"
23"	1' 10 1/2"	2' 1/4"	1' 10 1/2"	2' 3/4"	1' 10"	2' 1 1/4"
22"	1' 9 3/4"	1' 11"	1' 9 1/2"	1' 11 1/2"	1' 9"	2'
21"	1' 8 3/4"	1' 10"	1' 8 1/2"	1' 10 1/4"	1' 8 1/4"	1' 10 3/4"
20"	1' 7 3/4"	1' 8 3/4"	1' 7 1/2"	1' 9 1/4"	1' 7 1/4"	1' 9 1/2"
19"	1' 6 3/4"	1' 7 3/4"	1' 6 1/2"	1' 8"	1' 6 1/4"	1' 8 1/4"
18"	1' 5 3/4"	1' 6 3/4"	1' 5 3/4"	1' 7"	1' 5 1/2"	1' 7 1/4"
17"	1' 4 3/4"	1' 5 1/2"	1' 4 3/4"	1' 5 3/4"	1' 4 1/2"	1' 6"
16"	1' 3 3/4"	1' 4 1/2"	1' 3 3/4"	1' 4 3/4"	1' 3 1/2"	1' 4 3/4"
15"	1' 2 3/4"	1' 3 1/2"	1' 2 3/4"	1' 3 1/2"	1' 2 3/4"	1' 3 3/4"
14"	1' 2"	1' 2 1/4"	1' 1 3/4"	1' 2 1/2"	1' 1 3/4"	1' 2 1/2"
13"	1' 1"	1' 1 1/4"	1' 3/4"	1' 1 1/4"	1' 3/4"	1' 1 1/2"
12"	1'	1' 1/4"	1'	1' 1/4"	11 3/4"	1' 1/4"

Depth of field tables

# Compact Prime CP.2 35mm/T2.1 T\*

circle of confusion: 0.020 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
INF	18' 9 3/4"	INF	12' 4 1/2"	INF
50'	13' 9 1/2"	INF	10' 1/4"	INF
25'	10' 10 1/2"	INF	8' 5"	INF
15'	8' 6"	INF	6' 11 1/4"	INF
10'	6' 8"	61' 6"	5' 8 1/4"	INF
8'	5' 8 3/4"	23' 5 1/2"	5'	74' 1/2"
7'	5' 2 1/2"	16' 3 1/4"	4' 7 1/4"	30' 7 1/4"
6'	4' 8"	11' 6 3/4"	4' 2"	17' 2"
5'	4' 1/2"	8' 2 3/4"	3' 8 1/4"	10' 7 3/4"
4'6	3' 8 3/4"	6' 10 3/4"	3' 5"	8' 5 3/4"
4'	3' 4 1/2"	5' 8 3/4"	3' 1 1/2"	6' 9 1/4"
3'9	3' 2 1/2"	5' 2 1/2"	2' 11 3/4"	6' 1/2"
3'6	3' 1/4"	4' 8 3/4"	2' 10"	5' 4 1/2"
3'3	2' 10 1/4"	4' 3"	2' 8"	4' 9 1/4"
3'	2' 8"	3' 9 3/4"	2' 6"	4' 2 3/4"
2'9	2' 5 1/2"	3' 4 3/4"	2' 4"	3' 8 1/2"
2'6	2' 3 1/4"	3' 1/4"	2' 2"	3' 3"
2'3	2' 3/4"	2' 7 3/4"	1' 11 3/4"	2' 9 3/4"
2'	1' 10 1/4"	2' 3 1/2"	1' 9 1/2"	2' 5"
23"	1' 9 1/2"	2' 2"	1' 8 3/4"	2' 3 1/2"
22"	1' 8 1/2"	2' 3/4"	1' 8"	2' 2"
21"	1' 7 3/4"	1' 11 1/2"	1' 7 1/4"	2' 1/2"
20"	1' 7"	1' 10 1/4"	1' 6 1/4"	1' 11"
19"	1' 6"	1' 8 3/4"	1' 5 1/2"	1' 9 1/2"
18"	1' 5 1/4"	1' 7 1/2"	1' 4 3/4"	1' 8 1/4"
17"	1' 4 1/4"	1' 6 1/2"	1' 4"	1' 7"
16"	1' 3 1/4"	1' 5 1/4"	1' 3"	1' 5 1/2"
15"	1' 2 1/2"	1' 4"	1' 2 1/4"	1' 4 1/4"
14"	1' 1 1/2"	1' 2 3/4"	1' 1 1/4"	1' 3"
13"	1' 3/4"	1' 1 3/4"	1' 1/2"	1' 2"
12"	11 3/4"	1' 1/2"	11 1/2"	1' 3/4"

Depth of field tables

# Compact Prime CP.2 50mm/T2.1 T\*

circle of confusion: 0.020 mm

Engraving feet	T-Stop					
	2.1		2.8		4	
	from	to	from	to	from	to
<b>INF</b>	227' 2 1/2"	INF	394' 6 1/2"	INF	702' 4"	INF
<b>50'</b>	41' 3/4"	63' 11 3/4"	44' 4 3/4"	97' 7 1/2"	46' 8"	259' 5 3/4"
<b>30'</b>	26' 6 1/2"	34' 6"	27' 10 3/4"	42' 3 1/2"	28' 9 1/4"	57' 9 1/2"
<b>20'</b>	18' 5"	21' 10 1/2"	19' 1/2"	24' 9"	19' 5 1/4"	29' 3 3/4"
<b>15'</b>	14' 1 1/4"	16' 1/4"	14' 5 1/2"	17' 6"	14' 8 1/4"	19' 7 1/2"
<b>12'</b>	11' 5"	12' 7 3/4"	11' 7 3/4"	13' 6 1/4"	11' 9 1/2"	14' 9"
<b>10'</b>	9' 7 1/4"	10' 5 1/4"	9' 9"	11' 1/4"	9' 10 1/4"	11' 10"
<b>9'</b>	8' 8"	9' 4 1/4"	8' 9 3/4"	9' 9 3/4"	8' 10 1/2"	10' 5 1/4"
<b>8'</b>	7' 9"	8' 3 1/4"	7' 10 1/4"	8' 7 3/4"	7' 11"	9' 1 1/4"
<b>7'</b>	6' 9 3/4"	7' 2 1/2"	6' 10 1/2"	7' 5 3/4"	6' 11 1/4"	7' 10"
<b>6'6"</b>	6' 4"	6' 8 1/4"	6' 4 3/4"	6' 11"	6' 5 1/4"	7' 2 1/2"
<b>6'</b>	5' 10 1/4"	6' 1 3/4"	5' 11"	6' 4"	5' 11 1/4"	6' 7"
<b>5'6"</b>	5' 4 1/2"	5' 7 1/2"	5' 5 1/4"	5' 9 1/2"	5' 5 1/2"	5' 11 3/4"
<b>5'</b>	4' 10 3/4"	5' 1 1/4"	4' 11 1/4"	5' 2 3/4"	4' 11 1/2"	5' 4 3/4"
<b>4'9"</b>	4' 8"	4' 10"	4' 8 1/4"	4' 11 1/2"	4' 8 1/2"	5' 1 1/4"
<b>4'6"</b>	4' 5"	4' 7"	4' 5 1/2"	4' 8 1/4"	4' 5 3/4"	4' 9 3/4"
<b>4'3"</b>	4' 2 1/4"	4' 3 3/4"	4' 2 1/2"	4' 5"	4' 2 3/4"	4' 6 1/4"
<b>4'</b>	3' 11 1/4"	4' 3/4"	3' 11 1/2"	4' 1 3/4"	3' 11 3/4"	4' 2 3/4"
<b>3'9"</b>	3' 8 1/4"	3' 9 3/4"	3' 8 1/2"	3' 10 1/2"	3' 8 3/4"	3' 11 1/2"
<b>3'6"</b>	3' 5 1/2"	3' 6 1/2"	3' 5 3/4"	3' 7 1/4"	3' 5 3/4"	3' 8 1/4"
<b>3'3"</b>	3' 2 1/2"	3' 3 1/2"	3' 2 3/4"	3' 4"	3' 2 3/4"	3' 4 3/4"
<b>3'</b>	2' 11 1/2"	3' 1/2"	2' 11 3/4"	3' 1"	2' 11 3/4"	3' 1 1/2"
<b>2'9"</b>	2' 8 3/4"	2' 9 1/4"	2' 8 3/4"	2' 9 3/4"	2' 8 3/4"	2' 10 1/4"
<b>2'6"</b>	2' 5 3/4"	2' 6 1/4"	2' 5 3/4"	2' 6 1/2"	2' 6"	2' 7"
<b>2'3"</b>	2' 2 3/4"	2' 3 1/4"	2' 2 3/4"	2' 3 1/2"	2' 3"	2' 3 3/4"
<b>2'</b>	1' 11 3/4"	2' 1/4"	2'	2' 1/4"	2'	2' 1/2"
<b>23"</b>	1' 10 3/4"	1' 11 1/4"	1' 11"	1' 11 1/4"	1' 11"	1' 11 1/2"
<b>22"</b>	1' 9 3/4"	1' 10 1/4"	1' 10"	1' 10 1/4"	1' 10"	1' 10 1/2"
<b>21"</b>	1' 9"	1' 9"	1' 9"	1' 9 1/4"	1' 9"	1' 9 1/2"
<b>20"</b>	1' 8"	1' 8"	1' 8"	1' 8 1/4"	1' 8"	1' 8 1/2"
<b>19"</b>	1' 7"	1' 7"	1' 7"	1' 7 1/4"	1' 7"	1' 7 1/4"
<b>18"</b>	1' 6"	1' 6"	1' 6"	1' 6 1/4"	1' 6"	1' 6 1/4"

Depth of field tables

# Compact Prime CP.2 50mm/T2.1 T\*

circle of confusion: 0.020 mm

Engraving feet	T-Stop					
	5.6		8		11	
	from	to	from	to	from	to
INF	349' 3 1/2"	INF	146' 2 1/4"	INF	73' 4 1/2"	INF
50'	43' 9"	INF	37' 3 3/4"	INF	29' 10"	INF
30'	27' 7 1/2"	88' 2"	24' 11 1/4"	205' 11 3/4"	21' 4 1/2"	INF
20'	18' 11"	35' 5 1/4"	17' 7 1/2"	45' 11"	15' 9 1/4"	72' 2 1/2"
15'	14' 4 1/2"	22' 2 1/4"	13' 7 1/2"	25' 10"	12' 6"	32' 5"
12'	11' 7 1/4"	16' 1 3/4"	11' 1 1/4"	17' 11 3/4"	10' 4 1/4"	20' 11"
10'	9' 8 3/4"	12' 8 1/4"	9' 4 1/2"	13' 9 1/2"	8' 10"	15' 5"
9'	8' 9 1/4"	11' 1 1/4"	8' 6"	11' 11 1/4"	8' 3/4"	13' 1 1/2"
8'	7' 9 3/4"	9' 7 1/4"	7' 7 1/4"	10' 2 1/2"	7' 3"	11' 3/4"
7'	6' 10 1/4"	8' 2 1/4"	6' 8 1/4"	8' 7 1/2"	6' 5"	9' 2 1/2"
6'6"	6' 4 1/2"	7' 6"	6' 2 3/4"	7' 10 1/4"	6'	8' 4 1/4"
6'	5' 10 3/4"	6' 10"	5' 9 1/4"	7' 1 1/2"	5' 7"	7' 6 1/4"
5'6"	5' 5"	6' 2 1/4"	5' 3 3/4"	6' 5"	5' 1 3/4"	6' 9"
5'	4' 11 1/4"	5' 6 3/4"	4' 10 1/4"	5' 9"	4' 8 1/2"	6'
4'9"	4' 8 1/4"	5' 3"	4' 7 1/4"	5' 5"	4' 5 3/4"	5' 7 1/2"
4'6"	4' 5 1/4"	4' 11 1/4"	4' 4 1/2"	5' 1"	4' 3 1/4"	5' 3 1/4"
4'3"	4' 2 1/2"	4' 7 1/2"	4' 1 3/4"	4' 9 1/4"	4' 1/2"	4' 11 1/4"
4'	3' 11 1/2"	4' 4"	3' 10 3/4"	4' 5 1/4"	3' 9 3/4"	4' 7"
3'9"	3' 8 1/2"	4' 1/2"	3' 8"	4' 1 3/4"	3' 7"	4' 3"
3'6"	3' 5 1/2"	3' 9"	3' 5"	3' 10"	3' 4 1/4"	3' 11 1/4"
3'3"	3' 2 3/4"	3' 5 1/2"	3' 2 1/4"	3' 6 1/4"	3' 1 1/2"	3' 7 1/2"
3'	2' 11 3/4"	3' 2"	2' 11 1/4"	3' 2 3/4"	2' 10 3/4"	3' 3 3/4"
2'9"	2' 8 3/4"	2' 10 3/4"	2' 8 1/2"	2' 11 1/4"	2' 8"	3'
2'6"	2' 5 3/4"	2' 7 1/2"	2' 5 1/2"	2' 7 3/4"	2' 5 1/4"	2' 8 1/2"
2'3"	2' 2 3/4"	2' 4"	2' 2 3/4"	2' 4 1/2"	2' 2 1/4"	2' 4 3/4"
2'	1' 11 3/4"	2' 3/4"	1' 11 3/4"	2' 1"	1' 11 1/2"	2' 1 1/2"
23"	1' 11"	1' 11 3/4"	1' 10 3/4"	2'	1' 10 1/2"	2' 1/4"
22"	1' 10"	1' 10 3/4"	1' 9 3/4"	1' 10 3/4"	1' 9 1/2"	1' 11 1/4"
21"	1' 9"	1' 9 1/2"	1' 8 3/4"	1' 9 3/4"	1' 8 1/2"	1' 10"
20"	1' 8"	1' 8 1/2"	1' 7 3/4"	1' 8 3/4"	1' 7 3/4"	1' 9"
19"	1' 7"	1' 7 1/2"	1' 6 3/4"	1' 7 1/2"	1' 6 3/4"	1' 7 3/4"
18"	1' 6"	1' 6 1/2"	1' 5 3/4"	1' 6 1/2"	1' 5 3/4"	1' 6 3/4"



Depth of field tables

# Compact Prime CP.2 50mm/T2.1 T\*

circle of confusion: 0.020 mm

Engraving feet	T-Stop			
	16		22	
	from	to	from	to
INF	42' 3 3/4"	INF	26' 3 1/2"	INF
50'	23' 1/4"	INF	17' 4"	INF
30'	17' 8"	INF	14' 1 1/2"	INF
20'	13' 8"	329' 9"	11' 5 3/4"	INF
15'	11' 2"	49' 8 1/2"	9' 7 3/4"	192' 2 1/2"
12'	9' 5"	26' 10 1/2"	8' 4"	44' 7 1/2"
10'	8' 1 3/4"	18' 5"	7' 4"	25' 2 3/4"
9'	7' 5 3/4"	15' 2 3/4"	6' 9 1/2"	19' 6 3/4"
8'	6' 9 1/2"	12' 6 1/4"	6' 2 1/2"	15' 3 1/2"
7'	6' 3/4"	10' 2 1/4"	5' 7 1/4"	11' 11"
6'6"	5' 8 1/4"	9' 1 1/2"	5' 3 1/2"	10' 6"
6'	5' 3 1/2"	8' 1 3/4"	4' 11 1/2"	9' 2 3/4"
5'6"	4' 11"	7' 2 3/4"	4' 7 1/4"	8' 3/4"
5'	4' 6 1/4"	6' 4 1/2"	4' 3 1/4"	7'
4'9"	4' 3 3/4"	5' 11 1/2"	4' 1"	6' 6"
4'6"	4' 1 1/4"	5' 6 3/4"	3' 10 3/4"	6' 1/4"
4'3"	3' 10 3/4"	5' 2 1/4"	3' 8 1/2"	5' 7"
4'	3' 8 1/4"	4' 9 3/4"	3' 6 1/4"	5' 1 3/4"
3'9"	3' 5 3/4"	4' 5 1/4"	3' 4"	4' 8 3/4"
3'6"	3' 3 1/4"	4' 1"	3' 1 3/4"	4' 3 3/4"
3'3"	3' 1/2"	3' 9"	2' 11 1/4"	3' 11 1/4"
3'	2' 10"	3' 5"	2' 8 3/4"	3' 6 3/4"
2'9"	2' 7 1/4"	3' 1"	2' 6 1/4"	3' 2 1/2"
2'6"	2' 4 1/2"	2' 9 1/4"	2' 3 3/4"	2' 10 1/4"
2'3"	2' 2"	2' 5 1/2"	2' 1 1/4"	2' 6 1/4"
2'	1' 11 1/4"	2' 1 3/4"	1' 10 3/4"	2' 2 1/2"
23"	1' 10 1/4"	2' 3/4"	1' 9 3/4"	2' 1 1/4"
22"	1' 9 1/4"	1' 11 1/2"	1' 9"	2'
21"	1' 8 1/4"	1' 10 1/4"	1' 8"	1' 10 3/4"
20"	1' 7 1/2"	1' 9 1/4"	1' 7"	1' 9 1/2"
19"	1' 6 1/2"	1' 8"	1' 6 1/4"	1' 8 1/2"
18"	1' 5 1/2"	1' 7"	1' 5 1/4"	1' 7 1/4"

Depth of field tables

# Compact Prime CP.2 85mm/T2.1 T\*

circle of confusion: 0.020 mm

Engraving feet	T-Stop					
	2.1		2.8		4	
	from	to	from	to	from	to
INF	598' 6 3/4"	INF	555' 1 3/4"	INF	461' 10"	INF
200'	150' 1/4"	300' 1 3/4"	147' 1 1/2"	INF	139' 7 3/4"	INF
100'	85' 9 1/4"	119' 11 1/2"	84' 9 3/4"	137' 4 1/2"	82' 3 1/4"	174' 4 1/2"
60'	54' 7"	66' 7 1/2"	54' 2 1/4"	71' 7 3/4"	53' 1 3/4"	80' 6"
40'	37' 6 1/4"	42' 9 3/4"	37' 4 1/4"	44' 10"	36' 10 1/4"	48' 1 1/2"
30'	28' 7 1/4"	31' 6 1/2"	28' 5 3/4"	32' 7 1/2"	28' 2 1/4"	34' 3 3/4"
25'	24' 1/4"	26' 3/4"	23' 11 1/4"	26' 9 1/2"	23' 8 3/4"	27' 11"
20'	19' 4 1/2"	20' 8"	19' 3 3/4"	21' 1 1/2"	19' 2 1/4"	21' 9 3/4"
17'	16' 6 1/2"	17' 5 3/4"	16' 6"	17' 9 1/2"	16' 5"	18' 3 1/4"
15'	14' 7 3/4"	15' 4 1/2"	14' 7 1/2"	15' 7 1/4"	14' 6 1/2"	15' 11 3/4"
14'	13' 8 1/4"	14' 3 3/4"	13' 8"	14' 6 1/4"	13' 7 1/4"	14' 10 1/4"
13'	12' 8 3/4"	13' 3 1/4"	12' 8 1/2"	13' 5 1/2"	12' 7 3/4"	13' 8 3/4"
12'	11' 9 1/4"	12' 2 3/4"	11' 9"	12' 4 1/2"	11' 8 1/2"	12' 7 1/4"
11'	10' 9 3/4"	11' 2 1/4"	10' 9 1/2"	11' 3 3/4"	10' 9"	11' 6"
10'	9' 10 1/4"	10' 2"	9' 10"	10' 3 1/4"	9' 9 1/2"	10' 5"
9'6	9' 4 1/4"	9' 7 3/4"	9' 4 1/4"	9' 8 3/4"	9' 3 3/4"	9' 10 1/2"
9'	8' 10 1/2"	9' 1 1/2"	8' 10 1/2"	9' 2 1/2"	8' 10"	9' 4"
8'6	8' 4 3/4"	8' 7 1/4"	8' 4 1/2"	8' 8 1/4"	8' 4 1/4"	8' 9 1/2"
8'	7' 10 3/4"	8' 1 1/4"	7' 10 3/4"	8' 2"	7' 10 1/2"	8' 3"
7'9	7' 8"	7' 10"	7' 7 3/4"	7' 10 3/4"	7' 7 1/2"	8'
7'6	7' 5"	7' 7"	7' 5"	7' 7 3/4"	7' 4 3/4"	7' 8 3/4"
7'3	7' 2"	7' 4"	7' 2"	7' 4 1/2"	7' 1 3/4"	7' 5 1/2"
7'	6' 11"	7' 1"	6' 11"	7' 1 1/2"	6' 10 3/4"	7' 2 1/4"
6'9	6' 8 1/4"	6' 9 3/4"	6' 8"	6' 10 1/4"	6' 8"	6' 11 1/4"
6'6	6' 5 1/4"	6' 6 3/4"	6' 5 1/4"	6' 7 1/4"	6' 5"	6' 8"
6'3	6' 2 1/4"	6' 3 3/4"	6' 2 1/4"	6' 4 1/4"	6' 2"	6' 4 3/4"
6'	5' 11 1/4"	6' 3/4"	5' 11 1/4"	6' 1"	5' 11 1/4"	6' 1 3/4"
5'9	5' 8 1/2"	5' 9 1/2"	5' 8 1/4"	5' 10"	5' 8 1/4"	5' 10 1/2"
5'6	5' 5 1/2"	5' 6 1/2"	5' 5 1/2"	5' 7"	5' 5 1/4"	5' 7 1/2"
5'3	5' 2 1/2"	5' 3 1/2"	5' 2 1/2"	5' 3 3/4"	5' 2 1/4"	5' 4 1/4"
5'	4' 11 1/2"	5' 1/2"	4' 11 1/2"	5' 3/4"	4' 11 1/2"	5' 1"
4'9	4' 8 1/2"	4' 9 1/2"	4' 8 1/2"	4' 9 3/4"	4' 8 1/2"	4' 10"
4'6	4' 5 3/4"	4' 6 1/4"	4' 5 1/2"	4' 6 1/2"	4' 5 1/2"	4' 7"
4'3	4' 2 3/4"	4' 3 1/4"	4' 2 3/4"	4' 3 1/2"	4' 2 1/2"	4' 3 3/4"
4'	3' 11 3/4"	4' 1/4"	3' 11 3/4"	4' 1/2"	3' 11 3/4"	4' 3/4"
3'9	3' 8 3/4"	3' 9 1/4"	3' 8 3/4"	3' 9 1/2"	3' 8 3/4"	3' 9 1/2"
3'6	3' 5 3/4"	3' 6 1/4"	3' 5 3/4"	3' 6 1/4"	3' 5 3/4"	3' 6 1/2"
3'3	3' 2 3/4"	3' 3 1/4"	3' 2 3/4"	3' 3 1/4"	3' 2 3/4"	3' 3 1/2"

Depth of field tables

# Compact Prime CP.2 85mm/T2.1 T\*

circle of confusion: 0.020 mm

Engraving	T-Stop					
	5.6		8		11	
feet	from	to	from	to	from	to
INF	323' 9"	INF	211' 3 1/2"	INF	136' 6 1/2"	INF
200'	123' 8 3/4"	INF	102' 10 1/4"	INF	81' 3 1/4"	INF
100'	76' 5 3/4"	252' 2 3/4"	67' 11 3/4"	INF	57' 10 1/4"	INF
60'	50' 8 1/4"	93' 9 3/4"	46' 9 3/4"	117' 6 1/4"	41' 9 1/2"	174' 4"
40'	35' 7 3/4"	52' 6 1/2"	33' 8 1/2"	59' 2 1/2"	31' 1/4"	70' 9"
30'	27' 6"	36' 6"	26' 4"	39' 6 3/4"	24' 8"	44' 4 3/4"
25'	23' 2 3/4"	29' 4"	22' 4 3/4"	31' 3 1/4"	21' 2 1/2"	34' 2 1/4"
20'	18' 10 1/4"	22' 7 3/4"	18' 3 3/4"	23' 9 1/2"	17' 6"	25' 5 1/4"
17'	16' 2"	18' 10 1/2"	15' 9 1/4"	19' 7 3/4"	15' 2"	20' 9"
15'	14' 4 1/4"	16' 5"	14' 1/2"	17'	13' 6 3/4"	17' 9 3/4"
14'	13' 5 1/4"	15' 2 3/4"	13' 2"	15' 8 3/4"	12' 9"	16' 5"
13'	12' 6 1/4"	14' 1/2"	12' 3 1/4"	14' 5 1/2"	11' 11"	15' 1/2"
12'	11' 7"	12' 10 1/2"	11' 4 1/2"	13' 2 3/4"	11' 3/4"	13' 8 1/2"
11'	10' 7 3/4"	11' 8 3/4"	10' 5 3/4"	12' 1/4"	10' 2 1/2"	12' 5"
10'	9' 8 1/2"	10' 7 1/4"	9' 6 3/4"	10' 10"	9' 4 1/4"	11' 1 3/4"
9'6"	9' 3"	10' 1/2"	9' 1 1/4"	10' 3"	8' 11"	10' 6 1/4"
9'	8' 9 1/4"	9' 5 3/4"	8' 7 3/4"	9' 8"	8' 5 3/4"	9' 11"
8'6"	8' 3 1/2"	8' 11"	8' 2 1/4"	9' 1"	8' 1/2"	9' 3 3/4"
8'	7' 9 3/4"	8' 4 1/2"	7' 8 3/4"	8' 6 1/4"	7' 7"	8' 8 1/2"
7'9"	7' 7"	8' 1 1/4"	7' 6"	8' 2 3/4"	7' 4 1/4"	8' 4 3/4"
7'6"	7' 4"	7' 9 3/4"	7' 3"	7' 11 1/4"	7' 1 3/4"	8' 1 1/4"
7'3"	7' 1 1/4"	7' 6 1/2"	7' 1/4"	7' 8"	6' 11"	7' 9 3/4"
7'	6' 10 1/4"	7' 3 1/4"	6' 9 1/2"	7' 4 1/2"	6' 8 1/4"	7' 6 1/4"
6'9"	6' 7 1/2"	7'	6' 6 3/4"	7' 1 1/4"	6' 5 1/2"	7' 2 3/4"
6'6"	6' 4 1/2"	6' 8 3/4"	6' 3 3/4"	6' 10"	6' 2 3/4"	6' 11 1/4"
6'3"	6' 1 3/4"	6' 5 1/2"	6' 1"	6' 6 1/2"	6'	6' 8"
6'	5' 10 3/4"	6' 2 1/2"	5' 10 1/4"	6' 3 1/4"	5' 9 1/4"	6' 4 1/2"
5'9"	5' 8"	5' 11 1/4"	5' 7 1/4"	6'	5' 6 1/2"	6' 1"
5'6"	5' 5"	5' 8"	5' 4 1/2"	5' 8 3/4"	5' 3 3/4"	5' 9 3/4"
5'3"	5' 2"	5' 4 3/4"	5' 1 1/2"	5' 5 1/2"	5' 1"	5' 6 1/4"
5'	4' 11 1/4"	5' 1 1/2"	4' 10 3/4"	5' 2 1/4"	4' 10"	5' 3"
4'9"	4' 8 1/4"	4' 10 1/2"	4' 8"	4' 11"	4' 7 1/4"	4' 11 3/4"
4'6"	4' 5 1/4"	4' 7 1/4"	4' 5"	4' 7 3/4"	4' 4 1/2"	4' 8 1/4"
4'3"	4' 2 1/2"	4' 4"	4' 2"	4' 4 1/2"	4' 1 3/4"	4' 5"
4'	3' 11 1/2"	4' 1"	3' 11 1/4"	4' 1 1/4"	3' 10 3/4"	4' 1 3/4"
3'9"	3' 8 1/2"	3' 9 3/4"	3' 8 1/4"	3' 10 1/4"	3' 8"	3' 10 1/2"
3'6"	3' 5 1/2"	3' 6 3/4"	3' 5 1/2"	3' 7"	3' 5"	3' 7 1/4"
3'3"	3' 2 3/4"	3' 3 1/2"	3' 2 1/2"	3' 3 3/4"	3' 2 1/4"	3' 4 1/4"

Depth of field tables

# Compact Prime CP.2 85mm/T2.1 T\*

circle of confusion: 0.020 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
INF	90' 5 3/4"	INF	60' 11 3/4"	INF
200'	62' 5"	INF	46' 10"	INF
100'	47' 7 3/4"	INF	38' 1 4"	INF
60'	36' 2 1/2"	INF	30' 4 3/4"	INF
40'	27' 10 1/4"	97' 1 1/4"	24' 3 1/2"	201' 11 3/4"
30'	22' 7 3/4"	53' 5 1/4"	20' 2 3/4"	74' 7 3/4"
25'	19' 8 1/4"	39' 3 1/2"	17' 10 1/4"	49' 7 1/2"
20'	16' 5 1/2"	28' 1 1/2"	15' 2"	33' 1/4"
17'	14' 4 3/4"	22' 6"	13' 4 3/4"	25' 6"
15'	12' 11 1/4"	19' 1"	12' 1 1/2"	21' 2 1/4"
14'	12' 2 1/4"	17' 5 3/4"	11' 5 3/4"	19' 2 3/4"
13'	11' 5 1/4"	15' 11 1/4"	10' 9 1/2"	17' 4 1/2"
12'	10' 7 3/4"	14' 5 1/4"	10' 1 1/4"	15' 7 1/4"
11'	9' 10 1/4"	13'	9' 4 3/4"	13' 11 1/4"
10'	9' 3/4"	11' 7 1/2"	8' 8"	12' 4 1/4"
9'6"	8' 7 3/4"	10' 11 1/4"	8' 3 1/2"	11' 7"
9'	8' 2 3/4"	10' 3 1/4"	7' 11"	10' 10"
8'6"	7' 9 3/4"	9' 7 1/2"	7' 6 1/4"	10' 1 1/2"
8'	7' 4 3/4"	8' 11 3/4"	7' 1 1/2"	9' 5"
7'9"	7' 2 1/4"	8' 8"	6' 11 1/4"	9' 3/4"
7'6"	6' 11 1/2"	8' 4 1/4"	6' 8 3/4"	8' 8 1/2"
7'3"	6' 9"	8' 1/2"	6' 6 1/2"	8' 4 1/2"
7'	6' 6 1/2"	7' 8 3/4"	6' 4"	8' 1/2"
6'9"	6' 3 3/4"	7' 5"	6' 1 1/2"	7' 8 1/2"
6'6"	6' 1 1/4"	7' 1 1/2"	5' 11"	7' 4 1/2"
6'3"	5' 10 1/2"	6' 9 3/4"	5' 8 3/4"	7' 3/4"
6'	5' 8"	6' 6 1/4"	5' 6 1/4"	6' 8 3/4"
5'9"	5' 5 1/4"	6' 2 3/4"	5' 3 3/4"	6' 5"
5'6"	5' 2 1/2"	5' 11 1/4"	5' 1"	6' 1 1/4"
5'3"	5'	5' 7 1/2"	4' 10 1/2"	5' 9 1/2"
5'	4' 9 1/4"	5' 4 1/4"	4' 8"	5' 5 3/4"
4'9"	4' 6 1/2"	5' 3/4"	4' 5 1/4"	5' 2 1/4"
4'6"	4' 3 3/4"	4' 9 1/4"	4' 2 3/4"	4' 10 1/2"
4'3"	4' 1"	4' 5 3/4"	4'	4' 7"
4'	3' 10 1/4"	4' 2 1/2"	3' 9 1/2"	4' 3 1/2"
3'9"	3' 7 1/2"	3' 11 1/4"	3' 6 3/4"	4'
3'6"	3' 4 3/4"	3' 7 3/4"	3' 4"	3' 8 1/2"
3'3"	3' 2"	3' 4 1/2"	3' 1 1/2"	3' 5 1/4"

Depth of field tables

# Compact Prime CP.2 100mm/T2.1 CF T\*

circle of confusion: 0.020 mm

Engraving feet	T-Stop					
	2.1		2.8		4	
	from	to	from	to	from	to
INF	786' 5 1/4"	INF	778' 4 3/4"	INF	539' 11 1/4"	INF
300'	217' 4"	INF	216' 8 1/4"	INF	193' 1/4"	INF
250'	189' 10 1/4"	366' 2 1/4"	189' 4 1/4"	INF	171' 1/2"	INF
200'	159' 7"	267' 11 3/4"	159' 2 3/4"	346' 2 3/4"	146' 1"	INF
190'	153' 1 3/4"	250' 3 1/2"	152' 10"	317' 3"	140' 8 1/4"	INF
180'	146' 7 1/4"	233' 2 1/2"	146' 3 3/4"	290' 3 1/4"	135' 1 1/2"	INF
170'	139' 10 3/4"	216' 8 1/4"	139' 7 1/2"	265' 1"	129' 5"	346' 6 1/4"
160'	133' 3/4"	200' 8 1/4"	132' 9 3/4"	241' 6"	123' 6 3/4"	307' 3 1/4"
150'	126' 1"	185' 2 1/4"	125' 10 1/4"	219' 4 1/2"	117' 6 1/4"	272' 3 1/2"
140'	118' 11 1/4"	170' 2"	118' 9"	198' 7"	111' 3 1/2"	240' 11 1/2"
130'	111' 7 3/4"	155' 7 1/4"	111' 5 3/4"	179' 1/4"	104' 10 3/4"	212' 8 3/4"
120'	104' 2 1/2"	141' 5 3/4"	104' 3/4"	160' 6 3/4"	98' 3 1/2"	187' 1 1/2"
110'	96' 7"	127' 9 1/4"	96' 5 1/2"	143' 1 1/4"	91' 5 3/4"	163' 10"
100'	88' 9 1/2"	114' 5 1/2"	88' 8 1/4"	126' 7 1/4"	84' 5 3/4"	142' 6 1/2"
90'	80' 10"	101' 6 1/2"	80' 8 3/4"	110' 11 1/2"	77' 2 3/4"	123'
80'	72' 8 1/4"	88' 11 3/4"	72' 7 1/4"	96' 1 1/2"	69' 9"	105' 1/4"
70'	64' 4"	76' 9 1/4"	64' 3 1/4"	82' 1/4"	62' 1/2"	88' 4 3/4"
60'	55' 9 1/2"	64' 10 3/4"	55' 9"	68' 7 1/4"	54' 3/4"	72' 11 3/4"
50'	47' 3/4"	53' 4"	47' 1/4"	55' 9 3/4"	45' 9 3/4"	58' 8"
45'	42' 7 1/4"	47' 8 1/4"	42' 7"	49' 7 3/4"	41' 7"	51' 10 3/4"
40'	38' 1 1/4"	42' 1 1/4"	38' 1"	43' 7 1/4"	37' 3 1/2"	45' 4"
35'	33' 6 1/2"	36' 7 1/4"	33' 6 1/4"	37' 8 3/4"	32' 11"	39'
30'	28' 11"	31' 2"	28' 11"	31' 11 3/4"	28' 5 1/2"	32' 10 1/2"
29'	28'	30' 1"	27' 11 3/4"	30' 10"	27' 6 3/4"	31' 8 1/4"
28'	27' 3/4"	29'	27' 1/2"	29' 8 1/2"	26' 7 3/4"	30' 5 3/4"
27'	26' 1 1/2"	27' 11 1/4"	26' 1 1/2"	28' 7"	25' 9"	29' 3 1/2"
26'	25' 2 1/4"	26' 10 1/4"	25' 2 1/4"	27' 5 1/2"	24' 10"	28' 1 1/2"
25'	24' 3"	25' 9 1/2"	24' 3"	26' 4 1/4"	23' 11"	26' 11 1/2"
24'	23' 3 3/4"	24' 8 3/4"	23' 3 3/4"	25' 2 3/4"	23'	25' 9 1/2"
23'	22' 4 1/2"	23' 8"	22' 4 1/4"	24' 1 1/2"	22' 1"	24' 7 3/4"
22'	21' 5"	22' 7 1/4"	21' 5"	23' 1/4"	21' 2"	23' 6"
21'	20' 5 3/4"	21' 6 3/4"	20' 5 1/2"	21' 11 1/4"	20' 3"	22' 4 1/4"
20'	19' 6 1/4"	20' 6"	19' 6 1/4"	20' 10"	19' 3 3/4"	21' 2 1/2"
19'	18' 6 3/4"	19' 5 1/2"	18' 6 3/4"	19' 9"	18' 4 1/2"	20' 1"
18'	17' 7 1/4"	18' 4 3/4"	17' 7 1/4"	18' 8"	17' 5 1/4"	18' 11 3/4"
17'	16' 8"	17' 4 1/4"	16' 7 3/4"	17' 7 1/4"	16' 6"	17' 10 1/4"
16'	15' 8 1/4"	16' 3 3/4"	15' 8 1/4"	16' 6 1/4"	15' 6 3/4"	16' 9 1/4"
15'	14' 8 3/4"	15' 3 1/4"	14' 8 3/4"	15' 5 1/2"	14' 7 1/4"	15' 8"
14' 6"	14' 3"	14' 9"	14' 3"	14' 11 1/4"	14' 1 3/4"	15' 1 1/2"
14'	13' 9 1/4"	14' 3"	13' 9 1/4"	14' 4 3/4"	13' 8"	14' 7"



Depth of field tables

# Compact Prime CP.2 100mm/T2.1 CF T\*

circle of confusion: 0.020 mm

Engraving feet	T-Stop					
	5.6		8		11	
	from	to	from	to	from	to
INF	368' 8 1/4"	INF	250' 8 1/2"	INF	169' 11"	INF
300'	165' 7"	INF	136' 9 1/4"	INF	108' 8"	INF
250'	149' 2"	INF	125' 4 1/2"	INF	101' 4 1/4"	INF
200'	129' 10"	INF	111' 5 1/4"	INF	92' 3/4"	INF
190'	125' 6 1/2"	INF	108' 3 1/4"	INF	89' 10 3/4"	INF
180'	121' 1 1/2"	INF	104' 11 1/2"	INF	87' 7 1/4"	INF
170'	116' 6 1/4"	INF	101' 6"	INF	85' 2 1/4"	INF
160'	111' 8 3/4"	INF	97' 10 1/4"	INF	82' 7 1/4"	INF
150'	106' 9 1/4"	INF	94' 1/4"	INF	79' 10 1/2"	INF
140'	101' 7 1/2"	336' 8 1/2"	90' 1/4"	INF	76' 11 1/2"	INF
130'	96' 3"	283' 11 1/2"	85' 9 1/2"	INF	73' 10 1/4"	INF
120'	90' 8"	240' 1"	81' 4"	INF	70' 6 1/4"	INF
110'	84' 10 1/4"	203' 1/4"	76' 7 1/2"	300' 5 3/4"	66' 11 1/2"	INF
100'	78' 9 1/2"	171' 3 1/2"	71' 7 3/4"	235' 8 3/4"	63' 1 3/4"	INF
90'	72' 5 1/2"	143' 9 3/4"	66' 4 1/2"	186' 7 1/4"	59' 1/4"	312' 5 3/4"
80'	65' 10 1/4"	119' 9 1/2"	60' 9 1/2"	148' 1/4"	54' 6 3/4"	217' 5"
70'	58' 11 1/4"	98' 7 1/4"	54' 10 1/4"	116' 11 1/4"	49' 9"	156' 3 1/2"
60'	51' 8 1/4"	79' 9 1/2"	48' 6 1/2"	91' 4 1/2"	44' 6"	113' 8 1/4"
50'	44' 1 1/4"	62' 11 3/4"	41' 9 1/2"	69' 11 1/2"	38' 9 1/4"	82' 3 1/4"
45'	40' 2 1/4"	55' 2 3/4"	38' 3"	60' 6"	35' 8 1/2"	69' 5 3/4"
40'	36' 1 3/4"	47' 10 1/4"	34' 7"	51' 9"	32' 6"	58' 2"
35'	32' 1/4"	40' 10 1/4"	30' 9 1/2"	43' 7 3/4"	29' 1 1/2"	48' 1 1/4"
30'	27' 9 1/2"	34' 2"	26' 10 1/2"	36' 1 1/4"	25' 7 1/4"	39' 1"
29'	26' 11 1/4"	32' 10 1/2"	26' 3/4"	34' 7 3/4"	24' 10 1/2"	37' 4 3/4"
28'	26' 3/4"	31' 7"	25' 3"	33' 2 3/4"	24' 1 1/2"	35' 8 3/4"
27'	25' 2 1/2"	30' 3 3/4"	24' 5 1/4"	31' 9 3/4"	23' 4 3/4"	34' 1 1/4"
26'	24' 4"	29' 3/4"	23' 7 1/2"	30' 5 1/4"	22' 7 3/4"	32' 6 1/4"
25'	23' 5 1/2"	27' 9 3/4"	22' 9 1/2"	29' 3/4"	21' 10 1/2"	30' 11 1/2"
24'	22' 7"	26' 7"	21' 11 1/2"	27' 8 1/2"	21' 1 1/2"	29' 5 1/4"
23'	21' 8 1/4"	25' 4 1/4"	21' 1 1/2"	26' 4 1/2"	20' 4"	27' 11 1/4"
22'	20' 9 1/2"	24' 1 3/4"	20' 3 1/2"	25' 3/4"	19' 6 3/4"	26' 5 1/2"
21'	19' 11"	22' 11 1/4"	19' 5 1/4"	23' 9 1/4"	18' 9 1/4"	25' 1/4"
20'	19'	21' 9"	18' 7"	22' 6"	17' 11 3/4"	23' 7 1/4"
19'	18' 1 1/4"	20' 6 3/4"	17' 8 1/2"	21' 2 3/4"	17' 2"	22' 2 1/2"
18'	17' 2 1/4"	19' 4 3/4"	16' 10"	19' 11 3/4"	16' 4 1/4"	20' 10 1/4"
17'	16' 3 1/2"	18' 2 3/4"	15' 11 1/2"	18' 9"	15' 6 1/4"	19' 6"
16'	15' 4 1/4"	17' 1"	15' 1"	17' 6 1/2"	14' 8 1/4"	18' 2 1/4"
15'	14' 5 1/4"	15' 11 1/4"	14' 2 1/4"	16' 4"	13' 10"	16' 10 3/4"
14' 6"	13' 11 3/4"	15' 4 1/2"	13' 9"	15' 9"	13' 5"	16' 3 1/4"
14'	13' 6 1/4"	14' 9 3/4"	13' 3 1/2"	15' 1 3/4"	13'	15' 7 1/2"

Depth of field tables

# Compact Prime CP.2 100mm/T2.1 CF T\*

circle of confusion: 0.020 mm

Engraving	T-Stop					
	5.6		8		11	
feet	from	to	from	to	from	to
13' 6"	13' 1/2"	14' 3"	12' 10 1/4"	14' 6 3/4"	12' 6 3/4"	15'
13'	12' 7"	13' 8 1/4"	12' 4 3/4"	13' 11 3/4"	12' 1 1/2"	14' 4 3/4"
12' 6"	12' 1 1/4"	13' 1 3/4"	11' 11 1/4"	13' 4 3/4"	11' 8 1/4"	13' 9 1/4"
12'	11' 7 3/4"	12' 7"	11' 5 3/4"	12' 10"	11' 3"	13' 2"
11' 6"	11' 2"	12' 1/2"	11' 1/4"	12' 3"	10' 9 3/4"	12' 6 3/4"
11'	10' 8 1/2"	11' 5 3/4"	10' 6 3/4"	11' 8 1/4"	10' 4 1/2"	11' 11 1/2"
10' 6"	10' 2 3/4"	10' 11 1/4"	10' 1 1/4"	11' 1 1/2"	9' 11 1/4"	11' 4 1/2"
10'	9' 9"	10' 4 3/4"	9' 7 3/4"	10' 6 3/4"	9' 5 3/4"	10' 9 1/2"
9' 9"	9' 6 1/4"	10' 1 1/2"	9' 5"	10' 3 1/4"	9' 3 1/4"	10' 6"
9' 6"	9' 3 1/4"	9' 10 1/4"	9' 2 1/4"	10'	9' 1/2"	10' 2 1/2"
9' 3"	9' 1/2"	9' 7"	8' 11 1/4"	9' 8 3/4"	8' 9 3/4"	9' 11"
9'	8' 9 3/4"	9' 3 3/4"	8' 8 1/2"	9' 5 1/4"	8' 7"	9' 7 1/2"
8' 9"	8' 6 3/4"	9' 1/2"	8' 5 3/4"	9' 2"	8' 4 1/4"	9' 4"
8' 6"	8' 4"	8' 9 1/4"	8' 3"	8' 10 3/4"	8' 1 1/2"	9' 1/2"
8' 3"	8' 1"	8' 6 1/4"	8' 1/4"	8' 7 1/2"	7' 10 3/4"	8' 9 1/4"
8'	7' 10 1/4"	8' 3"	7' 9 1/4"	8' 4"	7' 8"	8' 5 3/4"
7' 9"	7' 7 1/4"	7' 11 3/4"	7' 6 1/2"	8' 3/4"	7' 5 1/4"	8' 2 1/4"
7' 6"	7' 4 1/2"	7' 8 1/2"	7' 3 3/4"	7' 9 1/2"	7' 2 1/2"	7' 11"
7' 3"	7' 1 1/2"	7' 5 1/4"	7' 3/4"	7' 6 1/4"	6' 11 3/4"	7' 7 3/4"
7'	6' 10 1/2"	7' 2 1/4"	6' 10"	7' 3"	6' 9"	7' 4 1/4"
6' 9"	6' 7 3/4"	6' 11"	6' 7"	6' 11 3/4"	6' 6 1/4"	7' 1"
6' 6"	6' 4 3/4"	6' 7 3/4"	6' 4 1/4"	6' 8 1/2"	6' 3 1/2"	6' 9 3/4"
6' 3"	6' 2"	6' 4 3/4"	6' 1 1/2"	6' 5 1/2"	6' 3/4"	6' 6 1/4"
6'	5' 11"	6' 1 1/2"	5' 10 1/2"	6' 2 1/4"	5' 9 3/4"	6' 3"
5' 9"	5' 8"	5' 10 1/2"	5' 7 3/4"	5' 11"	5' 7"	5' 11 3/4"
5' 6"	5' 5 1/4"	5' 7 1/4"	5' 4 3/4"	5' 7 3/4"	5' 4 1/4"	5' 8 1/2"
5' 3"	5' 2 1/4"	5' 4 1/4"	5' 2"	5' 4 1/2"	5' 1 1/2"	5' 5 1/4"
5'	4' 11 1/4"	5' 1"	4' 11"	5' 1 1/2"	4' 10 1/2"	5' 2"
4' 9"	4' 8 1/2"	4' 10"	4' 8"	4' 10 1/4"	4' 7 3/4"	4' 10 3/4"
4' 6"	4' 5 1/2"	4' 6 3/4"	4' 5 1/4"	4' 7 1/4"	4' 4 3/4"	4' 7 1/2"
4' 3"	4' 2 1/2"	4' 3 3/4"	4' 2 1/4"	4' 4"	4' 2"	4' 4 1/2"
4'	3' 11 1/2"	4' 3/4"	3' 11 1/2"	4' 3/4"	3' 11"	4' 1 1/4"
3' 9"	3' 8 3/4"	3' 9 1/2"	3' 8 1/2"	3' 9 3/4"	3' 8 1/4"	3' 10"
3' 6"	3' 5 3/4"	3' 6 1/2"	3' 5 1/2"	3' 6 3/4"	3' 5 1/4"	3' 7"
3' 3"	3' 2 3/4"	3' 3 1/2"	3' 2 1/2"	3' 3 1/2"	3' 2 1/2"	3' 3 3/4"
3'	2' 11 3/4"	3' 1/4"	2' 11 3/4"	3' 1/2"	2' 11 1/2"	3' 1/2"
2' 9"	2' 8 3/4"	2' 9 1/4"	2' 8 3/4"	2' 9 1/4"	2' 8 3/4"	2' 9 1/2"
2' 6"	2' 5 3/4"	2' 6 1/4"	2' 5 3/4"	2' 6 1/4"	2' 5 3/4"	2' 6 1/2"



Depth of field tables

**Compact Prime CP.2 100mm/T2.1 CF T\***

circle of confusion: 0.020 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
<b>INF</b>	115' 3 1/2"	INF	79'	INF
<b>300'</b>	83' 5 1/4"	INF	62' 8"	INF
<b>250'</b>	79' 1"	INF	60' 2 1/4"	INF
<b>200'</b>	73' 3 3/4"	INF	56' 9 1/2"	INF
<b>190'</b>	71' 11 1/4"	INF	55' 11 3/4"	INF
<b>180'</b>	70' 5 3/4"	INF	55' 1"	INF
<b>170'</b>	68' 10 3/4"	INF	54' 1 1/4"	INF
<b>160'</b>	67' 2 1/2"	INF	53' 3/4"	INF
<b>150'</b>	65' 4 3/4"	INF	51' 11 1/4"	INF
<b>140'</b>	63' 5"	INF	50' 8 1/4"	INF
<b>130'</b>	61' 3 3/4"	INF	49' 4"	INF
<b>120'</b>	59'	INF	47' 10"	INF
<b>110'</b>	56' 6"	INF	46' 2 1/4"	INF
<b>100'</b>	53' 9"	INF	44' 4"	INF
<b>90'</b>	50' 9"	INF	42' 3 1/4"	INF
<b>80'</b>	47' 5"	INF	39' 11 1/2"	INF
<b>70'</b>	43' 9"	288' 9"	37' 3 3/4"	INF
<b>60'</b>	39' 7 3/4"	170' 5"	34' 3 3/4"	INF
<b>50'</b>	35' 1/2"	108' 3 1/2"	30' 9 3/4"	194' 3"
<b>45'</b>	32' 6 1/4"	87' 1 1/2"	28' 10 1/4"	135' 1 1/2"
<b>40'</b>	29' 10 1/4"	70'	26' 9"	97' 10 3/4"
<b>35'</b>	27'	55' 10 3/4"	24' 5 1/4"	72' 3 1/4"
<b>30'</b>	23' 11 1/4"	44' 1/2"	21' 11"	53' 7"
<b>29'</b>	23' 3 3/4"	41' 11"	21' 4 1/2"	50' 5 1/4"
<b>28'</b>	22' 8"	39' 10"	20' 10"	47' 5 1/2"
<b>27'</b>	22'	37' 9 3/4"	20' 3 1/4"	44' 7 1/4"
<b>26'</b>	21' 4"	35' 10 1/2"	19' 8 1/2"	41' 11"
<b>25'</b>	20' 8"	33' 11 3/4"	19' 1 3/4"	39' 4"
<b>24'</b>	19' 11 3/4"	32' 1 3/4"	18' 6 3/4"	36' 10 3/4"
<b>23'</b>	19' 3 1/2"	30' 4 1/4"	17' 11 1/2"	34' 6 1/2"
<b>22'</b>	18' 7"	28' 7 1/2"	17' 4 1/4"	32' 3 3/4"
<b>21'</b>	17' 10 1/2"	26' 11 1/4"	16' 8 3/4"	30' 2"
<b>20'</b>	17' 1 3/4"	25' 3 1/2"	16' 1 1/4"	28' 1 1/2"
<b>19'</b>	16' 5"	23' 8 1/2"	15' 5 1/4"	26' 2"
<b>18'</b>	15' 8"	22' 1 3/4"	14' 9 1/2"	24' 3 1/4"
<b>17'</b>	14' 11"	20' 7 3/4"	14' 1 1/4"	22' 5 3/4"
<b>16'</b>	14' 1 3/4"	19' 2"	13' 5"	20' 8 3/4"
<b>15'</b>	13' 4 1/4"	17' 9"	12' 8 1/2"	19' 3/4"
<b>14' 6"</b>	12' 11 1/2"	17' 1/2"	12' 4 1/4"	18' 3"
<b>14'</b>	12' 6 3/4"	16' 4 1/4"	12'	17' 5 1/2"

Depth of field tables

# Compact Prime CP.2 100mm/T2.1 CF T\*

circle of confusion: 0.020 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
13' 6"	12' 2"	15' 8"	11' 7 1/2"	16' 8 1/4"
13'	11' 9"	14' 11 3/4"	11' 3 1/4"	15' 11"
12' 6"	11' 4 1/4"	14' 3 3/4"	10' 10 3/4"	15' 2"
12'	10' 11 1/4"	13' 8"	10' 6 1/4"	14' 5"
11' 6"	10' 6 1/4"	13' 1/4"	10' 1 1/2"	13' 8 1/4"
11'	10' 1 1/4"	12' 4 1/2"	9' 9"	12' 11 3/4"
10' 6"	9' 8 1/4"	11' 8 3/4"	9' 4 1/4"	12' 3 1/2"
10'	9' 3 1/4"	11' 1 1/4"	8' 11 1/2"	11' 7 1/4"
9' 9"	9' 1/2"	10' 9 1/2"	8' 9 1/4"	11' 3"
9' 6"	8' 10"	10' 5 3/4"	8' 6 3/4"	10' 11"
9' 3"	8' 7 1/2"	10' 2 1/4"	8' 4 1/4"	10' 7"
9'	8' 4 3/4"	9' 10 1/2"	8' 2"	10' 3"
8' 9"	8' 2 1/4"	9' 7"	7' 11 1/2"	9' 11 1/4"
8' 6"	7' 11 3/4"	9' 3 1/4"	7' 9"	9' 7 1/4"
8' 3"	7' 9"	8' 11 3/4"	7' 6 1/2"	9' 3 1/2"
8'	7' 6 1/4"	8' 8"	7' 4"	8' 11 1/2"
7' 9"	7' 3 3/4"	8' 4 1/2"	7' 1 1/2"	8' 7 3/4"
7' 6"	7' 1"	8' 1"	6' 11"	8' 4"
7' 3"	6' 10 1/2"	7' 9 1/2"	6' 8 1/2"	8' 1/4"
7'	6' 7 3/4"	7' 6"	6' 6"	7' 8 1/2"
6' 9"	6' 5"	7' 2 1/2"	6' 3 1/4"	7' 4 3/4"
6' 6"	6' 2 1/4"	6' 11"	6' 3/4"	7' 1 1/4"
6' 3"	5' 11 3/4"	6' 7 3/4"	5' 10 1/4"	6' 9 1/2"
6'	5' 9"	6' 4 1/4"	5' 7 1/2"	6' 6"
5' 9"	5' 6 1/4"	6' 3/4"	5' 5"	6' 2 1/2"
5' 6"	5' 3 1/2"	5' 9 1/2"	5' 2 1/4"	5' 11"
5' 3"	5' 3/4"	5' 6 1/4"	4' 11 3/4"	5' 7 1/2"
5'	4' 10"	5' 2 3/4"	4' 9"	5' 4"
4' 9"	4' 7"	4' 11 1/2"	4' 6 1/4"	5' 1/2"
4' 6"	4' 4 1/4"	4' 8 1/4"	4' 3 1/2"	4' 9"
4' 3"	4' 1 1/2"	4' 5"	4' 1"	4' 5 3/4"
4'	3' 10 3/4"	4' 1 3/4"	3' 10 1/4"	4' 2 1/4"
3' 9"	3' 8"	3' 10 1/2"	3' 7 1/2"	3' 11"
3' 6"	3' 5"	3' 7 1/4"	3' 4 3/4"	3' 7 3/4"
3' 3"	3' 2 1/4"	3' 4"	3' 1 3/4"	3' 4 1/2"
3'	2' 11 1/4"	3' 3/4"	2' 11"	3' 1 1/4"
2' 9"	2' 8 1/2"	2' 9 3/4"	2' 8 1/4"	2' 10"
2' 6"	2' 5 1/2"	2' 6 1/2"	2' 5 1/2"	2' 6 3/4"



Depth of field tables

# Compact Prime CP.2 135mm/T2.1 T\*

circle of confusion: 0.020 mm

Engraving	T-Stop					
	5.6		8		11	
feet	from	to	from	to	from	to
<b>INF</b>	602' 4 3/4"	INF	414' 5 1/4"	INF	286' 5 1/4"	INF
<b>200'</b>	150' 4"	340' 6 3/4"	135' 1 1/2"	464' 11 3/4"	118' 1/4"	950' 10 1/2"
<b>100'</b>	85' 10 1/2"	125' 10"	80' 8 1/2"	139' 6 1/2"	74' 3 3/4"	164' 8"
<b>60'</b>	54' 7 3/4"	68' 4 1/4"	52' 6 1/4"	72' 2 1/4"	49' 9"	78' 3 3/4"
<b>40'</b>	37' 6 3/4"	43' 6 1/4"	36' 6 3/4"	45' 1/4"	35' 2 1/2"	47' 3 3/4"
<b>30'</b>	28' 7 1/2"	31' 11"	28' 1/2"	32' 8 1/2"	27' 3"	33' 10 3/4"
<b>25'</b>	24' 1/2"	26' 3 3/4"	23' 7 1/2"	26' 10"	23' 3/4"	27' 7 1/2"
<b>20'</b>	19' 4 3/4"	20' 9 3/4"	19' 1 1/2"	21' 1 3/4"	18' 9"	21' 7 1/2"
<b>18'</b>	17' 6"	18' 7 3/4"	17' 3 1/2"	18' 11"	17'	19' 3 1/2"
<b>16'</b>	15' 7 1/4"	16' 6 1/4"	15' 5 1/4"	16' 8 1/2"	15' 2 1/2"	17'
<b>15'</b>	14' 8"	15' 5 1/4"	14' 6"	15' 7 1/2"	14' 3 1/2"	15' 10 1/2"
<b>14'</b>	13' 8 1/2"	14' 4 1/2"	13' 7"	14' 6 1/2"	13' 4 3/4"	14' 9"
<b>13'</b>	12' 9"	13' 4"	12' 7 1/2"	13' 5 1/2"	12' 5 3/4"	13' 7 3/4"
<b>12'</b>	11' 9 1/2"	12' 3 1/4"	11' 8 1/4"	12' 4 3/4"	11' 6 3/4"	12' 6 1/2"
<b>11'</b>	10' 9 3/4"	11' 2 3/4"	10' 9"	11' 3 3/4"	10' 7 1/2"	11' 5 1/2"
<b>10'</b>	9' 10 1/4"	10' 2 1/4"	9' 9 1/2"	10' 3 1/4"	9' 8 1/4"	10' 4 1/2"
<b>9' 6"</b>	9' 4 1/2"	9' 8"	9' 3 3/4"	9' 8 3/4"	9' 2 3/4"	9' 10"
<b>9'</b>	8' 10 1/2"	9' 1 3/4"	8' 10"	9' 2 1/2"	8' 9"	9' 3 1/2"
<b>8' 6"</b>	8' 4 3/4"	8' 7 1/2"	8' 4 1/4"	8' 8 1/4"	8' 3 1/2"	8' 9"
<b>8'</b>	7' 11"	8' 1 1/2"	7' 10 1/2"	8' 2"	7' 9 3/4"	8' 2 3/4"
<b>7' 6"</b>	7' 5"	7' 7 1/4"	7' 4 1/2"	7' 7 3/4"	7' 4"	7' 8 1/4"
<b>7'</b>	6' 11 1/4"	7' 1"	6' 10 3/4"	7' 1 1/2"	6' 10 1/4"	7' 2"
<b>6' 9"</b>	6' 8 1/4"	6' 10"	6' 8"	6' 10 1/4"	6' 7 1/2"	6' 10 3/4"
<b>6' 6"</b>	6' 5 1/4"	6' 7"	6' 5"	6' 7 1/4"	6' 4 1/2"	6' 7 3/4"
<b>6' 3"</b>	6' 2 1/4"	6' 3 3/4"	6' 2"	6' 4"	6' 1 3/4"	6' 4 1/2"
<b>6'</b>	5' 11 1/2"	6' 3/4"	5' 11 1/4"	6' 1"	5' 10 3/4"	6' 1 1/2"
<b>5' 9"</b>	5' 8 1/2"	5' 9 3/4"	5' 8 1/4"	5' 10"	5' 8"	5' 10 1/4"
<b>5' 6"</b>	5' 5 1/2"	5' 6 1/2"	5' 5 1/4"	5' 6 3/4"	5' 5"	5' 7 1/4"
<b>5' 3"</b>	5' 2 1/2"	5' 3 1/2"	5' 2 1/4"	5' 3 3/4"	5' 2"	5' 4"
<b>5'</b>	4' 11 1/2"	5' 1/2"	4' 11 1/2"	5' 3/4"	4' 11 1/4"	5' 1"
<b>4' 9"</b>	4' 8 3/4"	4' 9 1/2"	4' 8 1/2"	4' 9 1/2"	4' 8 1/4"	4' 9 3/4"
<b>4' 6"</b>	4' 5 3/4"	4' 6 1/2"	4' 5 1/2"	4' 6 1/2"	4' 5 1/4"	4' 6 3/4"
<b>4' 3"</b>	4' 2 3/4"	4' 3 1/4"	4' 2 1/2"	4' 3 1/2"	4' 2 1/2"	4' 3 3/4"
<b>4'</b>	3' 11 3/4"	4' 1/4"	3' 11 3/4"	4' 1/2"	3' 11 1/2"	4' 1/2"
<b>3' 9"</b>	3' 8 3/4"	3' 9 1/4"	3' 8 3/4"	3' 9 1/4"	3' 8 1/2"	3' 9 1/2"
<b>3' 6"</b>	3' 5 3/4"	3' 6 1/4"	3' 5 3/4"	3' 6 1/4"	3' 5 3/4"	3' 6 1/2"
<b>3' 3"</b>	3' 2 3/4"	3' 3 1/4"	3' 2 3/4"	3' 3 1/4"	3' 2 3/4"	3' 3 1/4"

Depth of field tables

# Compact Prime CP.2 135mm/T2.1 T\*

circle of confusion: 0.020 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
INF	199' 1 1/2"	INF	139' 2"	INF
200'	100' 1/2"	INF	82' 3 3/4"	INF
100'	66' 9 1/2"	220' 7 3/4"	58' 5 1/4"	425' 5"
60'	46' 3 1/2"	88' 11 3/4"	42' 1 3/4"	110' 2 3/4"
40'	33' 5 1/2"	50' 11 1/2"	31' 3"	57' 2 3/4"
30'	26' 2 1/4"	35' 8 1/2"	24' 10"	38' 7 3/4"
25'	22' 3 3/4"	28' 9 3/4"	21' 4"	30' 8 1/4"
20'	18' 3"	22' 4"	17' 7 1/4"	23' 5 1/4"
18'	16' 7"	19' 10 1/4"	16' 1/2"	20' 8 1/2"
16'	14' 10 1/2"	17' 5 1/4"	14' 5 1/4"	18' 1"
15'	14' 1/4"	16' 3"	13' 7 1/2"	16' 9 3/4"
14'	13' 1 3/4"	15' 1"	12' 9 3/4"	15' 6 3/4"
13'	12' 3 1/4"	13' 11"	11' 11 3/4"	14' 3 3/4"
12'	11' 4 1/2"	12' 9 1/4"	11' 1 1/2"	13' 1 1/4"
11'	10' 5 3/4"	11' 7 3/4"	10' 3 1/4"	11' 11"
10'	9' 6 3/4"	10' 6 1/4"	9' 4 3/4"	10' 9"
9' 6"	9' 1 1/4"	9' 11 1/2"	8' 11 1/2"	10' 2"
9'	8' 7 3/4"	9' 5"	8' 6 1/4"	9' 7"
8' 6"	8' 2 1/4"	8' 10 1/4"	8' 3/4"	9' 1/4"
8'	7' 8 3/4"	8' 3 3/4"	7' 7 1/2"	8' 5 1/2"
7' 6"	7' 3 1/4"	7' 9 1/4"	7' 2"	7' 10 3/4"
7'	6' 9 1/2"	7' 2 3/4"	6' 8 1/2"	7' 4"
6' 9"	6' 6 3/4"	6' 11 1/2"	6' 5 3/4"	7' 3/4"
6' 6"	6' 4"	6' 8 1/2"	6' 3"	6' 9 1/2"
6' 3"	6' 1"	6' 5 1/4"	6' 1/4"	6' 6"
6'	5' 10 1/4"	6' 2"	5' 9 1/2"	6' 2 3/4"
5' 9"	5' 7 1/2"	5' 10 3/4"	5' 6 3/4"	5' 11 1/2"
5' 6"	5' 4 1/2"	5' 7 3/4"	5' 4"	5' 8 1/4"
5' 3"	5' 1 3/4"	5' 4 1/2"	5' 1 1/4"	5' 5"
5'	4' 10 3/4"	5' 1 1/4"	4' 10 1/4"	5' 1 3/4"
4' 9"	4' 8"	4' 10 1/4"	4' 7 1/2"	4' 10 3/4"
4' 6"	4' 5"	4' 7"	4' 4 3/4"	4' 7 1/2"
4' 3"	4' 2 1/4"	4' 4"	4' 1 3/4"	4' 4 1/4"
4'	3' 11 1/4"	4' 3/4"	3' 11"	4' 1"
3' 9"	3' 8 1/2"	3' 9 3/4"	3' 8 1/4"	3' 10"
3' 6"	3' 5 1/2"	3' 6 1/2"	3' 5 1/4"	3' 6 3/4"
3' 3"	3' 2 1/2"	3' 3 1/2"	3' 2 1/2"	3' 3 3/4"

Depth of field tables

# Compact Prime CP.2 50mm/T2.1 Macro T\*

circle of confusion: 0.020 mm

Engraving feet	T-Stop					
	2.1		2.8		4	
	from	to	from	to	from	to
<b>INF</b>	219' 11 1/2"	INF	197' 3 1/4"	INF	245' 10"	INF
<b>100'</b>	68' 10 1/4"	183' 1"	66' 5 1/2"	376' 6 3/4"	71' 1 3/4"	INF
<b>80'</b>	58' 9"	125' 6 1/4"	57' 1/4"	193' 7"	60' 5"	INF
<b>60'</b>	47' 2 3/4"	82' 4 1/4"	46' 1"	106' 11 1/2"	48' 3 1/2"	327' 9 3/4"
<b>50'</b>	40' 9 3/4"	64' 7"	39' 11 1/2"	78' 9 1/4"	41' 7 1/4"	156'
<b>40'</b>	33' 11"	48' 9 1/2"	33' 4"	56' 5 1/4"	34' 5 1/4"	87' 4"
<b>30'</b>	26' 5 1/2"	34' 8"	26' 1 1/4"	38' 4"	26' 9 1/4"	50' 4 1/2"
<b>25'</b>	22' 6"	28' 1 3/4"	22' 2 3/4"	30' 6"	22' 8 3/4"	37' 7 3/4"
<b>20'</b>	18' 4 1/2"	21' 11 1/2"	18' 2 1/2"	23' 4 1/4"	18' 6 1/4"	27' 3 1/2"
<b>15'</b>	14' 3/4"	16' 3/4"	13' 11 3/4"	16' 9 1/2"	14' 1 3/4"	18' 8 1/2"
<b>12'</b>	11' 4 3/4"	12' 8"	11' 4"	13' 1 1/4"	11' 5 1/2"	14' 2 3/4"
<b>10'</b>	9' 7"	10' 5 1/2"	9' 6 1/2"	10' 9"	9' 7 1/2"	11' 5 3/4"
<b>8'</b>	7' 8 3/4"	8' 3 1/2"	7' 8 1/2"	8' 5 1/2"	7' 9"	8' 11"
<b>7'</b>	6' 9 1/2"	7' 2 1/2"	6' 9 1/4"	7' 4 1/4"	6' 9 3/4"	7' 8 1/4"
<b>6'</b>	5' 10 1/4"	6' 1 3/4"	5' 10"	6' 3"	5' 10 1/2"	6' 5 3/4"
<b>5'</b>	4' 10 3/4"	5' 1 1/4"	4' 10 3/4"	5' 2"	4' 11"	5' 4"
<b>4' 6"</b>	4' 5"	4' 7"	4' 5"	4' 7 1/2"	4' 5"	4' 9"
<b>4'</b>	3' 11 1/4"	4' 3/4"	3' 11 1/4"	4' 1 1/4"	3' 11 1/4"	4' 2 1/4"
<b>3' 9"</b>	3' 8 1/4"	3' 9 3/4"	3' 8 1/4"	3' 10"	3' 8 1/2"	3' 11"
<b>3' 6"</b>	3' 5 1/2"	3' 6 1/2"	3' 5 1/4"	3' 7"	3' 5 1/2"	3' 7 3/4"
<b>3' 3"</b>	3' 2 1/2"	3' 3 1/2"	3' 2 1/2"	3' 3 3/4"	3' 2 1/2"	3' 4 1/2"
<b>3'</b>	2' 11 1/2"	3' 1/2"	2' 11 1/2"	3' 3/4"	2' 11 1/2"	3' 1 1/4"
<b>2' 9"</b>	2' 8 3/4"	2' 9 1/4"	2' 8 3/4"	2' 9 1/2"	2' 8 3/4"	2' 10"
<b>2' 6"</b>	2' 5 3/4"	2' 6 1/4"	2' 5 3/4"	2' 6 1/2"	2' 5 3/4"	2' 6 3/4"
<b>2' 3"</b>	2' 2 3/4"	2' 3 1/4"	2' 2 3/4"	2' 3 1/4"	2' 2 3/4"	2' 3 3/4"
<b>2'</b>	1' 11 3/4"	2' 1/4"	1' 11 3/4"	2' 1/4"	1' 11 3/4"	2' 1/2"
<b>1' 11"</b>	1' 10 3/4"	1' 11 1/4"	1' 10 3/4"	1' 11 1/4"	1' 10 3/4"	1' 11 1/2"
<b>1' 10"</b>	1' 9 3/4"	1' 10 1/4"	1' 9 3/4"	1' 10 1/4"	1' 9 3/4"	1' 10 1/2"
<b>1' 9"</b>	1' 9"	1' 9"	1' 8 3/4"	1' 9 1/4"	1' 9"	1' 9 1/4"
<b>1' 8"</b>	1' 8"	1' 8"	1' 8"	1' 8 1/4"	1' 8"	1' 8 1/4"
<b>1' 7"</b>	1' 7"	1' 7"	1' 7"	1' 7 1/4"	1' 7"	1' 7 1/4"
<b>1' 6"</b>	1' 6"	1' 6"	1' 6"	1' 6 1/4"	1' 6"	1' 6 1/4"
<b>1' 5"</b>	1' 5"	1' 5"	1' 5"	1' 5"	1' 5"	1' 5 1/4"
<b>1' 4"</b>	1' 4"	1' 4"	1' 4"	1' 4"	1' 4"	1' 4 1/4"
<b>1' 3"</b>	1' 3"	1' 3"	1' 3"	1' 3"	1' 3"	1' 3 1/4"
<b>1' 2"</b>	1' 2"	1' 2"	1' 2"	1' 2"	1' 2"	1' 2"
<b>1' 1"</b>	1' 1"	1' 1"	1' 1"	1' 1"	1' 1"	1' 1"
<b>1'</b>	1'	1'	1'	1'	1'	1'
<b>11"</b>	11"	11"	11"	11"	11"	11"
<b>10"</b>	10"	10"	10"	10"	10"	10"

Depth of field tables

# Compact Prime CP.2 50mm/T2.1 Macro T\*

circle of confusion: 0.020 mm

Engraving feet	T-Stop					
	5.6		8		11	
	from	to	from	to	from	to
INF	193' 6"	INF	110' 7"	INF	63' 6 1/2"	INF
100'	66'	INF	52' 7 1/4"	INF	38' 11 1/2"	INF
80'	56' 8"	INF	46' 6"	INF	35' 6 1/4"	INF
60'	45' 10 1/4"	INF	38' 11 3/4"	INF	30' 11 1/2"	INF
50'	39' 9 1/4"	INF	34' 6 1/4"	INF	28' 1"	INF
40'	33' 2 1/4"	195' 10 1/2"	29' 5 1/4"	INF	24' 7 3/4"	INF
30'	26'	73' 10 1/2"	23' 8"	144' 6 1/2"	20' 5 3/4"	INF
25'	22' 2"	49' 3 3/4"	20' 5 1/4"	73' 1/2"	18' 1/4"	179' 3 3/4"
20'	18' 1 3/4"	32' 10 3/4"	16' 11 3/4"	41' 11 1/4"	15' 3 1/2"	63' 4 1/2"
15'	13' 11 1/4"	21' 2"	13' 3"	24' 6 1/4"	12' 2 1/2"	30' 6"
12'	11' 3 3/4"	15' 7 1/4"	10' 10 1/4"	17' 4"	10' 1 3/4"	20' 1"
10'	9' 6 1/4"	12' 4 1/4"	9' 2 1/2"	13' 4 3/4"	8' 8 1/4"	14' 11 3/4"
8'	7' 8 1/4"	9' 5"	7' 5 3/4"	10'	7' 1 3/4"	10' 10"
7'	6' 9 1/4"	8' 1/2"	6' 7 1/4"	8' 5 1/2"	6' 4 1/4"	9' 1/2"
6'	5' 10"	6' 8 3/4"	5' 8 1/2"	7' 1/4"	5' 6 1/4"	7' 5"
5'	4' 10 1/2"	5' 6"	4' 9 1/2"	5' 8"	4' 8"	5' 11"
4' 6"	4' 4 3/4"	4' 10 3/4"	4' 4"	5' 1/2"	4' 2 3/4"	5' 2 3/4"
4'	3' 11"	4' 3 1/2"	3' 10 1/2"	4' 5"	3' 9 1/2"	4' 6 1/2"
3' 9"	3' 8 1/4"	4'	3' 7 3/4"	4' 1 1/4"	3' 6 3/4"	4' 2 3/4"
3' 6"	3' 5 1/4"	3' 8 3/4"	3' 4 3/4"	3' 9 1/2"	3' 4"	3' 10 3/4"
3' 3"	3' 2 1/2"	3' 5 1/4"	3' 2"	3' 6"	3' 1 1/4"	3' 7"
3'	2' 11 1/2"	3' 1 3/4"	2' 11 1/4"	3' 2 1/2"	2' 10 1/2"	3' 3 1/2"
2' 9"	2' 8 1/2"	2' 10 1/2"	2' 8 1/4"	2' 11"	2' 7 3/4"	2' 11 3/4"
2' 6"	2' 5 3/4"	2' 7 1/4"	2' 5 1/2"	2' 7 3/4"	2' 5"	2' 8 1/4"
2' 3"	2' 2 3/4"	2' 4"	2' 2 1/2"	2' 4 1/4"	2' 2 1/4"	2' 4 3/4"
2'	1' 11 3/4"	2' 3/4"	1' 11 3/4"	2' 1"	1' 11 1/2"	2' 1 1/4"
1' 11"	1' 10 3/4"	1' 11 3/4"	1' 10 3/4"	1' 11 3/4"	1' 10 1/2"	2' 1/4"
1' 10"	1' 9 3/4"	1' 10 1/2"	1' 9 3/4"	1' 10 3/4"	1' 9 1/2"	1' 11"
1' 9"	1' 8 3/4"	1' 9 1/2"	1' 8 3/4"	1' 9 3/4"	1' 8 1/2"	1' 10"
1' 8"	1' 7 3/4"	1' 8 1/2"	1' 7 3/4"	1' 8 1/2"	1' 7 1/2"	1' 8 3/4"
1' 7"	1' 7"	1' 7 1/2"	1' 6 3/4"	1' 7 1/2"	1' 6 3/4"	1' 7 3/4"
1' 6"	1' 6"	1' 6 1/4"	1' 5 3/4"	1' 6 1/2"	1' 5 3/4"	1' 6 1/2"
1' 5"	1' 5"	1' 5 1/4"	1' 4 3/4"	1' 5 1/2"	1' 4 3/4"	1' 5 1/2"
1' 4"	1' 4"	1' 4 1/4"	1' 3 3/4"	1' 4 1/4"	1' 3 3/4"	1' 4 1/2"
1' 3"	1' 3"	1' 3 1/4"	1' 3"	1' 3 1/4"	1' 2 3/4"	1' 3 1/4"
1' 2"	1' 2"	1' 2 1/4"	1' 2"	1' 2 1/4"	1' 1 3/4"	1' 2 1/4"
1' 1"	1' 1"	1' 1 1/4"	1' 1"	1' 1 1/4"	1' 1"	1' 1 1/4"
1'	1'	1'	1'	1' 1/4"	1'	1' 1/4"
11"	11"	11"	11"	11"	11"	11 1/4"
10"	10"	10"	10"	10"	10"	10"

Depth of field tables

# Compact Prime CP.2 50mm/T2.1 Macro T\*

circle of confusion: 0.020 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
<b>INF</b>	38' 9 3/4"	INF	24' 9 3/4"	INF
<b>100'</b>	28' 3/4"	INF	19' 11 1/2"	INF
<b>80'</b>	26' 2 3/4"	INF	19' 1/4"	INF
<b>60'</b>	23' 8 1/4"	INF	17' 8"	INF
<b>50'</b>	21' 11 1/2"	INF	16' 8 1/4"	INF
<b>40'</b>	19' 9 3/4"	INF	15' 5 1/4"	INF
<b>30'</b>	17' 1/2"	INF	13' 8 1/2"	INF
<b>25'</b>	15' 3 3/4"	INF	12' 7"	INF
<b>20'</b>	13' 3 3/4"	202' 11 1/2"	11' 2 1/4"	INF
<b>15'</b>	10' 11"	45' 4 3/4"	9' 5 1/2"	139' 4"
<b>12'</b>	9' 3"	25' 6 3/4"	8' 2 1/4"	40' 11 1/2"
<b>10'</b>	8' 1/4"	17' 9 1/2"	7' 2 3/4"	24' 1/4"
<b>8'</b>	6' 8 1/2"	12' 2 1/2"	6' 1 3/4"	14' 9 3/4"
<b>7'</b>	6'	9' 11 3/4"	5' 6 1/2"	11' 7 1/2"
<b>6'</b>	5' 3"	8' 1/4"	4' 11"	9' 1/2"
<b>5'</b>	4' 5 3/4"	6' 3 1/2"	4' 2 3/4"	6' 10 3/4"
<b>4' 6"</b>	4' 1"	5' 6"	3' 10 1/2"	5' 11 1/2"
<b>4'</b>	3' 8"	4' 9"	3' 6"	5' 1"
<b>3' 9"</b>	3' 5 1/2"	4' 4 3/4"	3' 3 3/4"	4' 8"
<b>3' 6"</b>	3' 3"	4' 3/4"	3' 1 1/2"	4' 3 1/4"
<b>3' 3"</b>	3' 1/2"	3' 8 1/2"	2' 11"	3' 10 3/4"
<b>3'</b>	2' 9 3/4"	3' 4 1/2"	2' 8 3/4"	3' 6 1/2"
<b>2' 9"</b>	2' 7 1/4"	3' 3/4"	2' 6 1/4"	3' 2 1/4"
<b>2' 6"</b>	2' 4 1/2"	2' 9"	2' 3 3/4"	2' 10"
<b>2' 3"</b>	2' 1 3/4"	2' 5 1/4"	2' 1 1/4"	2' 6 1/4"
<b>2'</b>	1' 11"	2' 1 3/4"	1' 10 1/2"	2' 2 1/4"
<b>1' 11"</b>	1' 10 1/4"	2' 1/2"	1' 9 3/4"	2' 1 1/4"
<b>1' 10"</b>	1' 9 1/4"	1' 11 1/2"	1' 8 3/4"	2'
<b>1' 9"</b>	1' 8 1/4"	1' 10 1/4"	1' 8"	1' 10 3/4"
<b>1' 8"</b>	1' 7 1/2"	1' 9"	1' 7"	1' 9 1/2"
<b>1' 7"</b>	1' 6 1/2"	1' 8"	1' 6 1/4"	1' 8 1/4"
<b>1' 6"</b>	1' 5 1/2"	1' 6 3/4"	1' 5 1/4"	1' 7 1/4"
<b>1' 5"</b>	1' 4 1/2"	1' 5 3/4"	1' 4 1/2"	1' 6"
<b>1' 4"</b>	1' 3 3/4"	1' 4 1/2"	1' 3 1/2"	1' 4 3/4"
<b>1' 3"</b>	1' 2 3/4"	1' 3 1/2"	1' 2 1/2"	1' 3 3/4"
<b>1' 2"</b>	1' 1 3/4"	1' 2 1/2"	1' 1 3/4"	1' 2 1/2"
<b>1' 1"</b>	1' 3/4"	1' 1 1/4"	1' 3/4"	1' 1 1/2"
<b>1'</b>	11 3/4"	1' 1/4"	11 3/4"	1' 1/4"
<b>11"</b>	11"	11 1/4"	10 3/4"	11 1/4"
<b>10"</b>	10"	10 1/4"	10"	10 1/4"



Depth of field tables

# Compact Prime CP.2 15mm/T2.9 T\*

circle of confusion: 0.025 mm

Engraving feet	T-Stop					
	2.9		4		5.6	
	from	to	from	to	from	to
<b>INF</b>	11' 3 1/2"	INF	8' 10 1/4"	INF	7' 7"	INF
<b>30'</b>	8' 4 1/4"	INF	6' 11 1/2"	INF	6' 2"	INF
<b>15'</b>	6' 7 1/2"	INF	5' 8 3/4"	INF	5' 2 1/4"	INF
<b>10'</b>	5' 5 3/4"	83' 4 3/4"	4' 10 1/2"	INF	4' 5 3/4"	INF
<b>8'</b>	4' 10 1/4"	25' 10 1/2"	4' 4 1/2"	94' 8 1/2"	4' 3/4"	INF
<b>6'</b>	4' 1"	12' 1/2"	3' 9"	17' 10 3/4"	3' 6 1/4"	INF
<b>5'</b>	3' 7 1/2"	8' 5 1/4"	3' 4 1/4"	10' 10 1/4"	3' 2 1/4"	55' 6"
<b>4' 6"</b>	3' 4 1/4"	7' 1/2"	3' 1 3/4"	8' 7 1/4"	3'	23'
<b>4'</b>	3' 1"	5' 9 3/4"	2' 11"	6' 10"	2' 9 1/4"	13' 3 1/4"
<b>3' 6"</b>	2' 9 1/2"	4' 9 1/4"	2' 7 3/4"	5' 4 3/4"	2' 6 1/2"	8' 7 1/4"
<b>3'</b>	2' 5 3/4"	3' 10"	2' 4 1/2"	4' 2 3/4"	2' 3 1/2"	5' 10 1/2"
<b>2' 9"</b>	2' 3 3/4"	3' 5"	2' 2 3/4"	3' 8 1/2"	2' 1 3/4"	4' 10 1/2"
<b>2' 6"</b>	2' 1 3/4"	3' 1/4"	2' 3/4"	3' 3"	2' 1/4"	4' 3/4"
<b>2' 3"</b>	1' 11 3/4"	2' 7 3/4"	1' 10 3/4"	2' 9 3/4"	1' 10 1/4"	3' 4 1/2"
<b>2'</b>	1' 9 1/2"	2' 3 1/2"	1' 8 3/4"	2' 4 3/4"	1' 8 1/4"	2' 9 1/2"
<b>1' 11"</b>	1' 8 3/4"	2' 2"	1' 8"	2' 3 1/4"	1' 7 3/4"	2' 7 1/4"
<b>1' 10"</b>	1' 8"	2' 3/4"	1' 7 1/2"	2' 1 3/4"	1' 7"	2' 5 1/4"
<b>1' 9"</b>	1' 7"	1' 11 1/2"	1' 6 3/4"	2' 1/4"	1' 6 1/4"	2' 3 1/4"
<b>1' 8"</b>	1' 6 1/4"	1' 10 1/4"	1' 6"	1' 11"	1' 5 1/2"	2' 1 1/2"
<b>1' 7"</b>	1' 5 1/2"	1' 8 3/4"	1' 5 1/4"	1' 9 1/2"	1' 5"	1' 11 3/4"
<b>1' 6"</b>	1' 4 3/4"	1' 7 1/2"	1' 4 1/2"	1' 8 1/4"	1' 4 1/4"	1' 10"
<b>1' 5"</b>	1' 4"	1' 6 1/4"	1' 3 1/2"	1' 6 3/4"	1' 3 1/2"	1' 8 1/4"
<b>1' 4"</b>	1' 3"	1' 5 1/4"	1' 2 3/4"	1' 5 1/2"	1' 2 1/2"	1' 6 3/4"
<b>1' 3"</b>	1' 2 1/4"	1' 4"	1' 2"	1' 4 1/4"	1' 1 3/4"	1' 5 1/4"
<b>1' 2"</b>	1' 1 1/4"	1' 2 3/4"	1' 1 1/4"	1' 3"	1' 1"	1' 3 3/4"
<b>1' 1"</b>	1' 1/2"	1' 1 1/2"	1' 1/4"	1' 1 3/4"	1' 1/4"	1' 2 1/2"
<b>1'</b>	11 1/2"	1' 1/2"	11 1/2"	1' 3/4"	11 1/2"	1' 1"

Depth of field tables

# Compact Prime CP.2 15mm/T2.9 T\*

circle of confusion: 0.025 mm

Engraving feet	T-Stop					
	8		11		16	
	from	to	from	to	from	to
<b>INF</b>	5' 8 3/4"	INF	4' 1/2"	INF	2' 10"	INF
<b>30'</b>	4' 10 3/4"	INF	3' 7 1/2"	INF	2' 7 3/4"	INF
<b>15'</b>	4' 3 1/2"	INF	3' 3 1/2"	INF	2' 5 3/4"	INF
<b>10'</b>	3' 9 3/4"	INF	3' 1/4"	INF	2' 4"	INF
<b>8'</b>	3' 6 1/4"	INF	2' 10"	INF	2' 2 3/4"	INF
<b>6'</b>	3' 1 1/4"	INF	2' 7"	INF	2' 1"	INF
<b>5'</b>	2' 10 1/4"	INF	2' 5"	INF	1' 11 3/4"	INF
<b>4' 6"</b>	2' 8 1/4"	INF	2' 3 3/4"	INF	1' 11"	INF
<b>4'</b>	2' 6 1/4"	INF	2' 2 1/4"	INF	1' 10"	INF
<b>3' 6"</b>	2' 4"	33' 4 1/2"	2' 3/4"	INF	1' 9"	INF
<b>3'</b>	2' 1 1/2"	11' 4 3/4"	1' 10 3/4"	INF	1' 7 3/4"	INF
<b>2' 9"</b>	2' 1/4"	8' 1/4"	1' 9 3/4"	51' 9"	1' 7"	INF
<b>2' 6"</b>	1' 10 3/4"	5' 11 1/4"	1' 8 1/2"	14' 11 3/4"	1' 6"	INF
<b>2' 3"</b>	1' 9"	4' 6"	1' 7 1/4"	8' 1/4"	1' 5 1/4"	INF
<b>2'</b>	1' 7 1/2"	3' 5 1/2"	1' 6"	5' 1 1/4"	1' 4 1/4"	15' 11"
<b>1' 11"</b>	1' 6 3/4"	3' 2 1/4"	1' 5 1/2"	4' 5 1/2"	1' 3 3/4"	10' 8"
<b>1' 10"</b>	1' 6 1/4"	2' 11"	1' 5"	3' 11"	1' 3 1/2"	7' 10 1/4"
<b>1' 9"</b>	1' 5 1/2"	2' 8"	1' 4 1/2"	3' 5 3/4"	1' 3"	6' 1 1/4"
<b>1' 8"</b>	1' 5"	2' 5 1/2"	1' 4"	3' 1"	1' 2 1/2"	4' 10 3/4"
<b>1' 7"</b>	1' 4 1/4"	2' 3"	1' 3 1/4"	2' 9"	1' 2 1/4"	4' 1/4"
<b>1' 6"</b>	1' 3 1/2"	2' 3/4"	1' 2 3/4"	2' 5 1/4"	1' 1 3/4"	3' 4 1/2"
<b>1' 5"</b>	1' 3"	1' 10 1/2"	1' 2 1/4"	2' 2 1/4"	1' 1 1/4"	2' 10 1/4"
<b>1' 4"</b>	1' 2 1/4"	1' 8 1/2"	1' 1 1/2"	1' 11 1/4"	1' 3/4"	2' 5 1/4"
<b>1' 3"</b>	1' 1 1/2"	1' 6 3/4"	1' 1"	1' 8 3/4"	1' 1/4"	2' 1"
<b>1' 2"</b>	1' 3/4"	1' 5"	1' 1/4"	1' 6 1/2"	11 3/4"	1' 9 1/2"
<b>1' 1"</b>	1'	1' 3 1/4"	11 1/2"	1' 4 1/2"	11"	1' 6 1/2"
<b>1'</b>	11 1/4"	1' 1 3/4"	10 3/4"	1' 2 1/2"	10 1/2"	1' 4"

Depth of field tables

# Compact Prime CP.2 15mm/T2.9 T\*

circle of confusion: 0.025 mm

Engraving	T-Stop	
	22	
feet	from	to
<b>INF</b>	2' 1/2"	INF
<b>30'</b>	1' 11 1/2"	INF
<b>15'</b>	1' 10 1/2"	INF
<b>10'</b>	1' 9 1/2"	INF
<b>8'</b>	1' 9"	INF
<b>6'</b>	1' 8"	INF
<b>5'</b>	1' 7 1/4"	INF
<b>4' 6"</b>	1' 6 3/4"	INF
<b>4'</b>	1' 6 1/4"	INF
<b>3' 6"</b>	1' 5 1/2"	INF
<b>3'</b>	1' 4 3/4"	INF
<b>2' 9"</b>	1' 4 1/4"	INF
<b>2' 6"</b>	1' 3 3/4"	INF
<b>2' 3"</b>	1' 3"	INF
<b>2'</b>	1' 2 1/4"	INF
<b>1' 11"</b>	1' 2"	INF
<b>1' 10"</b>	1' 1 3/4"	INF
<b>1' 9"</b>	1' 1 1/2"	INF
<b>1' 8"</b>	1' 1 1/4"	62' 7"
<b>1' 7"</b>	1' 3/4"	14' 11 3/4"
<b>1' 6"</b>	1' 1/2"	8' 1 3/4"
<b>1' 5"</b>	1' 1/4"	5' 5"
<b>1' 4"</b>	11 3/4"	3' 11 1/4"
<b>1' 3"</b>	11 1/4"	3' 1/4"
<b>1' 2"</b>	11"	2' 4 3/4"
<b>1' 1"</b>	10 1/2"	1' 11 1/4"
<b>1'</b>	10"	1' 7"

Depth of field tables

# Compact Prime CP.2 18mm/T3.6 T\*

circle of confusion: 0.025 mm

Engraving feet	T-Stop					
	3.6		4		5.6	
	from	to	from	to	from	to
INF	12' 11 1/2"	INF	11' 8"	INF	11' 9 1/2"	INF
50'	10' 4 1/2"	INF	9' 6 1/2"	INF	9' 7 1/4"	INF
25'	8' 7 3/4"	INF	8' 3/4"	INF	8' 1 1/2"	INF
15'	7' 1"	INF	6' 8 1/4"	INF	6' 8 3/4"	INF
12'	6' 4 1/4"	168' 6 3/4"	6' 1/2"	130' 3 1/2"	6' 3/4"	INF
10'	5' 9 1/4"	42' 11 1/2"	5' 6 1/4"	39' 11 3/4"	5' 6 1/2"	INF
8'	5' 3/4"	20' 3 1/2"	4' 10 1/2"	19' 7 1/4"	4' 10 3/4"	INF
7'	4' 8"	14' 8 3/4"	4' 6"	14' 4 1/2"	4' 6"	INF
6'	4' 2 1/2"	10' 9 1/2"	4' 1"	10' 7 1/4"	4' 1"	35' 8 3/4"
5'	3' 8 1/2"	7' 10 1/4"	3' 7 1/4"	7' 9"	3' 7 1/2"	15' 7 3/4"
4'6	3' 5 1/4"	6' 7 3/4"	3' 4 1/4"	6' 7"	3' 4 1/4"	11' 4 3/4"
4'	3' 1 3/4"	5' 7"	3' 1"	5' 6 1/4"	3' 1"	8' 6"
3'9	3'	5' 1"	2' 11 1/4"	5' 1/2"	2' 11 1/4"	7' 4 1/2"
3'6	2' 10"	4' 7 1/2"	2' 9 1/2"	4' 7"	2' 9 1/2"	6' 4 3/4"
3'3	2' 8 1/4"	4' 2 1/4"	2' 7 1/2"	4' 1 3/4"	2' 7 1/2"	5' 6 3/4"
3'	2' 6 1/4"	3' 9 1/4"	2' 5 3/4"	3' 9"	2' 5 3/4"	4' 10"
2'9	2' 4"	3' 4 1/4"	2' 3 3/4"	3' 4 1/4"	2' 3 3/4"	4' 2"
2'6	2' 2"	2' 11 3/4"	2' 1 1/2"	2' 11 3/4"	2' 1 1/2"	3' 7"
2'3	1' 11 3/4"	2' 7 1/2"	1' 11 1/2"	2' 7 1/4"	1' 11 1/2"	3' 3/4"
2'	1' 9 1/2"	2' 3 1/4"	1' 9 1/4"	2' 3 1/4"	1' 9 1/4"	2' 7"
23"	1' 8 3/4"	2' 2"	1' 8 1/2"	2' 2"	1' 8 1/2"	2' 5 1/4"
22"	1' 8"	2' 3/4"	1' 7 3/4"	2' 3/4"	1' 7 3/4"	2' 3 1/2"
21"	1' 7"	1' 11 1/2"	1' 7"	1' 11 1/4"	1' 7"	2' 2"
20"	1' 6 1/4"	1' 10 1/4"	1' 6 1/4"	1' 10"	1' 6 1/4"	2' 1/4"
19"	1' 5 1/2"	1' 8 3/4"	1' 5 1/4"	1' 8 3/4"	1' 5 1/4"	1' 10 3/4"
18"	1' 4 3/4"	1' 7 3/4"	1' 4 1/2"	1' 7 1/2"	1' 4 1/2"	1' 9 1/4"
17"	1' 3 3/4"	1' 6 1/2"	1' 3 3/4"	1' 6 1/4"	1' 3 3/4"	1' 7 3/4"
16"	1' 3"	1' 5 1/4"	1' 3"	1' 5 1/4"	1' 3"	1' 6 1/2"
15"	1' 2 1/4"	1' 4"	1' 2"	1' 4"	1' 2"	1' 5"
14"	1' 1 1/4"	1' 2 3/4"	1' 1 1/4"	1' 2 3/4"	1' 1 1/4"	1' 3 3/4"
13"	1' 1/2"	1' 1 3/4"	1' 1/4"	1' 1 3/4"	1' 1/4"	1' 2 1/4"
12"	11 1/2"	1' 1/2"	11 1/2"	1' 1/2"	11 1/2"	1' 1"

Depth of field tables

# Compact Prime CP.2 18mm/T3.6 T\*

circle of confusion: 0.025 mm

Engraving feet	T-Stop					
	8		11		16	
	from	to	from	to	from	to
INF	12' 7 1/2"	INF	8' 10 1/2"	INF	5' 4 1/2"	INF
50'	10' 1 3/4"	INF	7' 7 1/4"	INF	4' 10 3/4"	INF
25'	8' 6"	INF	6' 7 3/4"	INF	4' 6"	INF
15'	6' 11 3/4"	INF	5' 8 1/4"	INF	4' 3/4"	INF
12'	6' 3 1/4"	INF	5' 2 3/4"	INF	3' 10"	INF
10'	5' 8 1/2"	INF	4' 9 3/4"	INF	3' 7 1/4"	INF
8'	5' 1/4"	INF	4' 4"	INF	3' 4"	INF
7'	4' 7 1/2"	INF	4' 1/2"	INF	3' 2"	INF
6'	4' 2"	INF	3' 8 1/4"	INF	2' 11 1/2"	INF
5'	3' 8 1/4"	INF	3' 3 3/4"	INF	2' 8 1/2"	INF
4'6"	3' 5"	INF	3' 1 1/4"	INF	2' 7"	INF
4'	3' 1 1/2"	54' 8 1/4"	2' 10 1/4"	INF	2' 5"	INF
3'9"	2' 11 3/4"	26' 10 1/2"	2' 8 3/4"	INF	2' 4"	INF
3'6"	2' 9 3/4"	17'	2' 7 1/4"	INF	2' 3"	INF
3'3"	2' 8"	11' 11 1/4"	2' 5 3/4"	INF	2' 1 3/4"	INF
3'	2' 6"	8' 10 1/2"	2' 4"	73' 4 1/4"	2' 1/2"	INF
2'9"	2' 4"	6' 9 1/2"	2' 2 1/4"	20' 1"	1' 11 1/4"	INF
2'6"	2' 1 3/4"	5' 3 3/4"	2' 1/2"	10' 9"	1' 9 3/4"	INF
2'3"	1' 11 3/4"	4' 2 1/4"	1' 10 1/2"	6' 10 1/4"	1' 8 1/4"	28' 1 3/4"
2'	1' 9 1/2"	3' 4"	1' 8 1/2"	4' 8 3/4"	1' 6 3/4"	9' 6"
23"	1' 8 1/2"	3' 1"	1' 7 3/4"	4' 2 1/2"	1' 6"	7' 6 1/2"
22"	1' 7 3/4"	2' 10"	1' 7"	3' 9 1/4"	1' 5 1/2"	6' 2"
21"	1' 7"	2' 7 1/2"	1' 6 1/4"	3' 4 1/2"	1' 5"	5' 1 1/2"
20"	1' 6 1/4"	2' 5"	1' 5 1/2"	3' 1/2"	1' 4 1/4"	4' 4"
19"	1' 5 1/2"	2' 2 3/4"	1' 4 3/4"	2' 8 3/4"	1' 3 3/4"	3' 8 1/2"
18"	1' 4 1/2"	2' 1/2"	1' 4"	2' 5 1/2"	1' 3"	3' 2 1/4"
17"	1' 3 3/4"	1' 10 1/2"	1' 3 1/4"	2' 2 1/2"	1' 2 1/2"	2' 9 1/4"
16"	1' 3"	1' 8 3/4"	1' 2 1/2"	1' 11 3/4"	1' 1 3/4"	2' 4 3/4"
15"	1' 2"	1' 6 3/4"	1' 1 3/4"	1' 9 1/4"	1' 1"	2' 1"
14"	1' 1 1/4"	1' 5 1/4"	1' 1"	1' 7"	1' 1/4"	1' 10"
13"	1' 1/4"	1' 3 1/2"	1'	1' 5"	11 1/2"	1' 7"
12"	11 1/2"	1' 2"	11 1/4"	1' 3"	10 3/4"	1' 4 1/2"

Depth of field tables

# Compact Prime CP.2 18mm/T3.6 T\*

circle of confusion: 0.025 mm

Engraving	T-Stop	
	22	
feet	from	to
INF	3' 4 1/4"	INF
50'	3' 2"	INF
25'	3' 1/4"	INF
15'	2' 9 3/4"	INF
12'	2' 8 1/2"	INF
10'	2' 7 1/4"	INF
8'	2' 5 3/4"	INF
7'	2' 4 1/2"	INF
6'	2' 3 1/4"	INF
5'	2' 1 1/2"	INF
4'6	2' 1/2"	INF
4'	1' 11 1/2"	INF
3'9	1' 10 3/4"	INF
3'6	1' 10"	INF
3'3	1' 9 1/4"	INF
3'	1' 8 1/2"	INF
2'9	1' 7 3/4"	INF
2'6	1' 6 3/4"	INF
2'3	1' 5 3/4"	INF
2'	1' 4 1/2"	INF
23"	1' 4"	INF
22"	1' 3 1/2"	46' 8"
21"	1' 3 1/4"	17' 8 3/4"
20"	1' 2 3/4"	10' 6 1/2"
19"	1' 2 1/4"	7' 3 1/2"
18"	1' 1 3/4"	5' 5 1/4"
17"	1' 1 1/4"	4' 2 3/4"
16"	1' 3/4"	3' 4 3/4"
15"	1'	2' 9 1/4"
14"	11 1/2"	2' 3 1/2"
13"	11"	1' 11"
12"	10 1/4"	1' 7 1/4"

Depth of field tables

# Compact Prime CP.2 21mm/T2.9 T\*

circle of confusion: 0.025 mm

Engraving feet	T-Stop					
	2.9		4		5.6	
	from	to	from	to	from	to
<b>INF</b>	22' 1/4"	INF	18' 3 1/2"	INF	17' 3"	INF
<b>30'</b>	12' 10 1/2"	INF	11' 6 1/4"	INF	11' 1 1/4"	INF
<b>15'</b>	9' 1"	45' 9"	8' 5"	117' 11"	8' 2 1/4"	INF
<b>10'</b>	7' 1/4"	17' 9 1/4"	6' 7 1/2"	23' 1 3/4"	6' 5 3/4"	INF
<b>8'</b>	6'	12' 2 1/4"	5' 8 1/2"	14' 5 1/4"	5' 7 1/4"	37' 3"
<b>6'</b>	4' 10"	8'	4' 7 3/4"	8' 10 1/2"	4' 7"	13' 11 3/4"
<b>5'</b>	4' 2 1/4"	6' 3 1/4"	4' 1/2"	6' 9 1/2"	4'	9' 3 3/4"
<b>4' 6"</b>	3' 10"	5' 5 3/4"	3' 8 3/4"	5' 10 1/2"	3' 8 1/4"	7' 7 1/2"
<b>4'</b>	3' 5 3/4"	4' 9"	3' 4 1/2"	5' 1/4"	3' 4 1/4"	6' 2 1/2"
<b>3' 6"</b>	3' 1 1/4"	4' 1/2"	3' 1/4"	4' 2 3/4"	3'	5' 1/4"
<b>2' 9"</b>	2' 6 1/4"	3' 1/2"	2' 5 1/2"	3' 1 3/4"	2' 5 1/2"	3' 6 1/2"
<b>2' 6"</b>	2' 3 3/4"	2' 8 3/4"	2' 3 1/4"	2' 9 3/4"	2' 3"	3' 1 1/4"
<b>2' 3"</b>	2' 1 1/4"	2' 5 1/4"	2' 3/4"	2' 6"	2' 3/4"	2' 8 1/2"
<b>1' 11"</b>	1' 9 3/4"	2' 1/2"	1' 9 1/2"	2' 1"	1' 9 1/2"	2' 2 3/4"
<b>1' 10"</b>	1' 8 3/4"	1' 11 1/4"	1' 8 3/4"	1' 11 3/4"	1' 8 1/2"	2' 1 1/4"
<b>1' 9"</b>	1' 8"	1' 10 1/4"	1' 7 3/4"	1' 10 1/2"	1' 7 3/4"	1' 11 3/4"
<b>1' 8"</b>	1' 7"	1' 9"	1' 7"	1' 9 1/4"	1' 6 3/4"	1' 10 1/2"
<b>1' 7"</b>	1' 6 1/4"	1' 8"	1' 6"	1' 8 1/4"	1' 6"	1' 9 1/4"
<b>1' 6"</b>	1' 5 1/4"	1' 6 3/4"	1' 5 1/4"	1' 7"	1' 5"	1' 7 3/4"
<b>1' 5"</b>	1' 4 1/2"	1' 5 3/4"	1' 4 1/4"	1' 5 3/4"	1' 4 1/4"	1' 6 1/2"
<b>1' 4"</b>	1' 3 1/2"	1' 4 1/2"	1' 3 1/2"	1' 4 3/4"	1' 3 1/4"	1' 5 1/4"
<b>1' 3"</b>	1' 2 1/2"	1' 3 1/2"	1' 2 1/2"	1' 3 1/2"	1' 2 1/2"	1' 4"
<b>1' 2"</b>	1' 1 3/4"	1' 2 1/2"	1' 1 1/2"	1' 2 1/2"	1' 1 1/2"	1' 3"
<b>1' 1"</b>	1' 3/4"	1' 1 1/4"	1' 3/4"	1' 1 1/2"	1' 3/4"	1' 1 3/4"
<b>1'</b>	11 3/4"	1' 1/4"	11 3/4"	1' 1/4"	11 3/4"	1' 1/2"
<b>11"</b>	10 3/4"	11 1/4"	10 3/4"	11 1/4"	10 3/4"	11 1/2"
<b>10"</b>	9 3/4"	10 1/4"	9 3/4"	10 1/4"	9 3/4"	10 1/4"

Depth of field tables

# Compact Prime CP.2 21mm/T2.9 T\*

circle of confusion: 0.025 mm

Engraving feet	T-Stop					
	8		11		16	
	from	to	from	to	from	to
<b>INF</b>	13' 7 3/4"	INF	9' 3 1/4"	INF	6' 1 1/4"	INF
<b>30'</b>	9' 6 1/4"	INF	7' 2 1/2"	INF	5' 2"	INF
<b>15'</b>	7' 3 3/4"	INF	5' 10 3/4"	INF	4' 5 3/4"	INF
<b>10'</b>	5' 11 1/4"	INF	4' 11 3/4"	INF	3' 11 1/2"	INF
<b>8'</b>	5' 2 1/2"	INF	4' 5 1/2"	INF	3' 7 1/2"	INF
<b>6'</b>	4' 3 3/4"	45' 7 1/4"	3' 9 3/4"	INF	3' 2 1/2"	INF
<b>5'</b>	3' 9 1/2"	16' 11 1/2"	3' 4 3/4"	INF	2' 11"	INF
<b>4' 6"</b>	3' 6 1/4"	11' 11 1/2"	3' 2 1/4"	36' 3"	2' 9"	INF
<b>4'</b>	3' 2 1/2"	8' 8 3/4"	2' 11 1/4"	16' 9 1/4"	2' 7"	INF
<b>3' 6"</b>	2' 10 3/4"	6' 6"	2' 8"	9' 11"	2' 4 1/2"	32' 3"
<b>2' 9"</b>	2' 4 1/2"	4' 2"	2' 2 3/4"	5' 3"	2' 1/2"	8'
<b>2' 6"</b>	2' 2 1/2"	3' 6 3/4"	2' 1"	4' 3 3/4"	1' 11"	5' 11"
<b>2' 3"</b>	2' 1/4"	3' 1/2"	1' 11"	3' 6 1/2"	1' 9 1/4"	4' 6"
<b>1' 11"</b>	1' 9"	2' 5"	1' 8 1/4"	2' 8 1/4"	1' 7"	3' 2 1/4"
<b>1' 10"</b>	1' 8 1/4"	2' 3 1/4"	1' 7 1/2"	2' 6 1/4"	1' 6 1/4"	2' 11"
<b>1' 9"</b>	1' 7 1/2"	2' 1 1/2"	1' 6 3/4"	2' 4"	1' 5 3/4"	2' 8 1/4"
<b>1' 8"</b>	1' 6 1/2"	2'	1' 6"	2' 2"	1' 5"	2' 5 1/2"
<b>1' 7"</b>	1' 5 3/4"	1' 10 1/2"	1' 5 1/4"	2' 1/4"	1' 4 1/2"	2' 3"
<b>1' 6"</b>	1' 5"	1' 9"	1' 4 1/2"	1' 10 1/2"	1' 3 3/4"	2' 3/4"
<b>1' 5"</b>	1' 4"	1' 7 1/2"	1' 3 1/2"	1' 8 3/4"	1' 3"	1' 10 1/2"
<b>1' 4"</b>	1' 3 1/4"	1' 6"	1' 2 3/4"	1' 7"	1' 2 1/4"	1' 8 1/2"
<b>1' 3"</b>	1' 2 1/4"	1' 4 3/4"	1' 2"	1' 5 1/2"	1' 1 1/2"	1' 6 3/4"
<b>1' 2"</b>	1' 1 1/2"	1' 3 1/2"	1' 1 1/4"	1' 4"	1' 3/4"	1' 5"
<b>1' 1"</b>	1' 1/2"	1' 2"	1' 1/4"	1' 2 1/2"	1'	1' 3 1/4"
<b>1'</b>	11 3/4"	1' 3/4"	11 1/2"	1' 1 1/4"	11 1/4"	1' 1 3/4"
<b>11"</b>	10 3/4"	11 3/4"	10 1/2"	1'	10 1/2"	1' 1/4"
<b>10"</b>	9 3/4"	10 1/2"	9 3/4"	10 3/4"	9 1/2"	11"



Depth of field tables

# Compact Prime CP.2 21mm/T2.9 T\*

circle of confusion: 0.025 mm

Engraving	T-Stop	
	22	
feet	from	to
<b>INF</b>	4' 1 1/2"	INF
<b>30'</b>	3' 8 1/4"	INF
<b>15'</b>	3' 4 1/4"	INF
<b>10'</b>	3' 3/4"	INF
<b>8'</b>	2' 10 1/2"	INF
<b>6'</b>	2' 7 1/4"	INF
<b>5'</b>	2' 5 1/4"	INF
<b>4' 6"</b>	2' 4"	INF
<b>4'</b>	2' 2 1/2"	INF
<b>3' 6"</b>	2' 3/4"	INF
<b>2' 9"</b>	1' 9 3/4"	32' 5 1/2"
<b>2' 6"</b>	1' 8 3/4"	12' 10 3/4"
<b>2' 3"</b>	1' 7 1/4"	7' 5 1/4"
<b>1' 11"</b>	1' 5 1/2"	4' 3 1/2"
<b>1' 10"</b>	1' 5"	3' 9 3/4"
<b>1' 9"</b>	1' 4 1/2"	3' 4 1/2"
<b>1' 8"</b>	1' 4"	3' 1/4"
<b>1' 7"</b>	1' 3 1/4"	2' 8 1/4"
<b>1' 6"</b>	1' 2 3/4"	2' 5"
<b>1' 5"</b>	1' 2 1/4"	2' 2"
<b>1' 4"</b>	1' 1 1/2"	1' 11 1/4"
<b>1' 3"</b>	1' 1"	1' 8 3/4"
<b>1' 2"</b>	1' 1/4"	1' 6 1/2"
<b>1' 1"</b>	11 1/2"	1' 4 1/2"
<b>1'</b>	10 3/4"	1' 2 1/2"
<b>11"</b>	10"	1' 3/4"
<b>10"</b>	9 1/4"	11 1/4"

Depth of field tables

# Compact Prime CP.2 25mm/T2.1 T\*

circle of confusion: 0.025 mm

Engraving feet	T-Stop					
	2.1		2.8		4	
	from	to	from	to	from	to
INF	44' 4 3/4"	INF	39' 2 3/4"	INF	28' 11 1/4"	INF
40'	21' 2 1/4"	561' 2 1/4"	19' 11 1/2"	INF	16' 11 1/4"	INF
20'	13' 11"	36' 10 1/4"	13' 4 1/2"	64' 10 1/2"	11' 11 3/4"	INF
13'	10' 2"	18' 4 1/2"	9' 10 1/2"	23' 3 3/4"	9' 1 1/4"	36' 9 1/2"
10'	8' 3"	12' 10 1/4"	8' 3/4"	15' 1/2"	7' 6 1/2"	19' 7 1/2"
8'	6' 10 1/4"	9' 8 1/4"	6' 8 3/4"	10' 10 1/2"	6' 4 1/2"	13' 1/4"
7'	6' 1 1/2"	8' 3"	6' 1/4"	9' 3/4"	5' 8 3/4"	10' 6"
6'	5' 4 1/4"	6' 10 1/2"	5' 3 1/4"	7' 5 1/4"	5' 3/4"	8' 4 1/4"
5'	4' 6 1/2"	5' 7"	4' 6"	5' 11 1/4"	4' 4"	6' 6"
4' 6"	4' 1 1/2"	4' 11 1/2"	4' 1"	5' 2 3/4"	3' 11 1/2"	5' 7 3/4"
4'	3' 8 1/2"	4' 4 1/4"	3' 8 1/4"	4' 6 3/4"	3' 7"	4' 10 1/2"
3' 6"	3' 3 1/2"	3' 9"	3' 3"	3' 10 3/4"	3' 2 1/4"	4' 1 1/2"
3' 3"	3' 3/4"	3' 5 3/4"	3' 1/2"	3' 7"	2' 11 3/4"	3' 9 1/4"
3'	2' 10"	3' 2 1/4"	2' 10"	3' 3 1/2"	2' 9 1/4"	3' 5 1/4"
2' 9"	2' 7 1/2"	2' 10 3/4"	2' 7 1/4"	2' 11 3/4"	2' 6 3/4"	3' 1 1/4"
2' 6"	2' 4 3/4"	2' 7 1/2"	2' 4 1/2"	2' 8 1/4"	2' 4"	2' 9 1/4"
2' 3"	2' 2"	2' 4"	2' 2"	2' 4 3/4"	2' 1 1/2"	2' 5 1/2"
2'	1' 11 1/4"	2' 3/4"	1' 11 1/4"	2' 1 1/4"	1' 10 3/4"	2' 2"
1' 11"	1' 10 1/4"	1' 11 3/4"	1' 10 1/4"	2' 1/4"	1' 10"	2' 3/4"
1' 10"	1' 9 1/2"	1' 10 3/4"	1' 9 1/4"	1' 11"	1' 9"	1' 11 1/2"
1' 9"	1' 8 1/2"	1' 9 1/2"	1' 8 1/2"	1' 10"	1' 8 1/4"	1' 10 1/2"
1' 8"	1' 7 1/2"	1' 8 1/2"	1' 7 1/2"	1' 8 3/4"	1' 7 1/4"	1' 9 1/4"
1' 7"	1' 6 1/2"	1' 7 1/2"	1' 6 1/2"	1' 7 3/4"	1' 6 1/4"	1' 8"
1' 6"	1' 5 1/2"	1' 6 1/2"	1' 5 1/2"	1' 6 3/4"	1' 5 1/2"	1' 7"
1' 5"	1' 4 3/4"	1' 5 1/4"	1' 4 3/4"	1' 5 1/2"	1' 4 1/2"	1' 5 3/4"
1' 4"	1' 3 3/4"	1' 4 1/4"	1' 3 3/4"	1' 4 1/2"	1' 3 1/2"	1' 4 3/4"
1' 3"	1' 2 3/4"	1' 3 1/4"	1' 2 3/4"	1' 3 1/2"	1' 2 3/4"	1' 3 1/2"
1' 2"	1' 1 3/4"	1' 2 1/4"	1' 1 3/4"	1' 2 1/4"	1' 1 3/4"	1' 2 1/2"
1' 1"	1' 3/4"	1' 1 1/4"	1' 3/4"	1' 1 1/4"	1' 3/4"	1' 1 1/2"
1'	11 3/4"	1' 1/4"	11 3/4"	1' 1/4"	11 3/4"	1' 1/4"
11"	11"	11"	11"	11 1/4"	10 3/4"	11 1/4"

Depth of field tables

# Compact Prime CP.2 25mm/T2.1 T\*

circle of confusion: 0.025 mm

Engraving feet	T-Stop					
	5.6		8		11	
	from	to	from	to	from	to
INF	19' 11 3/4"	INF	13' 7 3/4"	INF	9' 4 3/4"	INF
40'	13' 5 1/2"	INF	10' 3 1/2"	INF	7' 8 1/2"	INF
20'	10' 1 3/4"	INF	8' 3"	INF	6' 6 1/4"	INF
13'	8' 1/4"	132' 3 1/2"	6' 9 3/4"	INF	5' 7 1/4"	INF
10'	6' 9 1/2"	31' 7 1/4"	5' 11"	184' 6 1/2"	5'	INF
8'	5' 10"	17' 4"	5' 2 1/4"	31' 4"	4' 5 3/4"	INF
7'	5' 3 1/2"	13' 1 1/4"	4' 9 1/4"	19' 8"	4' 2"	66' 3 3/4"
6'	4' 8 3/4"	9' 10 1/2"	4' 3 1/2"	13' 1 3/4"	3' 9 3/4"	24' 5 3/4"
5'	4' 1"	7' 4 1/4"	3' 9 1/4"	8' 11 3/4"	3' 4 3/4"	13'
4' 6"	3' 9 1/4"	6' 3 1/2"	3' 6"	7' 5"	3' 2"	9' 10 3/4"
4'	3' 5"	5' 3 3/4"	3' 2 1/4"	6' 1"	2' 11 1/4"	7' 7 3/4"
3' 6"	3' 3/4"	4' 5 1/4"	2' 10 1/2"	4' 11 1/2"	2' 8"	5' 10 3/4"
3' 3"	2' 10 1/2"	4' 1/4"	2' 8 1/2"	4' 5 1/4"	2' 6 1/4"	5' 2"
3'	2' 8"	3' 7 3/4"	2' 6 1/2"	3' 11 1/2"	2' 4 1/2"	4' 6 1/4"
2' 9"	2' 5 3/4"	3' 3 1/4"	2' 4 1/2"	3' 6 1/4"	2' 2 3/4"	3' 11 1/4"
2' 6"	2' 3 1/4"	2' 10 3/4"	2' 2 1/4"	3' 1 1/4"	2' 3/4"	3' 5"
2' 3"	2' 1"	2' 6 3/4"	2'	2' 8 1/2"	1' 11"	2' 11 1/4"
2'	1' 10 1/2"	2' 2 3/4"	1' 9 3/4"	2' 4"	1' 8 3/4"	2' 6"
1' 11"	1' 9 1/2"	2' 1 1/2"	1' 9"	2' 2 1/2"	1' 8"	2' 4 1/4"
1' 10"	1' 8 3/4"	2' 1/4"	1' 8"	2' 1 1/4"	1' 7 1/4"	2' 2 3/4"
1' 9"	1' 7 3/4"	1' 11"	1' 7 1/4"	1' 11 3/4"	1' 6 1/2"	2' 1 1/4"
1' 8"	1' 7"	1' 9 3/4"	1' 6 1/2"	1' 10 1/2"	1' 5 3/4"	1' 11 3/4"
1' 7"	1' 6"	1' 8 1/2"	1' 5 3/4"	1' 9 1/4"	1' 5"	1' 10 1/4"
1' 6"	1' 5 1/4"	1' 7 1/4"	1' 4 3/4"	1' 8"	1' 4 1/4"	1' 8 3/4"
1' 5"	1' 4 1/4"	1' 6 1/4"	1' 4"	1' 6 1/2"	1' 3 1/2"	1' 7 1/4"
1' 4"	1' 3 1/2"	1' 5"	1' 3"	1' 5 1/4"	1' 2 3/4"	1' 6"
1' 3"	1' 2 1/2"	1' 3 3/4"	1' 2 1/4"	1' 4 1/4"	1' 2"	1' 4 3/4"
1' 2"	1' 1 1/2"	1' 2 3/4"	1' 1 1/4"	1' 3"	1' 1"	1' 3 1/4"
1' 1"	1' 3/4"	1' 1 1/2"	1' 1/2"	1' 1 3/4"	1' 1/4"	1' 2"
1'	11 3/4"	1' 1/2"	11 1/2"	1' 1/2"	11 1/2"	1' 3/4"
11"	10 3/4"	11 1/4"	10 3/4"	11 1/2"	10 1/2"	11 3/4"

Depth of field tables

# Compact Prime CP.2 25mm/T2.1 T\*

circle of confusion: 0.025 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
<b>INF</b>	6' 6 1/2"	INF	4' 7 1/2"	INF
<b>40'</b>	5' 8 1/2"	INF	4' 2 1/2"	INF
<b>20'</b>	5' 1/2"	INF	3' 10 1/4"	INF
<b>13'</b>	4' 6"	INF	3' 6 1/4"	INF
<b>10'</b>	4' 1 1/4"	INF	3' 3 1/2"	INF
<b>8'</b>	3' 9"	INF	3' 1"	INF
<b>7'</b>	3' 6 1/2"	INF	2' 11 1/4"	INF
<b>6'</b>	3' 3 1/2"	INF	2' 9 1/4"	INF
<b>5'</b>	2' 11 3/4"	36' 4 3/4"	2' 6 3/4"	INF
<b>4' 6"</b>	2' 9 3/4"	19' 1 3/4"	2' 5 1/4"	INF
<b>4'</b>	2' 7 1/2"	12' 1/4"	2' 3 1/2"	75' 9"
<b>3' 6"</b>	2' 5"	8' 1 3/4"	2' 1 3/4"	18' 3 1/2"
<b>3' 3"</b>	2' 3 3/4"	6' 9 1/2"	2' 3/4"	12' 5 3/4"
<b>3'</b>	2' 2 1/4"	5' 8 1/4"	1' 11 1/2"	9' 1 1/4"
<b>2' 9"</b>	2' 3/4"	4' 9 1/4"	1' 10 1/2"	6' 10 3/4"
<b>2' 6"</b>	1' 11 1/4"	4'	1' 9 1/4"	5' 4 1/4"
<b>2' 3"</b>	1' 9 1/2"	3' 4 1/4"	1' 7 3/4"	4' 2 1/2"
<b>2'</b>	1' 7 3/4"	2' 9 1/4"	1' 6 1/4"	3' 3 3/4"
<b>1' 11"</b>	1' 7"	2' 7 1/4"	1' 5 3/4"	3' 3/4"
<b>1' 10"</b>	1' 6 1/2"	2' 5 1/4"	1' 5 1/4"	2' 10"
<b>1' 9"</b>	1' 5 3/4"	2' 3 1/4"	1' 4 3/4"	2' 7 1/4"
<b>1' 8"</b>	1' 5"	2' 1 1/2"	1' 4"	2' 4 3/4"
<b>1' 7"</b>	1' 4 1/2"	1' 11 3/4"	1' 3 1/2"	2' 2 1/2"
<b>1' 6"</b>	1' 3 3/4"	1' 10"	1' 3"	2' 1/4"
<b>1' 5"</b>	1' 3"	1' 8 1/2"	1' 2 1/4"	1' 10 1/4"
<b>1' 4"</b>	1' 2 1/4"	1' 7"	1' 1 3/4"	1' 8 1/2"
<b>1' 3"</b>	1' 1 1/2"	1' 5 1/2"	1' 1"	1' 6 3/4"
<b>1' 2"</b>	1' 3/4"	1' 4"	1' 1/4"	1' 5"
<b>1' 1"</b>	1'	1' 2 1/2"	11 1/2"	1' 3 1/4"
<b>1'</b>	11 1/4"	1' 1 1/4"	10 3/4"	1' 1 3/4"
<b>11"</b>	10 1/4"	1'	10"	1' 1/4"

Depth of field tables

# Compact Prime CP.2 25mm/T2.9 T\*

circle of confusion: 0.025 mm

Engraving feet	T-Stop					
	2.9		4		5.6	
	from	to	from	to	from	to
<b>INF</b>	31' 3 1/4"	INF	23' 8 3/4"	INF	20' 2 3/4"	INF
<b>12'</b>	8' 9 1/2"	19' 1 1/4"	8' 1 1/4"	24' 2 1/2"	7' 8"	71' 8 3/4"
<b>6'</b>	5' 1 1/2"	7' 3 1/2"	4' 10 3/4"	7' 10 1/2"	4' 8 3/4"	9' 10 3/4"
<b>4'</b>	3' 7 1/4"	4' 6"	3' 6"	4' 8 1/2"	3' 5"	5' 3 3/4"
<b>3'</b>	2' 9 1/2"	3' 3"	2' 8 3/4"	3' 4 1/4"	2' 8 1/4"	3' 7 3/4"
<b>2'6"</b>	2' 4 1/4"	2' 8"	2' 3 3/4"	2' 8 3/4"	2' 3 1/2"	2' 10 3/4"
<b>2'</b>	1' 11"	2' 1 1/4"	1' 10 3/4"	2' 1 1/2"	1' 10 1/2"	2' 2 3/4"
<b>22"</b>	1' 9 1/4"	1' 11"	1' 9"	1' 11 1/4"	1' 8 3/4"	2' 1/4"
<b>20"</b>	1' 7 1/4"	1' 8 3/4"	1' 7"	1' 9"	1' 7"	1' 9 3/4"
<b>18"</b>	1' 5 1/2"	1' 6 1/2"	1' 5 1/4"	1' 6 3/4"	1' 5 1/4"	1' 7 1/4"
<b>17"</b>	1' 4 1/2"	1' 5 1/2"	1' 4 1/2"	1' 5 3/4"	1' 4 1/4"	1' 6 1/4"
<b>16"</b>	1' 3 1/2"	1' 4 1/2"	1' 3 1/2"	1' 4 1/2"	1' 3 1/2"	1' 5"
<b>15"</b>	1' 2 3/4"	1' 3 1/4"	1' 2 1/2"	1' 3 1/2"	1' 2 1/2"	1' 3 3/4"
<b>14"</b>	1' 1 3/4"	1' 2 1/4"	1' 1 3/4"	1' 2 1/2"	1' 1 1/2"	1' 2 3/4"
<b>13"</b>	1' 3/4"	1' 1 1/4"	1' 3/4"	1' 1 1/4"	1' 3/4"	1' 1 1/2"
<b>12"</b>	11 3/4"	1' 1/4"	11 3/4"	1' 1/4"	11 3/4"	1' 1/2"
<b>11"</b>	10 3/4"	11 1/4"	10 3/4"	11 1/4"	10 3/4"	11 1/4"
<b>10"</b>	10"	10"	9 3/4"	10 1/4"	9 3/4"	10 1/4"
<b>9"</b>	9"	9"	9"	9"	9"	9 1/4"
<b>8"</b>	8"	8"	8"	8"	8"	8"
<b>7"</b>	7"	7"	7"	7"	7"	7"

Depth of field tables

# Compact Prime CP.2 25mm/T2.9 T\*

circle of confusion: 0.025 mm

Engraving feet	T-Stop					
	8		11		16	
	from	to	from	to	from	to
<b>INF</b>	15' 4 1/4"	INF	10' 8 1/4"	INF	7' 3 1/4"	INF
<b>12'</b>	6' 10 1/2"	INF	5' 9 3/4"	INF	4' 8"	INF
<b>6'</b>	4' 5 1/4"	14' 6 1/2"	3' 11 3/4"	34' 8 3/4"	3' 5 1/4"	INF
<b>4'</b>	3' 3 1/4"	6' 4 1/4"	3' 1/4"	8' 4 1/4"	2' 8 3/4"	14' 4 3/4"
<b>3'</b>	2' 7"	4' 3/4"	2' 5 1/4"	4' 9"	2' 3"	6' 1 1/2"
<b>2'6</b>	2' 2 3/4"	3' 1 3/4"	2' 1 1/2"	3' 6 1/2"	1' 11 3/4"	4' 2 1/2"
<b>2'</b>	1' 10"	2' 4 1/2"	1' 9 1/4"	2' 6 3/4"	1' 8"	2' 10 1/4"
<b>22"</b>	1' 8 1/4"	2' 1 1/2"	1' 7 3/4"	2' 3 1/4"	1' 6 3/4"	2' 6"
<b>20"</b>	1' 6 3/4"	1' 10 3/4"	1' 6"	2'	1' 5 1/4"	2' 2"
<b>18"</b>	1' 5"	1' 8"	1' 4 1/2"	1' 9"	1' 4"	1' 10 1/2"
<b>17"</b>	1' 4"	1' 6 3/4"	1' 3 3/4"	1' 7 1/2"	1' 3 1/4"	1' 8 3/4"
<b>16"</b>	1' 3 1/4"	1' 5 1/2"	1' 3"	1' 6 1/4"	1' 2 1/2"	1' 7"
<b>15"</b>	1' 2 1/4"	1' 4 1/4"	1' 2"	1' 4 3/4"	1' 1 3/4"	1' 5 1/2"
<b>14"</b>	1' 1 1/2"	1' 3"	1' 1 1/4"	1' 3 1/2"	1' 1"	1' 4"
<b>13"</b>	1' 1/2"	1' 1 3/4"	1' 1/4"	1' 2 1/4"	1'	1' 2 3/4"
<b>12"</b>	11 3/4"	1' 3/4"	11 1/2"	1' 1"	11 1/4"	1' 1 1/4"
<b>11"</b>	10 3/4"	11 1/2"	10 1/2"	11 3/4"	10 1/2"	1'
<b>10"</b>	9 3/4"	10 1/4"	9 3/4"	10 1/2"	9 1/2"	10 3/4"
<b>9"</b>	8 3/4"	9 1/4"	8 3/4"	9 1/4"	8 3/4"	9 1/2"
<b>8"</b>	8"	8 1/4"	7 3/4"	8 1/4"	7 3/4"	8 1/4"
<b>7"</b>	7"	7"	7"	7"	7"	7 1/4"

Depth of field tables

# Compact Prime CP.2 25mm/T2.9 T\*

circle of confusion: 0.025 mm

Engraving	T-Stop	
	22	
feet	from	to
INF	5'	INF
12'	3' 7 3/4"	INF
6'	2' 10 1/2"	INF
4'	2' 4 1/2"	INF
3'	2' 1/4"	10' 4 3/4"
2'6"	1' 9 1/2"	5' 8 3/4"
2'	1' 6 1/2"	3' 5 1/4"
22"	1' 5 1/2"	2' 11"
20"	1' 4 1/4"	2' 5 1/2"
18"	1' 3"	2' 3/4"
17"	1' 2 1/2"	1' 10 3/4"
16"	1' 1 3/4"	1' 8 3/4"
15"	1' 1"	1' 6 3/4"
14"	1' 1/2"	1' 5"
13"	11 3/4"	1' 3 1/2"
12"	11"	1' 1 3/4"
11"	10 1/4"	1' 1/2"
10"	9 1/2"	11"
9"	8 1/2"	9 3/4"
8"	7 3/4"	8 1/2"
7"	6 3/4"	7 1/4"





Depth of field tables

# Compact Prime CP.2 28mm/T2.1 T\*

circle of confusion: 0.025 mm

Engraving	T-Stop					
	5.6		8		11	
feet	from	to	from	to	from	to
INF	33' 11 1/4"	INF	24' 3"	INF	15' 6 1/2"	INF
30'	16' 3/4"	INF	13' 6 3/4"	INF	10' 4 1/2"	INF
15'	10' 6 1/4"	INF	9' 4 3/4"	INF	7' 9 1/4"	INF
10'	7' 10"	27' 3/4"	7' 2 1/2"	102' 5 1/2"	6' 2 3/4"	INF
8'	6' 6 3/4"	15' 10 1/2"	6' 1 1/2"	27' 7 1/4"	5' 5"	224' 3 1/2"
6'	5' 2"	9' 4 3/4"	4' 10 3/4"	12' 5 1/2"	4' 5 1/4"	20' 2 3/4"
5'	4' 5"	7' 1"	4' 2 3/4"	8' 7 3/4"	3' 10 3/4"	11' 8 1/2"
4'6"	4' 1/2"	6' 1"	3' 10 1/2"	7' 2 1/4"	3' 7"	9' 1 3/4"
4'	3' 7 1/2"	5' 2 1/4"	3' 6"	5' 11 1/4"	3' 3 1/4"	7' 2 1/4"
3'6"	3' 2 3/4"	4' 4 1/4"	3' 1 1/2"	4' 10 1/4"	2' 11 1/4"	5' 7 1/2"
3'	2' 9 1/2"	3' 7"	2' 8 3/4"	3' 10 3/4"	2' 7"	4' 4 1/2"
2'9"	2' 7"	3' 2 1/2"	2' 6 1/4"	3' 5 1/2"	2' 5"	3' 10"
2'6"	2' 4 1/2"	2' 10 1/2"	2' 3 3/4"	3' 3/4"	2' 2 3/4"	3' 4"
2'3"	2' 1 3/4"	2' 6 1/2"	2' 1 1/4"	2' 8"	2' 1/4"	2' 10 1/2"
2'	1' 11"	2' 2 1/2"	1' 10 3/4"	2' 3 3/4"	1' 10"	2' 5 1/2"
23"	1' 10"	2' 1 1/4"	1' 9 3/4"	2' 2 1/2"	1' 9 1/4"	2' 3 3/4"
22"	1' 9 1/4"	2'	1' 9"	2' 1"	1' 8 1/4"	2' 2 1/4"
21"	1' 8 1/4"	1' 10 3/4"	1' 8"	1' 11 3/4"	1' 7 1/2"	2' 3/4"
20"	1' 7 1/4"	1' 9 1/2"	1' 7"	1' 10 1/4"	1' 6 3/4"	1' 11 1/4"
19"	1' 6 1/2"	1' 8 1/2"	1' 6 1/4"	1' 9"	1' 5 3/4"	1' 10"
18"	1' 5 1/2"	1' 7 1/4"	1' 5 1/4"	1' 7 3/4"	1' 5"	1' 8 1/2"
17"	1' 4 1/2"	1' 6"	1' 4 1/2"	1' 6 1/2"	1' 4"	1' 7"
16"	1' 3 3/4"	1' 4 3/4"	1' 3 1/2"	1' 5 1/4"	1' 3 1/4"	1' 5 3/4"
15"	1' 2 3/4"	1' 3 3/4"	1' 2 1/2"	1' 4"	1' 2 1/4"	1' 4 1/2"
14"	1' 1 3/4"	1' 2 1/2"	1' 1 3/4"	1' 2 3/4"	1' 1 1/2"	1' 3 1/4"
13"	1' 3/4"	1' 1 1/2"	1' 3/4"	1' 1 3/4"	1' 1/2"	1' 2"
12"	11 3/4"	1' 1/2"	11 3/4"	1' 1/2"	11 3/4"	1' 3/4"
11"	10 3/4"	11 1/4"	10 3/4"	11 1/2"	10 3/4"	11 1/2"
10"	10"	10 1/4"	9 3/4"	10 1/4"	9 3/4"	10 1/2"

Depth of field tables

# Compact Prime CP.2 28mm/T2.1 T\*

circle of confusion: 0.025 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
INF	10'	INF	6' 7 1/2"	INF
30'	7' 7 1/4"	INF	5' 6 1/4"	INF
15'	6' 1 3/4"	INF	4' 8 3/4"	INF
10'	5' 1 3/4"	INF	4' 1 1/2"	INF
8'	4' 7"	INF	3' 9 1/4"	INF
6'	3' 10 3/4"	117' 11"	3' 3 1/2"	INF
5'	3' 5 1/2"	22' 1/2"	3'	INF
4'6	3' 2 3/4"	14' 3 3/4"	2' 10"	70' 7 1/4"
4'	2' 11 3/4"	9' 11 1/4"	2' 7 3/4"	21' 9 1/4"
3'6	2' 8 1/2"	7' 1 3/4"	2' 5 1/4"	11' 6 1/4"
3'	2' 5"	5' 2 1/4"	2' 2 1/4"	7' 1"
2'9	2' 3"	4' 5 1/4"	2' 3/4"	5' 8 1/4"
2'6	2' 1 1/4"	3' 9 1/4"	1' 11 1/4"	4' 7 1/4"
2'3	1' 11"	3' 2 1/4"	1' 9 1/2"	3' 9"
2'	1' 9"	2' 8"	1' 7 3/4"	3' 1/4"
23"	1' 8 1/4"	2' 6"	1' 7"	2' 9 3/4"
22"	1' 7 1/2"	2' 4 1/4"	1' 6 1/2"	2' 7 1/2"
21"	1' 6 3/4"	2' 2 1/2"	1' 5 3/4"	2' 5 1/4"
20"	1' 6"	2' 3/4"	1' 5"	2' 3"
19"	1' 5 1/4"	1' 11"	1' 4 1/2"	2' 1"
18"	1' 4 1/2"	1' 9 1/2"	1' 3 3/4"	1' 11 1/4"
17"	1' 3 3/4"	1' 8"	1' 3"	1' 9 1/4"
16"	1' 2 3/4"	1' 6 1/2"	1' 2 1/4"	1' 7 1/2"
15"	1' 2"	1' 5"	1' 1 1/2"	1' 6"
14"	1' 1 1/4"	1' 3 3/4"	1' 3/4"	1' 4 1/2"
13"	1' 1/4"	1' 2 1/4"	1'	1' 3"
12"	11 1/2"	1' 1"	11 1/4"	1' 1 1/2"
11"	10 1/2"	11 3/4"	10 1/4"	1'
10"	9 3/4"	10 1/2"	9 1/2"	10 3/4"

Depth of field tables

# Compact Prime CP.2 35mm/T2.1 T\*

circle of confusion: 0.025 mm

Engraving feet	T-Stop					
	2.1		2.8		4	
	from	to	from	to	from	to
INF	86'	INF	94' 9"	INF	79' 11 3/4"	INF
50'	31' 9"	118' 9"	32' 10 1/4"	INF	30' 10 3/4"	INF
25'	19' 5 3/4"	35' 1/4"	19' 10 1/2"	50' 3 1/4"	19' 1 3/4"	110' 3"
15'	12' 10 1/4"	18' 1/2"	13' 1/4"	21' 4"	12' 8 1/2"	27' 7"
10'	9' 1/4"	11' 2 3/4"	9' 1 1/4"	12' 4 3/4"	8' 11 1/4"	14' 2 3/4"
8'	7' 4 1/2"	8' 9 1/4"	7' 5"	9' 5 1/4"	7' 3 3/4"	10' 5 1/4"
7'	6' 6 1/4"	7' 6 3/4"	6' 6 3/4"	8' 3/4"	6' 5 3/4"	8' 9 1/4"
6'	5' 7 3/4"	6' 4 3/4"	5' 8"	6' 9"	5' 7 1/2"	7' 2 3/4"
5'	4' 9"	5' 3 1/4"	4' 9 1/4"	5' 6"	4' 8 3/4"	5' 9 3/4"
4'6	4' 3 3/4"	4' 8 1/2"	4' 3 3/4"	4' 10 3/4"	4' 3 1/2"	5' 1 1/2"
4'	3' 10 1/4"	4' 2"	3' 10 1/4"	4' 3 1/2"	3' 10"	4' 5 3/4"
3'9	3' 7 1/2"	3' 10 3/4"	3' 7 1/2"	4'	3' 7 1/4"	4' 2"
3'6	3' 4 1/2"	3' 7 1/2"	3' 4 3/4"	3' 8 3/4"	3' 4 1/2"	3' 10 1/4"
3'3	3' 1 3/4"	3' 4 1/4"	3' 2"	3' 5 1/4"	3' 1 3/4"	3' 6 1/2"
3'	2' 11"	3' 1"	2' 11"	3' 2"	2' 11"	3' 3"
2'9	2' 8 1/4"	2' 9 3/4"	2' 8 1/4"	2' 10 1/2"	2' 8"	2' 11 1/2"
2'6	2' 5 1/4"	2' 6 3/4"	2' 5 1/2"	2' 7 1/4"	2' 5 1/4"	2' 8"
2'3	2' 2 1/2"	2' 3 1/2"	2' 2 1/2"	2' 4"	2' 2 1/2"	2' 4 1/2"
2'	1' 11 1/2"	2' 1/2"	1' 11 3/4"	2' 3/4"	1' 11 1/2"	2' 1"
23"	1' 10 3/4"	1' 11 1/4"	1' 10 3/4"	1' 11 3/4"	1' 10 1/2"	2'
22"	1' 9 3/4"	1' 10 1/4"	1' 9 3/4"	1' 10 1/2"	1' 9 3/4"	1' 11"
21"	1' 8 3/4"	1' 9 1/4"	1' 8 3/4"	1' 9 1/2"	1' 8 3/4"	1' 9 3/4"
20"	1' 7 3/4"	1' 8 1/4"	1' 7 3/4"	1' 8 1/2"	1' 7 3/4"	1' 8 3/4"
19"	1' 6 3/4"	1' 7 1/4"	1' 6 3/4"	1' 7 1/2"	1' 6 3/4"	1' 7 1/2"
18"	1' 5 3/4"	1' 6 1/4"	1' 5 3/4"	1' 6 1/4"	1' 5 3/4"	1' 6 1/2"
17"	1' 4 3/4"	1' 5 1/4"	1' 4 3/4"	1' 5 1/4"	1' 4 3/4"	1' 5 1/2"
16"	1' 3 3/4"	1' 4 1/4"	1' 3 3/4"	1' 4 1/4"	1' 3 3/4"	1' 4 1/2"
15"	1' 3"	1' 3 1/4"	1' 3"	1' 3 1/4"	1' 2 3/4"	1' 3 1/4"
14"	1' 2"	1' 2"	1' 2"	1' 2 1/4"	1' 2"	1' 2 1/4"
13"	1' 1"	1' 1"	1' 1"	1' 1 1/4"	1' 1"	1' 1 1/4"
12"	1'	1'	1'	1'	1'	1' 1/4"

Depth of field tables

# Compact Prime CP.2 35mm/T2.1 T\*

circle of confusion: 0.025 mm

Engraving feet	T-Stop					
	5.6		8		11	
	from	to	from	to	from	to
INF	54' 9"	INF	34' 7 3/4"	INF	21' 10 1/2"	INF
50'	26' 3 1/4"	INF	20' 7 1/4"	INF	15' 4"	INF
25'	17' 3 1/2"	INF	14' 8"	INF	11' 9 3/4"	INF
15'	11' 10 1/2"	41' 6 3/4"	10' 7"	109' 3 1/4"	9' 1/2"	INF
10'	8' 6 1/4"	17' 1 3/4"	7' 10 1/4"	22' 10 1/2"	7'	40' 2 3/4"
8'	7' 1/2"	11' 10 3/4"	6' 7"	14' 4 1/4"	5' 11 3/4"	19' 7"
7'	6' 3 1/4"	9' 9 1/4"	5' 10 3/4"	11' 4 1/4"	5' 5"	14' 4"
6'	5' 5 1/2"	7' 10 3/4"	5' 2 1/4"	8' 10 1/4"	4' 9 3/4"	10' 6 1/2"
5'	4' 7 1/2"	6' 2 1/2"	4' 5 1/4"	6' 9 1/2"	4' 2"	7' 8 1/2"
4'6	4' 2 1/4"	5' 5 1/4"	4' 1/2"	5' 10 1/2"	3' 9 3/4"	6' 6 1/2"
4'	3' 9 1/4"	4' 8 1/2"	3' 7 3/4"	5' 1/4"	3' 5 1/2"	5' 6"
3'9	3' 6 1/2"	4' 4 1/4"	3' 5 1/4"	4' 7 1/2"	3' 3 1/4"	5' 1/4"
3'6	3' 3 3/4"	4' 1/4"	3' 2 3/4"	4' 2 3/4"	3' 1"	4' 6 3/4"
3'3	3' 1 1/4"	3' 8 1/4"	3' 1/4"	3' 10 1/4"	2' 10 3/4"	4' 1 1/2"
3'	2' 10 1/2"	3' 4 1/4"	2' 9 3/4"	3' 6"	2' 8 1/2"	3' 8 1/2"
2'9	2' 7 3/4"	3' 1/2"	2' 7"	3' 2"	2' 6"	3' 3 3/4"
2'6	2' 5"	2' 8 3/4"	2' 4 1/2"	2' 9 3/4"	2' 3 1/2"	2' 11 1/2"
2'3	2' 2 1/4"	2' 5 1/4"	2' 1 3/4"	2' 6"	2' 1"	2' 7 1/4"
2'	1' 11 1/2"	2' 1 1/2"	1' 11"	2' 2 1/4"	1' 10 1/2"	2' 3"
23"	1' 10 1/2"	2' 1/2"	1' 10"	2' 1"	1' 9 3/4"	2' 1 3/4"
22"	1' 9 1/2"	1' 11 1/4"	1' 9 1/4"	1' 11 3/4"	1' 8 3/4"	2' 1/2"
21"	1' 8 1/2"	1' 10 1/4"	1' 8 1/4"	1' 10 1/2"	1' 8"	1' 11 1/4"
20"	1' 7 1/2"	1' 9"	1' 7 1/4"	1' 9 1/2"	1' 7"	1' 10"
19"	1' 6 3/4"	1' 8"	1' 6 1/2"	1' 8 1/4"	1' 6 1/4"	1' 8 3/4"
18"	1' 5 3/4"	1' 6 3/4"	1' 5 1/2"	1' 7"	1' 5 1/4"	1' 7 1/2"
17"	1' 4 3/4"	1' 5 3/4"	1' 4 1/2"	1' 6"	1' 4 1/4"	1' 6 1/4"
16"	1' 3 3/4"	1' 4 1/2"	1' 3 3/4"	1' 4 3/4"	1' 3 1/2"	1' 5"
15"	1' 2 3/4"	1' 3 1/2"	1' 2 3/4"	1' 3 3/4"	1' 2 1/2"	1' 3 3/4"
14"	1' 1 3/4"	1' 2 1/2"	1' 1 3/4"	1' 2 1/2"	1' 1 1/2"	1' 2 3/4"
13"	1' 3/4"	1' 1 1/4"	1' 3/4"	1' 1 1/2"	1' 3/4"	1' 1 1/2"
12"	1'	1' 1/4"	11 3/4"	1' 1/4"	11 3/4"	1' 1/2"

Depth of field tables

# Compact Prime CP.2 35mm/T2.1 T\*

circle of confusion: 0.025 mm

Engraving feet	T-Stop			
	16		22	
	from	to	from	to
INF	14' 3 1/2"	INF	9' 7 1/4"	INF
50'	11' 2 1/2"	INF	8' 1 3/4"	INF
25'	9' 2 3/4"	INF	7' 3/4"	INF
15'	7' 5 1/2"	INF	6'	INF
10'	6' 1/4"	INF	5' 1/2"	INF
8'	5' 3 1/4"	39' 7"	4' 6 1/4"	INF
7'	4' 10"	22' 7"	4' 2 1/4"	127' 4 3/4"
6'	4' 4 1/4"	14' 4 1/4"	3' 10"	29' 7 1/4"
5'	3' 9 3/4"	9' 6"	3' 5"	14' 3 1/4"
4'6	3' 6 1/4"	7' 9 1/4"	3' 2 1/4"	10' 7 1/4"
4'	3' 2 3/4"	6' 3 3/4"	2' 11 1/2"	8' 1/2"
3'9	3' 3/4"	5' 8 1/4"	2' 9 3/4"	7' 1/4"
3'6	2' 10 3/4"	5' 1"	2' 8 1/4"	6' 1 1/2"
3'3	2' 8 3/4"	4' 6 1/2"	2' 6 1/2"	5' 4"
3'	2' 6 3/4"	4' 1/2"	2' 4 3/4"	4' 7 3/4"
2'9	2' 4 3/4"	3' 7"	2' 3"	4' 1/2"
2'6	2' 2 1/2"	3' 1 3/4"	2' 1"	3' 5 3/4"
2'3	2' 1/4"	2' 9"	1' 11"	2' 11 3/4"
2'	1' 9 3/4"	2' 4 1/4"	1' 8 3/4"	2' 6 1/4"
23"	1' 9"	2' 2 3/4"	1' 8 1/4"	2' 4 3/4"
22"	1' 8 1/4"	2' 1 1/2"	1' 7 1/2"	2' 3"
21"	1' 7 1/2"	2'	1' 6 3/4"	2' 1 1/2"
20"	1' 6 1/2"	1' 10 3/4"	1' 6"	1' 11 3/4"
19"	1' 5 3/4"	1' 9 1/4"	1' 5 1/4"	1' 10 1/4"
18"	1' 5"	1' 8"	1' 4 1/2"	1' 8 3/4"
17"	1' 4"	1' 6 3/4"	1' 3 1/2"	1' 7 1/2"
16"	1' 3 1/4"	1' 5 1/2"	1' 2 3/4"	1' 6"
15"	1' 2 1/4"	1' 4 1/4"	1' 2"	1' 4 3/4"
14"	1' 1 1/2"	1' 3"	1' 1 1/4"	1' 3 1/4"
13"	1' 1/2"	1' 1 3/4"	1' 1/4"	1' 2"
12"	11 1/2"	1' 1/2"	11 1/2"	1' 3/4"

Depth of field tables

# Compact Prime CP.2 50mm/T2.1 T\*

circle of confusion: 0.025 mm

Engraving feet	T-Stop					
	2.1		2.8		4	
	from	to	from	to	from	to
<b>INF</b>	144' 10 1/4"	INF	196' 1 1/2"	INF	213' 3/4"	INF
<b>50'</b>	37' 3 1/4"	62' 2 1/2"	39' 11"	105' 4"	40' 6 1/2"	INF
<b>30'</b>	24' 11"	33' 11 3/4"	26' 3/4"	43' 8"	26' 4"	63' 1"
<b>20'</b>	17' 7 1/2"	21' 8 1/4"	18' 2 1/4"	25' 2 1/2"	18' 3 3/4"	30' 7 1/4"
<b>15'</b>	13' 7 3/4"	15' 11"	13' 11 1/2"	17' 8 3/4"	14' 1/2"	20' 2 1/2"
<b>12'</b>	11' 1 1/2"	12' 7"	11' 4"	13' 8"	11' 4 1/2"	15' 1"
<b>10'</b>	9' 4 1/2"	10' 4 3/4"	9' 6 1/2"	11' 1 1/2"	9' 6 3/4"	12' 1/4"
<b>9'</b>	8' 6"	9' 3 3/4"	8' 7 1/2"	9' 10 3/4"	8' 7 3/4"	10' 7 1/4"
<b>8'</b>	7' 7 1/4"	8' 3"	7' 8 1/2"	8' 8 1/4"	7' 8 3/4"	9' 2 3/4"
<b>7'</b>	6' 8 1/2"	7' 2 1/4"	6' 9 1/4"	7' 6 1/4"	6' 9 1/2"	7' 11"
<b>6'6"</b>	6' 3"	6' 8"	6' 3 3/4"	6' 11 1/4"	6' 3 3/4"	7' 3 1/4"
<b>6'</b>	5' 9 1/4"	6' 1 1/2"	5' 10"	6' 4 1/2"	5' 10 1/4"	6' 7 3/4"
<b>5'6"</b>	5' 3 3/4"	5' 7 1/4"	5' 4 1/4"	5' 9 3/4"	5' 4 1/2"	6' 1/2"
<b>5'</b>	4' 10 1/4"	5' 1"	4' 10 3/4"	5' 3"	4' 10 3/4"	5' 5 1/4"
<b>4'9"</b>	4' 7 1/2"	4' 10"	4' 7 3/4"	4' 11 3/4"	4' 7 3/4"	5' 1 1/2"
<b>4'6"</b>	4' 4 1/2"	4' 7"	4' 5"	4' 8 1/2"	4' 5"	4' 10"
<b>4'3"</b>	4' 1 3/4"	4' 3 3/4"	4' 2"	4' 5"	4' 2"	4' 6 1/2"
<b>4'</b>	3' 10 3/4"	4' 3/4"	3' 11 1/4"	4' 1 3/4"	3' 11 1/4"	4' 3 1/4"
<b>3'9"</b>	3' 8"	3' 9 1/2"	3' 8 1/4"	3' 10 1/2"	3' 8 1/4"	3' 11 3/4"
<b>3'6"</b>	3' 5 1/4"	3' 6 1/2"	3' 5 1/4"	3' 7 1/4"	3' 5 1/2"	3' 8 1/4"
<b>3'3"</b>	3' 2 1/4"	3' 3 1/2"	3' 2 1/2"	3' 4 1/4"	3' 2 1/2"	3' 5"
<b>3'</b>	2' 11 1/2"	3' 1/4"	2' 11 1/2"	3' 1"	2' 11 1/2"	3' 1 3/4"
<b>2'9"</b>	2' 8 1/2"	2' 9 1/4"	2' 8 1/2"	2' 9 3/4"	2' 8 3/4"	2' 10 1/4"
<b>2'6"</b>	2' 5 1/2"	2' 6 1/4"	2' 5 3/4"	2' 6 3/4"	2' 5 3/4"	2' 7"
<b>2'3"</b>	2' 2 3/4"	2' 3 1/4"	2' 2 3/4"	2' 3 1/2"	2' 2 3/4"	2' 3 3/4"
<b>2'</b>	1' 11 3/4"	2' 1/4"	1' 11 3/4"	2' 1/2"	1' 11 3/4"	2' 3/4"
<b>23"</b>	1' 10 3/4"	1' 11 1/4"	1' 10 3/4"	1' 11 1/4"	1' 10 3/4"	1' 11 1/2"
<b>22"</b>	1' 9 3/4"	1' 10"	1' 9 3/4"	1' 10 1/4"	1' 9 3/4"	1' 10 1/2"
<b>21"</b>	1' 8 3/4"	1' 9"	1' 8 3/4"	1' 9 1/4"	1' 8 3/4"	1' 9 1/2"
<b>20"</b>	1' 7 3/4"	1' 8"	1' 8"	1' 8 1/4"	1' 8"	1' 8 1/2"
<b>19"</b>	1' 6 3/4"	1' 7"	1' 7"	1' 7 1/4"	1' 7"	1' 7 1/4"
<b>18"</b>	1' 6"	1' 6"	1' 6"	1' 6 1/4"	1' 6"	1' 6 1/4"

Depth of field tables

# Compact Prime CP.2 50mm/T2.1 T\*

circle of confusion: 0.025 mm

Engraving feet	T-Stop					
	5.6		8		11	
	from	to	from	to	from	to
INF	142' 8 3/4"	INF	80' 10 1/4"	INF	47' 5"	INF
50'	37' 1"	INF	30' 11 3/4"	INF	24' 5 1/4"	INF
30'	24' 10"	114'	21' 11 1/2"	INF	18' 5 3/4"	INF
20'	17' 7"	38' 11 1/2"	16' 1 1/4"	56' 1 1/4"	14' 1 3/4"	126' 9 3/4"
15'	13' 7 1/4"	23' 6"	12' 8 1/2"	28' 9"	11' 5 3/4"	40' 1 1/4"
12'	11' 1"	16' 9 3/4"	10' 6"	19' 4"	9' 7 3/4"	23' 10"
10'	9' 4 1/2"	13' 1 1/4"	8' 11 1/4"	14' 6 3/4"	8' 3 3/4"	16' 11 1/4"
9'	8' 5 3/4"	11' 5"	8' 1 1/2"	12' 6"	7' 7 1/2"	14' 2 1/2"
8'	7' 7"	9' 10"	7' 3 3/4"	10' 7 1/2"	6' 10 3/4"	11' 9 3/4"
7'	6' 8 1/4"	8' 4 1/4"	6' 5 3/4"	8' 10 3/4"	6' 1 3/4"	9' 8 3/4"
6'6"	6' 2 3/4"	7' 7 3/4"	6' 1/2"	8' 1 1/4"	5' 9 1/4"	8' 9 1/4"
6'	5' 9 1/4"	6' 11 1/2"	5' 7 1/4"	7' 4"	5' 4 1/2"	7' 10 1/4"
5'6"	5' 3 3/4"	6' 3 1/4"	5' 2"	6' 7"	4' 11 1/2"	7'
5'	4' 10"	5' 7 1/2"	4' 8 3/4"	5' 10 1/2"	4' 6 3/4"	6' 2 1/2"
4'9"	4' 7 1/4"	5' 3 3/4"	4' 6"	5' 6 1/4"	4' 4 1/4"	5' 9 3/4"
4'6"	4' 4 1/2"	5'	4' 3 1/2"	5' 2 1/4"	4' 1 3/4"	5' 5 1/4"
4'3"	4' 1 3/4"	4' 8 1/4"	4' 3/4"	4' 10 1/4"	3' 11 1/4"	5' 3/4"
4'	3' 10 3/4"	4' 4 1/2"	3' 10"	4' 6 1/4"	3' 8 3/4"	4' 8 1/2"
3'9"	3' 8"	4' 1"	3' 7 1/4"	4' 2 1/4"	3' 6"	4' 4 1/4"
3'6"	3' 5"	3' 9 1/4"	3' 4 1/2"	3' 10 1/2"	3' 3 1/2"	4' 1/4"
3'3"	3' 2 1/4"	3' 5 3/4"	3' 1 3/4"	3' 6 3/4"	3' 3/4"	3' 8 1/4"
3'	2' 11 1/4"	3' 2 1/4"	2' 11"	3' 3 1/4"	2' 10 1/4"	3' 4 1/4"
2'9"	2' 8 1/2"	2' 11"	2' 8"	2' 11 1/2"	2' 7 1/2"	3' 1/2"
2'6"	2' 5 1/2"	2' 7 1/2"	2' 5 1/4"	2' 8"	2' 4 3/4"	2' 8 3/4"
2'3"	2' 2 3/4"	2' 4 1/4"	2' 2 1/2"	2' 4 3/4"	2' 2"	2' 5 1/4"
2'	1' 11 3/4"	2' 1"	1' 11 1/2"	2' 1 1/4"	1' 11 1/4"	2' 1 3/4"
23"	1' 10 3/4"	1' 11 3/4"	1' 10 1/2"	2'	1' 10 1/4"	2' 1/2"
22"	1' 9 3/4"	1' 10 3/4"	1' 9 1/2"	1' 11"	1' 9 1/4"	1' 11 1/4"
21"	1' 8 3/4"	1' 9 3/4"	1' 8 3/4"	1' 10"	1' 8 1/2"	1' 10 1/4"
20"	1' 7 3/4"	1' 8 1/2"	1' 7 3/4"	1' 8 3/4"	1' 7 1/2"	1' 9"
19"	1' 6 3/4"	1' 7 1/2"	1' 6 3/4"	1' 7 3/4"	1' 6 1/2"	1' 8"
18"	1' 5 3/4"	1' 6 1/2"	1' 5 3/4"	1' 6 1/2"	1' 5 1/2"	1' 6 3/4"

Depth of field tables

# Compact Prime CP.2 50mm/T2.1 T\*

circle of confusion: 0.025 mm

Engraving feet	T-Stop			
	16		22	
	from	to	from	to
INF	29' 7 1/4"	INF	19' 3"	INF
50'	18' 8 1/4"	INF	14'	INF
30'	15' 1/4"	INF	11' 10"	INF
20'	12' 1/2"	INF	9' 11 1/4"	INF
15'	10' 3/4"	88'	8' 6 1/2"	INF
12'	8' 7 1/2"	35' 3/4"	7' 6"	103' 3 1/2"
10'	7' 6 3/4"	21' 10 3/4"	6' 8 1/4"	37' 1/2"
9'	6' 11 3/4"	17' 6"	6' 2 3/4"	25' 11 1/4"
8'	6' 4 1/2"	14'	5' 9"	18' 10 1/2"
7'	5' 8 3/4"	11' 1 1/2"	5' 2 3/4"	13' 11 3/4"
6'6	5' 4 3/4"	9' 10 3/4"	4' 11 1/2"	12' 3/4"
6'	5' 3/4"	8' 9"	4' 8"	10' 4 1/2"
5'6	4' 8 1/2"	7' 8 1/4"	4' 4 1/4"	8' 11"
5'	4' 4"	6' 8 3/4"	4' 1/2"	7' 7 3/4"
4'9	4' 1 3/4"	6' 3 1/4"	3' 10 1/2"	7' 1/2"
4'6	3' 11 1/2"	5' 10"	3' 8 3/4"	6' 6"
4'3	3' 9 1/4"	5' 4 3/4"	3' 6 1/2"	5' 11 1/2"
4'	3' 6 3/4"	5'	3' 4 1/2"	5' 5 1/2"
3'9	3' 4 1/2"	4' 7 1/4"	3' 2 1/2"	5'
3'6	3' 2"	4' 2 3/4"	3' 1/4"	4' 6 1/2"
3'3	2' 11 3/4"	3' 10 1/4"	2' 10"	4' 1 1/2"
3'	2' 9 1/4"	3' 6"	2' 7 3/4"	3' 8 1/2"
2'9	2' 6 1/2"	3' 1 3/4"	2' 5 1/2"	3' 3 3/4"
2'6	2' 4"	2' 9 3/4"	2' 3 1/4"	2' 11 1/2"
2'3	2' 1 1/2"	2' 6"	2' 3/4"	2' 7 1/4"
2	1' 10 3/4"	2' 2 1/4"	1' 10 1/4"	2' 3"
23"	1' 10"	2' 1"	1' 9 1/2"	2' 1 3/4"
22"	1' 9"	1' 11 3/4"	1' 8 1/2"	2' 1/2"
21"	1' 8"	1' 10 1/2"	1' 7 3/4"	1' 11 1/4"
20"	1' 7 1/4"	1' 9 1/2"	1' 6 3/4"	1' 10"
19"	1' 6 1/4"	1' 8 1/4"	1' 6"	1' 8 3/4"
18"	1' 5 1/2"	1' 7"	1' 5"	1' 7 1/2"



Depth of field tables

# Compact Prime CP.2 85mm/T2.1 T\*

circle of confusion: 0.025 mm

Engraving feet	T-Stop					
	2.1		2.8		4	
	from	to	from	to	from	to
<b>INF</b>	331' 4"	INF	290' 10 3/4"	INF	250' 10 3/4"	INF
<b>200'</b>	124' 10 3/4"	244' 1"	118' 8 1/4"	353' 2 1/2"	111' 5 1/4"	989' 3 1/2"
<b>100'</b>	76' 11 1/2"	109' 11"	74' 6 1/2"	127' 7 1/4"	71' 7 1/2"	166' 1/4"
<b>60'</b>	50' 10 3/4"	63' 5 1/4"	49' 10"	68' 11"	48' 6 1/4"	78' 8 1/2"
<b>40'</b>	35' 9 1/4"	41' 6"	35' 2 3/4"	43' 9"	34' 7"	47' 5 3/4"
<b>30'</b>	27' 6 3/4"	30' 10"	27' 3"	32' 3/4"	26' 10 1/4"	34'
<b>25'</b>	23' 3 1/2"	25' 7"	23' 3/4"	26' 4 3/4"	22' 9 1/2"	27' 8 1/2"
<b>20'</b>	18' 10 3/4"	20' 4 1/4"	18' 9"	20' 10 1/2"	18' 6 3/4"	21' 8 1/4"
<b>17'</b>	16' 2 1/2"	17' 3 1/4"	16' 1 1/4"	17' 7 1/2"	15' 11 1/2"	18' 2 1/4"
<b>15'</b>	14' 4 1/2"	15' 2 1/2"	14' 3 1/2"	15' 5 3/4"	14' 2 1/4"	15' 11"
<b>14'</b>	13' 5 1/2"	14' 2"	13' 4 3/4"	14' 5"	13' 3 1/2"	14' 9 1/2"
<b>13'</b>	12' 6 1/2"	13' 1 3/4"	12' 5 3/4"	13' 4 1/4"	12' 4 3/4"	13' 8 1/4"
<b>12'</b>	11' 7 1/4"	12' 1 1/2"	11' 6 1/2"	12' 3 3/4"	11' 5 3/4"	12' 6 3/4"
<b>11'</b>	10' 8"	11' 1 1/4"	10' 7 1/2"	11' 3"	10' 6 3/4"	11' 5 3/4"
<b>10'</b>	9' 8 3/4"	10' 1"	9' 8 1/4"	10' 2 1/2"	9' 7 3/4"	10' 4 3/4"
<b>9'6"</b>	9' 3"	9' 7"	9' 2 3/4"	9' 8 1/4"	9' 2"	9' 10 1/4"
<b>9'</b>	8' 9 1/2"	9' 3/4"	8' 9"	9' 2"	8' 8 1/2"	9' 3 3/4"
<b>8'6"</b>	8' 3 3/4"	8' 6 3/4"	8' 3 1/4"	8' 7 3/4"	8' 3"	8' 9 1/4"
<b>8'</b>	7' 10"	8' 3/4"	7' 9 3/4"	8' 1 1/2"	7' 9 1/4"	8' 3"
<b>7'9"</b>	7' 7"	7' 9 3/4"	7' 6 3/4"	7' 10 1/2"	7' 6 1/2"	7' 11 3/4"
<b>7'6"</b>	7' 4 1/4"	7' 6 1/2"	7' 4"	7' 7 1/2"	7' 3 1/2"	7' 8 1/2"
<b>7'3"</b>	7' 1 1/4"	7' 3 1/2"	7' 1"	7' 4 1/4"	7' 3/4"	7' 5 1/4"
<b>7'</b>	6' 10 1/2"	7' 1/2"	6' 10 1/4"	7' 1 1/4"	6' 10"	7' 2 1/4"
<b>6'9"</b>	6' 7 1/2"	6' 9 1/2"	6' 7 1/4"	6' 10"	6' 7"	6' 11"
<b>6'6"</b>	6' 4 3/4"	6' 6 1/2"	6' 4 1/2"	6' 7"	6' 4 1/4"	6' 7 3/4"
<b>6'3"</b>	6' 1 3/4"	6' 3 1/2"	6' 1 1/2"	6' 4"	6' 1 1/4"	6' 4 3/4"
<b>6'</b>	5' 11"	6' 1/2"	5' 10 3/4"	6' 3/4"	5' 10 1/2"	6' 1 1/2"
<b>5'9"</b>	5' 8"	5' 9 1/4"	5' 7 3/4"	5' 9 3/4"	5' 7 1/2"	5' 10 1/2"
<b>5'6"</b>	5' 5"	5' 6 1/4"	5' 5"	5' 6 3/4"	5' 4 3/4"	5' 7 1/4"
<b>5'3"</b>	5' 2 1/4"	5' 3 1/4"	5' 2"	5' 3 3/4"	5' 1 3/4"	5' 4 1/4"
<b>5'</b>	4' 11 1/4"	5' 1/4"	4' 11 1/4"	5' 1/2"	4' 11"	5' 1"
<b>4'9"</b>	4' 8 1/4"	4' 9 1/4"	4' 8 1/4"	4' 9 1/2"	4' 8"	4' 10"
<b>4'6"</b>	4' 5 1/2"	4' 6 1/4"	4' 5 1/4"	4' 6 1/2"	4' 5 1/4"	4' 6 3/4"
<b>4'3"</b>	4' 2 1/2"	4' 3 1/4"	4' 2 1/2"	4' 3 1/2"	4' 2 1/4"	4' 3 3/4"
<b>4'</b>	3' 11 1/2"	4' 1/4"	3' 11 1/2"	4' 1/4"	3' 11 1/4"	4' 3/4"
<b>3'9"</b>	3' 8 1/2"	3' 9 1/4"	3' 8 1/2"	3' 9 1/4"	3' 8 1/2"	3' 9 1/2"
<b>3'6"</b>	3' 5 3/4"	3' 6"	3' 5 1/2"	3' 6 1/4"	3' 5 1/2"	3' 6 1/2"
<b>3'3"</b>	3' 2 3/4"	3' 3"	3' 2 3/4"	3' 3 1/4"	3' 2 1/2"	3' 3 1/2"

Depth of field tables

# Compact Prime CP.2 85mm/T2.1 T\*

circle of confusion: 0.025 mm

Engraving feet	T-Stop					
	5.6		8		11	
	from	to	from	to	from	to
INF	191' 3 3/4"	INF	136' 8"	INF	94' 11"	INF
200'	97' 11 1/4"	INF	81' 4"	INF	64' 6"	INF
100'	65' 9 3/4"	254' 3 1/4"	57' 10 3/4"	INF	48' 10 1/4"	INF
60'	45' 9 1/2"	94' 1 1/4"	41' 9 3/4"	124' 7 3/4"	36' 10 3/4"	217'
40'	33' 2"	52' 7 3/4"	31' 1/2"	60' 11 1/2"	28' 3 1/4"	76' 10 1/2"
30'	26'	36' 6 1/2"	24' 8 1/4"	40' 4 1/4"	22' 10 3/4"	46' 8 1/2"
25'	22' 2"	29' 4 1/2"	21' 2 1/2"	31' 9"	19' 10 3/4"	35' 6 3/4"
20'	18' 2"	22' 8 1/4"	17' 6 1/4"	24' 3/4"	16' 7 1/4"	26' 2"
17'	15' 8"	18' 10 3/4"	15' 2 1/4"	19' 10"	14' 6"	21' 2 3/4"
15'	13' 11 1/2"	16' 5 1/4"	13' 6 3/4"	17' 1 3/4"	13' 1/4"	18' 2 1/4"
14'	13' 1"	15' 3"	12' 9"	15' 10 1/4"	12' 3 1/4"	16' 8 3/4"
13'	12' 2 1/2"	14' 3/4"	11' 11"	14' 6 3/4"	11' 6"	15' 3 3/4"
12'	11' 4"	12' 10 3/4"	11' 1"	13' 3 3/4"	10' 8 1/2"	13' 11"
11'	10' 5 1/4"	11' 9"	10' 2 3/4"	12' 1"	9' 11"	12' 7"
10'	9' 6 1/2"	10' 7 1/4"	9' 4 1/4"	10' 10 3/4"	9' 1 1/4"	11' 3 1/2"
9'6	9' 1"	10' 1/2"	8' 11"	10' 3 1/2"	8' 8 1/4"	10' 7 3/4"
9'	8' 7 1/2"	9' 5 3/4"	8' 5 3/4"	9' 8 1/2"	8' 3 1/4"	10' 1/4"
8'6	8' 2"	8' 11 1/4"	8' 1/2"	9' 1 1/2"	7' 10 1/4"	9' 4 3/4"
8'	7' 8 1/2"	8' 4 1/2"	7' 7"	8' 6 1/2"	7' 5"	8' 9 1/2"
7'9	7' 5 3/4"	8' 1 1/4"	7' 4 1/2"	8' 3 1/4"	7' 2 1/2"	8' 5 3/4"
7'6	7' 2 3/4"	7' 10"	7' 1 3/4"	7' 11 3/4"	7'	8' 2 1/4"
7'3	7'	7' 6 3/4"	6' 11"	7' 8 1/4"	6' 9 1/4"	7' 10 1/2"
7'	6' 9 1/4"	7' 3 1/2"	6' 8 1/4"	7' 5"	6' 6 3/4"	7' 7"
6'9	6' 6 1/2"	7' 1/4"	6' 5 1/2"	7' 1 1/2"	6' 4"	7' 3 1/2"
6'6	6' 3 3/4"	6' 9"	6' 2 3/4"	6' 10 1/4"	6' 1 1/2"	7'
6'3	6' 3/4"	6' 5 3/4"	6'	6' 6 3/4"	5' 10 3/4"	6' 8 1/2"
6'	5' 10"	6' 2 1/2"	5' 9 1/4"	6' 3 1/2"	5' 8 1/4"	6' 5"
5'9	5' 7 1/4"	5' 11 1/4"	5' 6 1/2"	6' 1/4"	5' 5 1/2"	6' 1 1/2"
5'6	5' 4 1/4"	5' 8"	5' 3 3/4"	5' 9"	5' 2 3/4"	5' 10 1/4"
5'3	5' 1 1/2"	5' 4 3/4"	5' 1"	5' 5 3/4"	5'	5' 6 3/4"
5'	4' 10 3/4"	5' 1 3/4"	4' 10 1/4"	5' 2 1/4"	4' 9 1/4"	5' 3 1/4"
4'9	4' 7 3/4"	4' 10 1/2"	4' 7 1/4"	4' 11"	4' 6 1/2"	5'
4'6	4' 5"	4' 7 1/4"	4' 4 1/2"	4' 7 3/4"	4' 4"	4' 8 3/4"
4'3	4' 2"	4' 4 1/4"	4' 1 3/4"	4' 4 3/4"	4' 1"	4' 5 1/4"
4'	3' 11 1/4"	4' 1"	3' 10 3/4"	4' 1 1/2"	3' 10 1/4"	4' 2"
3'9	3' 8 1/4"	3' 9 3/4"	3' 8"	3' 10 1/4"	3' 7 1/2"	3' 10 3/4"
3'6	3' 5 1/2"	3' 6 3/4"	3' 5 1/4"	3' 7"	3' 4 3/4"	3' 7 1/2"
3'3	3' 2 1/2"	3' 3 1/2"	3' 2 1/4"	3' 4"	3' 2"	3' 4 1/4"

Depth of field tables

# Compact Prime CP.2 85mm/T2.1 T\*

circle of confusion: 0.025 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
INF	66' 1/2"	INF	46' 1 1/2"	INF
200'	49' 9"	INF	37' 7"	INF
100'	39' 11"	INF	31' 8 1/2"	INF
60'	31' 7"	INF	26' 2 3/4"	INF
40'	25' 3/4"	121' 1/4"	21' 7"	INF
30'	20' 9"	59' 11 1/4"	18' 4"	99' 7 3/4"
25'	18' 3"	42' 8 1/4"	16' 4 1/4"	59' 6 1/4"
20'	15' 5 1/2"	29' 9 3/4"	14' 1"	37' 1 1/4"
17'	13' 7 1/2"	23' 6 3/4"	12' 6 1/2"	27' 10 1/4"
15'	12' 3 3/4"	19' 10 1/4"	11' 5 1/4"	22' 9 1/2"
14'	11' 7 3/4"	18' 1 1/2"	10' 10 1/4"	20' 6 1/4"
13'	10' 11 1/4"	16' 5 1/2"	10' 3"	18' 5"
12'	10' 2 3/4"	14' 10 1/2"	9' 7 1/2"	16' 5 1/4"
11'	9' 6"	13' 4 1/4"	8' 11 3/4"	14' 7 1/4"
10'	8' 9"	11' 10 3/4"	8' 3 3/4"	12' 10 1/2"
9'6	8' 4 1/2"	11' 2 1/4"	7' 11 1/2"	12' 1/2"
9'	7' 11 3/4"	10' 6"	7' 7 1/2"	11' 2 3/4"
8'6	7' 7"	9' 9 3/4"	7' 3"	10' 5 1/2"
8'	7' 2 1/4"	9' 1 3/4"	6' 10 3/4"	9' 8 1/2"
7'9	7'	8' 9 3/4"	6' 8 1/2"	9' 4"
7'6	6' 9 1/2"	8' 5 3/4"	6' 6 1/4"	8' 11 1/2"
7'3	6' 7"	8' 2"	6' 4"	8' 7 1/4"
7'	6' 4 1/2"	7' 10 1/4"	6' 1 3/4"	8' 3"
6'9	6' 2"	7' 6 1/2"	5' 11 1/2"	7' 10 3/4"
6'6	5' 11 1/2"	7' 2 1/2"	5' 9 1/4"	7' 6 3/4"
6'3	5' 9"	6' 11"	5' 6 3/4"	7' 2 1/2"
6'	5' 6 1/2"	6' 7 1/4"	5' 4 1/2"	6' 10 1/2"
5'9	5' 4"	6' 3 1/2"	5' 2"	6' 6 1/2"
5'6	5' 1 1/2"	6'	4' 11 3/4"	6' 2 1/2"
5'3	4' 10 3/4"	5' 8 1/4"	4' 9 1/4"	5' 10 3/4"
5'	4' 8 1/4"	5' 4 3/4"	4' 6 3/4"	5' 7"
4'9	4' 5 3/4"	5' 1 1/4"	4' 4 1/4"	5' 3 1/4"
4'6	4' 3"	4' 9 3/4"	4' 1 3/4"	4' 11 1/2"
4'3	4' 1/4"	4' 6 1/4"	3' 11 1/4"	4' 7 3/4"
4'	3' 9 3/4"	4' 3"	3' 8 3/4"	4' 4 1/4"
3'9	3' 7"	3' 11 1/2"	3' 6 1/4"	4' 1/2"
3'6	3' 4 1/4"	3' 8 1/4"	3' 3 1/2"	3' 9"
3'3	3' 1 1/2"	3' 4 3/4"	3' 1"	3' 5 1/2"

Depth of field tables

# Compact Prime CP.2 100mm/T2.1 CF T\*

circle of confusion: 0.025 mm

Engraving feet	T-Stop					
	2.1		2.8		4	
	from	to	from	to	from	to
INF	629' 3 1/4"	INF	584' 11 1/4"	INF	406' 9 1/4"	INF
300'	203' 4"	INF	198' 5 1/2"	INF	172' 10 1/4"	INF
250'	179' 1"	INF	175' 3 1/2"	INF	155' 1/4"	INF
200'	151' 11"	292' 10 1/2"	149' 2 1/4"	INF	134' 3"	INF
190'	146' 1"	271' 10 3/4"	143' 6 3/4"	366' 8"	129' 8"	INF
180'	140' 1 1/4"	251' 10 1/4"	137' 9 1/4"	331' 1"	124' 11 1/4"	INF
170'	133' 11 3/4"	232' 8"	131' 10 1/4"	298' 8 1/4"	120' 1/2"	INF
160'	127' 8 1/4"	214' 3 3/4"	125' 9 1/4"	269' 1"	114' 11 3/4"	377' 8"
150'	121' 3"	196' 8 3/4"	119' 6"	241' 10 3/4"	109' 8 3/4"	326' 2"
140'	114' 7 3/4"	179' 10 1/4"	113' 1"	216' 10 1/4"	104' 3 1/2"	282' 2 1/4"
130'	107' 10 1/4"	163' 8"	106' 5 3/4"	193' 8 3/4"	98' 7 3/4"	244' 2 1/2"
120'	100' 10 3/4"	148' 1 1/4"	99' 8 1/4"	172' 3 1/4"	92' 9 1/2"	211' 3/4"
110'	93' 8 3/4"	133' 1 3/4"	92' 8 1/4"	152' 4 1/4"	86' 8 1/2"	181' 10 1/2"
100'	86' 4 1/2"	118' 9"	85' 6"	133' 9 1/4"	80' 4 3/4"	156'
90'	78' 10"	104' 10 3/4"	78' 1"	116' 5 1/4"	73' 9 3/4"	132' 10 1/2"
80'	71' 3/4"	91' 6 1/2"	70' 5 1/2"	100' 2 1/4"	66' 11 1/2"	112' 1 1/2"
70'	63' 3/4"	78' 8"	62' 7"	84' 11 1/2"	59' 9 3/4"	93' 4 1/2"
60'	54' 10"	66' 3"	54' 5 3/4"	70' 7 1/2"	52' 4 1/2"	76' 4"
50'	46' 4 1/2"	54' 3"	46' 1 1/2"	57' 1 3/4"	44' 7 1/4"	60' 9 3/4"
45'	42' 1/2"	48' 5"	41' 10"	50' 8 1/4"	40' 7"	53' 6 1/2"
40'	37' 7 3/4"	42' 8"	37' 5 3/4"	44' 5"	36' 5 3/4"	46' 7 1/4"
35'	33' 2 1/4"	37' 1/4"	33' 3/4"	38' 4"	32' 3 1/2"	39' 11 1/4"
30'	28' 8"	31' 5 1/2"	28' 6 3/4"	32' 4 3/4"	27' 11 3/4"	33' 6 1/2"
29'	27' 9"	30' 4 1/4"	27' 8"	31' 2 3/4"	27' 1 1/2"	32' 3 1/2"
28'	26' 10"	29' 3 1/4"	26' 9"	30' 1"	26' 3"	31' 1/2"
27'	25' 11"	28' 2"	25' 10"	28' 11"	25' 4 1/4"	29' 9 3/4"
26'	25'	27' 1"	24' 11"	27' 9 1/4"	24' 5 3/4"	28' 7 1/4"
25'	24' 1"	26'	24'	26' 7 1/2"	23' 7 1/4"	27' 4 3/4"
24'	23' 1 3/4"	24' 11"	23' 1"	25' 6"	22' 8 1/2"	26' 2 1/4"
23'	22' 2 1/2"	23' 10"	22' 2"	24' 4 1/2"	21' 9 3/4"	25'
22'	21' 3 1/2"	22' 9 1/4"	21' 2 3/4"	23' 3"	20' 11"	23' 9 3/4"
21'	20' 4 1/4"	21' 8 1/2"	20' 3 1/2"	22' 1 1/2"	20'	22' 7 3/4"
20'	19' 5"	20' 7 1/2"	19' 4 1/4"	21' 1/4"	19' 1 1/4"	21' 5 3/4"
19'	18' 5 1/2"	19' 6 3/4"	18' 5"	19' 11"	18' 2 1/4"	20' 4"
18'	17' 6 1/4"	18' 6"	17' 5 3/4"	18' 9 3/4"	17' 3 1/4"	19' 2 1/4"
17'	16' 6 3/4"	17' 5 1/2"	16' 6 1/2"	17' 8 3/4"	16' 4 1/4"	18' 1/2"
16'	15' 7 1/2"	16' 4 3/4"	15' 7"	16' 7 3/4"	15' 5"	16' 11"
15'	14' 8"	15' 4 1/4"	14' 7 3/4"	15' 6 3/4"	14' 6"	15' 9 3/4"
14' 6"	14' 2 1/4"	14' 10"	14' 2"	15' 1/4"	14' 1/4"	15' 3"
14'	13' 8 1/2"	14' 3 1/2"	13' 8 1/4"	14' 5 3/4"	13' 6 3/4"	14' 8 1/4"



Depth of field tables

# Compact Prime CP.2 100mm/T2.1 CF T\*

circle of confusion: 0.025 mm

Engraving feet	T-Stop					
	5.6		8		11	
	from	to	from	to	from	to
INF	279' 10 3/4"	INF	192' 1"	INF	131' 6"	INF
300'	145'	INF	117' 3 1/2"	INF	91' 7 1/4"	INF
250'	132' 3"	INF	108' 9 3/4"	INF	86' 4 1/4"	INF
200'	116' 10"	INF	98' 2 1/4"	INF	79' 6 1/4"	INF
190'	113' 4 1/4"	INF	95' 8 1/2"	INF	77' 11"	INF
180'	109' 8 3/4"	INF	93' 1 1/2"	INF	76' 2 1/4"	INF
170'	105' 11 1/4"	INF	90' 4 1/2"	INF	74' 4 1/4"	INF
160'	101' 11 3/4"	INF	87' 5 3/4"	INF	72' 4 1/2"	INF
150'	97' 10"	INF	84' 5"	INF	70' 3 1/4"	INF
140'	93' 6"	INF	81' 2"	INF	68' 1/4"	INF
130'	88' 11 1/4"	376' 1/2"	77' 8 3/4"	INF	65' 7"	INF
120'	84' 1 3/4"	302' 8 3/4"	74' 1/2"	INF	62' 11 1/4"	INF
110'	79' 1 1/2"	246' 1/2"	70' 1 1/2"	INF	60' 1 1/4"	INF
100'	73' 10"	200' 10 3/4"	65' 11 1/4"	331' 1 1/2"	57'	INF
90'	68' 3"	164' 1"	61' 5 1/2"	241' 7 3/4"	53' 7 1/2"	INF
80'	62' 4 1/4"	133' 6 1/4"	56' 7 3/4"	180' 7 1/2"	49' 11 1/4"	348' 8"
70'	56' 1 1/2"	107' 8 1/2"	51' 5 1/2"	136' 4 1/4"	45' 10 1/2"	214' 1 3/4"
60'	49' 6 1/4"	85' 7 3/4"	45' 10 1/4"	102' 9 1/4"	41' 4 1/2"	141' 5"
50'	42' 6 1/4"	66' 6 3/4"	39' 9 3/4"	76' 5"	36' 4 3/4"	95' 10"
45'	38' 10 1/4"	57' 11 1/4"	36' 7"	65' 3 1/4"	33' 8 1/4"	78' 10 3/4"
40'	35' 1"	49' 10 1/2"	33' 2 3/4"	55' 2 1/4"	30' 9 3/4"	64' 7 1/4"
35'	31' 2 1/4"	42' 3 3/4"	29' 8 1/2"	46' 3/4"	27' 9 1/4"	52' 4 3/4"
30'	27' 2"	35' 2 1/4"	26' 1/2"	37' 8 3/4"	24' 6 1/2"	41' 10 1/2"
29'	26' 4"	33' 9 3/4"	25' 3 1/2"	36' 1 3/4"	23' 10 1/2"	39' 11"
28'	25' 6 1/4"	32' 5 1/2"	24' 6 1/4"	34' 7 1/4"	23' 2 1/2"	38' 1/2"
27'	24' 8 1/4"	31' 1 1/4"	23' 9"	33' 1"	22' 6 1/4"	36' 2 1/2"
26'	23' 10 1/4"	29' 9 1/2"	22' 11 3/4"	31' 7"	21' 9 3/4"	34' 5"
25'	23'	28' 5 3/4"	22' 2 1/2"	30' 1 1/4"	21' 1 1/2"	32' 8"
24'	22' 2"	27' 2 1/4"	21' 5"	28' 8"	20' 4 3/4"	30' 11 1/2"
23'	21' 3 3/4"	25' 10 3/4"	20' 7 1/2"	27' 2 3/4"	19' 8 1/4"	29' 3 3/4"
22'	20' 5 1/2"	24' 7 1/2"	19' 9 3/4"	25' 10"	18' 11 1/4"	27' 8 1/4"
21'	19' 7"	23' 4 1/2"	19'	24' 5 1/2"	18' 2 1/2"	26' 1 1/4"
20'	18' 8 1/2"	22' 1 3/4"	18' 2 1/4"	23' 1 1/4"	17' 5 1/2"	24' 6 3/4"
19'	17' 10"	20' 11"	17' 4 1/4"	21' 9 1/4"	16' 8 1/4"	23' 3/4"
18'	16' 11 1/2"	19' 8 1/2"	16' 6 1/4"	20' 5 1/2"	15' 11"	21' 7 1/4"
17'	16' 3/4"	18' 6"	15' 8 1/4"	19' 2"	15' 1 3/4"	20' 2"
16'	15' 2"	17' 4"	14' 10"	17' 10 3/4"	14' 4"	18' 9"
15'	14' 3 1/4"	16' 1 3/4"	13' 11 1/2"	16' 7 3/4"	13' 6 1/2"	17' 4 3/4"
14' 6"	13' 9 3/4"	15' 6 3/4"	13' 6 1/2"	16' 1/2"	13' 1 1/2"	16' 8 1/2"
14'	13' 4 1/2"	15'	13' 1 1/4"	15' 5"	12' 8 3/4"	16' 1/2"

Depth of field tables

# Compact Prime CP.2 100mm/T2.1 CF T\*

circle of confusion: 0.025 mm

Engraving	T-Stop					
	5.6		8		11	
feet	from	to	from	to	from	to
13' 6"	12' 11"	14' 5"	12' 8"	14' 9 3/4"	12' 3 3/4"	15' 4 3/4"
13'	12' 5 1/2"	13' 10 1/4"	12' 2 3/4"	14' 2 1/2"	11' 10 3/4"	14' 8 3/4"
12' 6"	12'	13' 3 1/4"	11' 9 1/2"	13' 7 1/4"	11' 5 3/4"	14' 1"
12'	11' 6 1/2"	12' 8 1/2"	11' 4"	13' 1/4"	11' 3/4"	13' 5 1/2"
11' 6"	11' 1"	12' 1 3/4"	10' 10 3/4"	12' 5"	10' 7 3/4"	12' 10"
11'	10' 7 1/4"	11' 7"	10' 5 1/4"	11' 10"	10' 2 1/2"	12' 2 1/2"
10' 6"	10' 1 3/4"	11' 1/2"	10'	11' 3"	9' 9 1/4"	11' 7"
10'	9' 8 1/4"	10' 5 3/4"	9' 6 1/2"	10' 8 1/4"	9' 4 1/4"	10' 11 3/4"
9' 9"	9' 5 1/4"	10' 2 1/2"	9' 3 3/4"	10' 4 3/4"	9' 1 1/2"	10' 8"
9' 6"	9' 2 1/2"	9' 11 1/4"	9' 1"	10' 1 1/4"	8' 11"	10' 4 1/2"
9' 3"	8' 11 3/4"	9' 8"	8' 10 1/4"	9' 10"	8' 8 1/4"	10' 3/4"
9'	8' 9"	9' 4 1/2"	8' 7 1/2"	9' 6 1/2"	8' 5 3/4"	9' 9 1/4"
8' 9"	8' 6"	9' 1 1/4"	8' 4 3/4"	9' 3 1/4"	8' 3"	9' 5 3/4"
8' 6"	8' 3 1/4"	8' 10"	8' 2"	8' 11 3/4"	8' 1/4"	9' 2 1/4"
8' 3"	8' 1/2"	8' 6 3/4"	7' 11 1/4"	8' 8 1/2"	7' 9 3/4"	8' 10 3/4"
8'	7' 9 1/2"	8' 3 1/2"	7' 8 1/2"	8' 5"	7' 7"	8' 7"
7' 9"	7' 6 3/4"	8' 1/4"	7' 5 3/4"	8' 1 3/4"	7' 4 1/4"	8' 3 3/4"
7' 6"	7' 4"	7' 9"	7' 3"	7' 10 1/2"	7' 1 3/4"	8' 1/4"
7' 3"	7' 1"	7' 6"	7' 1/4"	7' 7"	6' 11"	7' 8 3/4"
7'	6' 10 1/4"	7' 2 3/4"	6' 9 1/4"	7' 3 3/4"	6' 8 1/4"	7' 5 1/4"
6' 9"	6' 7 1/4"	6' 11 1/2"	6' 6 1/2"	7' 1/2"	6' 5 1/2"	7' 2"
6' 6"	6' 4 1/2"	6' 8 1/4"	6' 3 3/4"	6' 9 1/4"	6' 2 3/4"	6' 10 1/2"
6' 3"	6' 1 1/2"	6' 5"	6' 1"	6' 6"	6'	6' 7"
6'	5' 10 3/4"	6' 2"	5' 10"	6' 2 3/4"	5' 9 1/4"	6' 3 3/4"
5' 9"	5' 7 3/4"	5' 10 3/4"	5' 7 1/4"	5' 11 1/2"	5' 6 1/2"	6' 1/2"
5' 6"	5' 5"	5' 7 1/2"	5' 4 1/2"	5' 8 1/4"	5' 3 3/4"	5' 9"
5' 3"	5' 2"	5' 4 1/2"	5' 1 1/2"	5' 5"	5' 1"	5' 5 3/4"
5'	4' 11"	5' 1 1/4"	4' 10 3/4"	5' 1 3/4"	4' 10 1/4"	5' 2 1/2"
4' 9"	4' 8 1/4"	4' 10 1/4"	4' 7 3/4"	4' 10 1/2"	4' 7 1/4"	4' 11 1/4"
4' 6"	4' 5 1/4"	4' 7"	4' 5"	4' 7 1/2"	4' 4 1/2"	4' 8"
4' 3"	4' 2 1/2"	4' 3 3/4"	4' 2"	4' 4 1/4"	4' 1 3/4"	4' 4 3/4"
4'	3' 11 1/2"	4' 3/4"	3' 11 1/4"	4' 1"	3' 10 3/4"	4' 1 1/2"
3' 9"	3' 8 1/2"	3' 9 3/4"	3' 8 1/4"	3' 10"	3' 8"	3' 10 1/4"
3' 6"	3' 5 1/2"	3' 6 1/2"	3' 5 1/2"	3' 6 3/4"	3' 5 1/4"	3' 7"
3' 3"	3' 2 3/4"	3' 3 1/2"	3' 2 1/2"	3' 3 3/4"	3' 2 1/4"	3' 4"
3'	2' 11 3/4"	3' 1/2"	2' 11 1/2"	3' 1/2"	2' 11 1/2"	3' 3/4"
2' 9"	2' 8 3/4"	2' 9 1/4"	2' 8 3/4"	2' 9 1/2"	2' 8 1/2"	2' 9 1/2"
2' 6"	2' 5 3/4"	2' 6 1/4"	2' 5 3/4"	2' 6 1/4"	2' 5 3/4"	2' 6 1/2"

Depth of field tables

# Compact Prime CP.2 100mm/T2.1 CF T\*

circle of confusion: 0.025 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
<b>INF</b>	90' 1 1/4"	INF	62' 2 3/4"	INF
<b>300'</b>	69' 5 1/4"	INF	51' 7 3/4"	INF
<b>250'</b>	66' 4 3/4"	INF	49' 11 1/2"	INF
<b>200'</b>	62' 3 1/2"	INF	47' 7 1/4"	INF
<b>190'</b>	61' 3 1/2"	INF	47' 1 4"	INF
<b>180'</b>	60' 2 3/4"	INF	46' 4 3/4"	INF
<b>170'</b>	59' 1"	INF	45' 8 1/2"	INF
<b>160'</b>	57' 10"	INF	44' 11 3/4"	INF
<b>150'</b>	56' 5 3/4"	INF	44' 1 3/4"	INF
<b>140'</b>	55' 1/4"	INF	43' 3"	INF
<b>130'</b>	53' 5"	INF	42' 3 1/4"	INF
<b>120'</b>	51' 8"	INF	41' 2"	INF
<b>110'</b>	49' 8 3/4"	INF	39' 11 1/4"	INF
<b>100'</b>	47' 7 1/4"	INF	38' 6 3/4"	INF
<b>90'</b>	45' 2 3/4"	INF	37'	INF
<b>80'</b>	42' 7"	INF	35' 2 1/2"	INF
<b>70'</b>	39' 7 1/4"	INF	33' 1 3/4"	INF
<b>60'</b>	36' 2 1/2"	292' 7"	30' 9"	INF
<b>50'</b>	32' 4 1/4"	147' 3"	27' 11 1/4"	INF
<b>45'</b>	30' 2 1/4"	110' 7 1/4"	26' 3 3/4"	254' 3"
<b>40'</b>	27' 10 1/2"	84' 4 1/2"	24' 6 1/2"	148'
<b>35'</b>	25' 4 1/2"	64' 7 3/4"	22' 7 1/4"	96' 3 1/4"
<b>30'</b>	22' 8"	49' 3 1/2"	20' 5"	65' 8"
<b>29'</b>	22' 1"	46' 7 1/2"	19' 11 1/2"	60' 11 3/4"
<b>28'</b>	21' 6 1/4"	44' 3/4"	19' 6"	56' 8"
<b>27'</b>	20' 11"	41' 7 1/4"	19'	52' 7 3/4"
<b>26'</b>	20' 3 3/4"	39' 3"	18' 6 1/4"	48' 11"
<b>25'</b>	19' 8 1/2"	37'	18'	45' 5 1/4"
<b>24'</b>	19' 1"	34' 9 3/4"	17' 5 3/4"	42' 2 1/4"
<b>23'</b>	18' 5 1/2"	32' 8 3/4"	16' 11 1/2"	39' 1 3/4"
<b>22'</b>	17' 9 3/4"	30' 8 1/2"	16' 5"	36' 3 1/2"
<b>21'</b>	17' 2"	28' 9 1/4"	15' 10 1/4"	33' 7 1/4"
<b>20'</b>	16' 6"	26' 11"	15' 3 1/2"	31' 1"
<b>19'</b>	15' 9 3/4"	25' 1 1/4"	14' 8 1/2"	28' 8 1/4"
<b>18'</b>	15' 1 1/2"	23' 4 1/2"	14' 1 1/4"	26' 5 1/4"
<b>17'</b>	14' 5"	21' 8 1/2"	13' 6"	24' 3 3/4"
<b>16'</b>	13' 8 1/4"	20' 1"	12' 10 1/2"	22' 3 1/4"
<b>15'</b>	12' 11 1/2"	18' 6 1/4"	12' 2 1/2"	20' 4 1/4"
<b>14' 6"</b>	12' 7"	17' 9"	11' 10 3/4"	19' 5 1/4"
<b>14'</b>	12' 2 1/2"	17'	11' 6 3/4"	18' 6 1/2"



Depth of field tables

# Compact Prime CP.2 100mm/T2.1 CF T\*

circle of confusion: 0.025 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
13' 6"	11' 10"	16' 3"	11' 2 1/2"	17' 7 3/4"
13'	11' 5 1/2"	15' 6 1/4"	10' 10 1/2"	16' 9 1/2"
12' 6"	11' 3/4"	14' 9 3/4"	10' 6 1/4"	15' 11 1/2"
12'	10' 8"	14' 1 1/4"	10' 2"	15' 1 3/4"
11' 6"	10' 3 1/2"	13' 5"	9' 9 3/4"	14' 4"
11'	9' 10 1/2"	12' 8 3/4"	9' 5 1/2"	13' 6 3/4"
10' 6"	9' 5 3/4"	12' 3/4"	9' 1"	12' 9 1/2"
10'	9' 1"	11' 4 3/4"	8' 8 1/2"	12' 1/2"
9' 9"	8' 10 1/2"	11' 3/4"	8' 6 1/4"	11' 8 1/4"
9' 6"	8' 8"	10' 9"	8' 4"	11' 3 3/4"
9' 3"	8' 5 1/2"	10' 5"	8' 1 3/4"	10' 11 1/2"
9'	8' 3"	10' 1 1/4"	7' 11 1/2"	10' 7 1/4"
8' 9"	8' 1/2"	9' 9 1/2"	7' 9 1/4"	10' 3"
8' 6"	7' 10"	9' 5 1/2"	7' 6 3/4"	9' 10 3/4"
8' 3"	7' 7 1/2"	9' 1 3/4"	7' 4 1/2"	9' 6 3/4"
8'	7' 5"	8' 10 1/4"	7' 2"	9' 2 3/4"
7' 9"	7' 2 1/4"	8' 6 1/2"	6' 11 3/4"	8' 10 3/4"
7' 6"	6' 11 3/4"	8' 2 3/4"	6' 9 1/4"	8' 6 3/4"
7' 3"	6' 9 1/4"	7' 11"	6' 6 3/4"	8' 2 3/4"
7'	6' 6 1/2"	7' 7 1/2"	6' 4 1/2"	7' 10 3/4"
6' 9"	6' 4"	7' 4"	6' 2"	7' 7"
6' 6"	6' 1 1/2"	7' 1/4"	5' 11 1/2"	7' 3"
6' 3"	5' 10 3/4"	6' 8 3/4"	5' 9"	6' 11 1/4"
6'	5' 8"	6' 5 1/4"	5' 6 1/2"	6' 7 1/2"
5' 9"	5' 5 1/2"	6' 1 3/4"	5' 4"	6' 4"
5' 6"	5' 2 3/4"	5' 10 1/4"	5' 1 1/2"	6' 1/4"
5' 3"	5'	5' 7"	4' 10 3/4"	5' 8 1/2"
5'	4' 9 1/4"	5' 3 1/2"	4' 8 1/4"	5' 5"
4' 9"	4' 6 3/4"	5'	4' 5 3/4"	5' 1 1/2"
4' 6"	4' 4"	4' 8 3/4"	4' 3"	4' 10"
4' 3"	4' 1 1/4"	4' 5 1/2"	4' 1/4"	4' 6 1/2"
4'	3' 10 1/4"	4' 2"	3' 9 3/4"	4' 3"
3' 9"	3' 7 1/2"	3' 10 3/4"	3' 7"	3' 11 1/2"
3' 6"	3' 4 3/4"	3' 7 1/2"	3' 4 1/4"	3' 8 1/4"
3' 3"	3' 2"	3' 4 1/4"	3' 1 1/2"	3' 4 3/4"
3'	2' 11 1/4"	3' 1"	2' 10 3/4"	3' 1 1/2"
2' 9"	2' 8 1/4"	2' 9 3/4"	2' 8"	2' 10 1/4"
2' 6"	2' 5 1/2"	2' 6 3/4"	2' 5 1/4"	2' 7"

Depth of field tables

# Compact Prime CP.2 135mm/T2.1 T\*

circle of confusion: 0.025 mm

Engraving	T-Stop					
	2.1		2.8		4	
feet	from	to	from	to	from	to
<b>INF</b>	1184' 8"	INF	984' 4 1/2"	INF	680' 1"	INF
<b>200'</b>	171' 2 3/4"	245' 4 3/4"	166' 4 1/4"	272' 1/4"	154' 8 3/4"	315' 1 1/2"
<b>100'</b>	92' 3 1/4"	110' 1 3/4"	90' 10 1/4"	115' 2"	87' 3 1/2"	122' 2 1/2"
<b>60'</b>	57' 1 3/4"	63' 6"	56' 7 1/4"	65' 1 1/4"	55' 2 1/2"	67' 3 1/4"
<b>40'</b>	38' 8 1/2"	41' 6 1/4"	38' 5 3/4"	42' 2 1/4"	37' 10"	43' 1"
<b>30'</b>	29' 3 1/4"	30' 10"	29' 1 3/4"	31' 2 1/2"	28' 9 1/4"	31' 8 1/4"
<b>25'</b>	24' 6"	25' 7"	24' 4 3/4"	25' 9 3/4"	24' 1 3/4"	26' 1 3/4"
<b>20'</b>	19' 8 1/4"	20' 4 1/4"	19' 7 1/2"	20' 6 1/4"	19' 5 1/2"	20' 8 3/4"
<b>18'</b>	17' 9"	18' 3 1/2"	17' 8 1/4"	18' 5"	17' 6 3/4"	18' 7"
<b>16'</b>	15' 9 1/2"	16' 2 3/4"	15' 9"	16' 4"	15' 7 3/4"	16' 5 1/2"
<b>15'</b>	14' 9 3/4"	15' 2 1/2"	14' 9 1/2"	15' 3 1/2"	14' 8 1/4"	15' 4 3/4"
<b>14'</b>	13' 10 1/4"	14' 2"	13' 9 3/4"	14' 3"	13' 8 3/4"	14' 4"
<b>13'</b>	12' 10 1/2"	13' 1 3/4"	12' 10"	13' 2 1/2"	12' 9 1/4"	13' 3 1/2"
<b>12'</b>	11' 10 3/4"	12' 1 1/2"	11' 10 1/2"	12' 2"	11' 9 3/4"	12' 3"
<b>11'</b>	10' 10 3/4"	11' 1 1/4"	10' 10 3/4"	11' 1 3/4"	10' 10"	11' 2 1/2"
<b>10'</b>	9' 11"	10' 1"	9' 11"	10' 1 1/2"	9' 10 1/2"	10' 2"
<b>9' 6"</b>	9' 5 1/4"	9' 7"	9' 5"	9' 7 1/4"	9' 4 1/2"	9' 7 3/4"
<b>9'</b>	8' 11 1/4"	9' 3/4"	8' 11 1/4"	9' 1 1/4"	8' 10 3/4"	9' 1 1/2"
<b>8' 6"</b>	8' 5 1/4"	8' 6 3/4"	8' 5 1/4"	8' 7"	8' 5"	8' 7 1/2"
<b>8'</b>	7' 11 1/2"	8' 3/4"	7' 11 1/4"	8' 1"	7' 11"	8' 1 1/4"
<b>7' 6"</b>	7' 5 1/2"	7' 6 1/2"	7' 5 1/2"	7' 6 3/4"	7' 5 1/4"	7' 7"
<b>7'</b>	6' 11 1/2"	7' 1/2"	6' 11 1/2"	7' 3/4"	6' 11 1/4"	7' 1"
<b>6' 9"</b>	6' 8 1/2"	6' 9 1/2"	6' 8 1/2"	6' 9 1/2"	6' 8 1/4"	6' 9 3/4"
<b>6' 6"</b>	6' 5 3/4"	6' 6 1/2"	6' 5 1/2"	6' 6 1/2"	6' 5 1/4"	6' 6 3/4"
<b>6' 3"</b>	6' 2 3/4"	6' 3 1/2"	6' 2 1/2"	6' 3 1/2"	6' 2 1/2"	6' 3 3/4"
<b>6'</b>	5' 11 3/4"	6' 1/4"	5' 11 3/4"	6' 1/2"	5' 11 1/2"	6' 3/4"
<b>5' 9"</b>	5' 8 3/4"	5' 9 1/4"	5' 8 3/4"	5' 9 1/2"	5' 8 1/2"	5' 9 1/2"
<b>5' 6"</b>	5' 5 3/4"	5' 6 1/4"	5' 5 3/4"	5' 6 1/2"	5' 5 1/2"	5' 6 1/2"
<b>5' 3"</b>	5' 2 3/4"	5' 3 1/4"	5' 2 3/4"	5' 3 1/4"	5' 2 1/2"	5' 3 1/2"
<b>5'</b>	4' 11 3/4"	5' 1/4"	4' 11 3/4"	5' 1/4"	4' 11 3/4"	5' 1/2"
<b>4' 9"</b>	4' 8 3/4"	4' 9 1/4"	4' 8 3/4"	4' 9 1/4"	4' 8 3/4"	4' 9 1/2"
<b>4' 6"</b>	4' 5 3/4"	4' 6 1/4"	4' 5 3/4"	4' 6 1/4"	4' 5 3/4"	4' 6 1/4"
<b>4' 3"</b>	4' 2 3/4"	4' 3 1/4"	4' 2 3/4"	4' 3 1/4"	4' 2 3/4"	4' 3 1/4"
<b>4'</b>	3' 11 3/4"	4' 1/4"	3' 11 3/4"	4' 1/4"	3' 11 3/4"	4' 1/4"
<b>3' 9"</b>	3' 9"	3' 9"	3' 9"	3' 9 1/4"	3' 8 3/4"	3' 9 1/4"
<b>3' 6"</b>	3' 6"	3' 6"	3' 6"	3' 6 1/4"	3' 5 3/4"	3' 6 1/4"
<b>3' 3"</b>	3' 3"	3' 3"	3' 3"	3' 3"	3' 2 3/4"	3' 3 1/4"

Depth of field tables

# Compact Prime CP.2 135mm/T2.1 T\*

circle of confusion: 0.025 mm

Engraving	T-Stop					
	5.6		8		11	
feet	from	to	from	to	from	to
<b>INF</b>	470' 6"	INF	325' 9 1/2"	INF	226' 4 1/2"	INF
<b>200'</b>	140' 6 1/2"	404' 9 3/4"	124' 2"	670' 6 3/4"	106' 5 1/4"	8485' 9 3/4"
<b>100'</b>	82' 7 1/4"	133' 7 1/2"	76' 8 1/4"	153' 7 1/4"	69' 7"	194' 4 3/4"
<b>60'</b>	53' 3 3/4"	70' 7"	50' 9 1/2"	75' 9"	47' 7 1/4"	84' 5"
<b>40'</b>	36' 11 1/4"	44' 4 3/4"	35' 8 3/4"	46' 4 1/2"	34' 1 1/2"	49' 5 1/2"
<b>30'</b>	28' 3"	32' 4 1/2"	27' 6 1/2"	33' 5"	26' 7 1/4"	34' 11 1/2"
<b>25'</b>	23' 9 1/2"	26' 7 1/2"	23' 3 1/2"	27' 3 3/4"	22' 7 1/4"	28' 4"
<b>20'</b>	19' 2 3/4"	21' 1/4"	18' 10 3/4"	21' 5 1/4"	18' 5 1/2"	22' 1/2"
<b>18'</b>	17' 4 1/2"	18' 9 3/4"	17' 1 1/4"	19' 1 3/4"	16' 9"	19' 7 1/2"
<b>16'</b>	15' 6"	16' 7 1/2"	15' 3 1/2"	16' 10 3/4"	15'	17' 3 1/4"
<b>15'</b>	14' 6 3/4"	15' 6 1/2"	14' 4 1/2"	15' 9 1/4"	14' 1 1/2"	16' 1 1/4"
<b>14'</b>	13' 7 1/2"	14' 5 3/4"	13' 5 1/2"	14' 8"	13' 3"	14' 11 1/2"
<b>13'</b>	12' 8"	13' 4 3/4"	12' 6 1/2"	13' 6 3/4"	12' 4 1/4"	13' 9 3/4"
<b>12'</b>	11' 8 3/4"	12' 4"	11' 7 1/4"	12' 5 3/4"	11' 5 1/4"	12' 8 1/4"
<b>11'</b>	10' 9 1/4"	11' 3 1/2"	10' 8"	11' 4 3/4"	10' 6 1/2"	11' 6 3/4"
<b>10'</b>	9' 9 3/4"	10' 2 3/4"	9' 8 3/4"	10' 4"	9' 7 1/2"	10' 5 1/2"
<b>9' 6"</b>	9' 4"	9' 8 1/2"	9' 3"	9' 9 1/2"	9' 2"	9' 11"
<b>9'</b>	8' 10 1/4"	9' 2 1/4"	8' 9 1/2"	9' 3"	8' 8 1/4"	9' 4 1/4"
<b>8' 6"</b>	8' 4 1/2"	8' 8"	8' 3 3/4"	8' 8 3/4"	8' 2 3/4"	8' 9 3/4"
<b>8'</b>	7' 10 1/2"	8' 1 3/4"	7' 10"	8' 2 1/2"	7' 9 1/4"	8' 3 1/4"
<b>7' 6"</b>	7' 4 3/4"	7' 7 1/2"	7' 4 1/4"	7' 8"	7' 3 1/2"	7' 9"
<b>7'</b>	6' 11"	7' 1 1/4"	6' 10 1/2"	7' 1 3/4"	6' 9 3/4"	7' 2 1/2"
<b>6' 9"</b>	6' 8"	6' 10 1/4"	6' 7 1/2"	6' 10 3/4"	6' 7"	6' 11 1/4"
<b>6' 6"</b>	6' 5"	6' 7"	6' 4 3/4"	6' 7 1/2"	6' 4 1/4"	6' 8 1/4"
<b>6' 3"</b>	6' 2 1/4"	6' 4"	6' 1 3/4"	6' 4 1/2"	6' 1 1/4"	6' 5"
<b>6'</b>	5' 11 1/4"	6' 1"	5' 11"	6' 1 1/4"	5' 10 1/2"	6' 1 3/4"
<b>5' 9"</b>	5' 8 1/4"	5' 9 3/4"	5' 8"	5' 10 1/4"	5' 7 1/2"	5' 10 1/2"
<b>5' 6"</b>	5' 5 1/2"	5' 6 3/4"	5' 5"	5' 7"	5' 4 3/4"	5' 7 1/2"
<b>5' 3"</b>	5' 2 1/2"	5' 3 3/4"	5' 2 1/4"	5' 4"	5' 1 3/4"	5' 4 1/4"
<b>5'</b>	4' 11 1/2"	5' 1/2"	4' 11 1/4"	5' 3/4"	4' 11"	5' 1 1/4"
<b>4' 9"</b>	4' 8 1/2"	4' 9 1/2"	4' 8 1/4"	4' 9 3/4"	4' 8"	4' 10"
<b>4' 6"</b>	4' 5 1/2"	4' 6 1/2"	4' 5 1/2"	4' 6 3/4"	4' 5 1/4"	4' 7"
<b>4' 3"</b>	4' 2 3/4"	4' 3 1/2"	4' 2 1/2"	4' 3 1/2"	4' 2 1/4"	4' 3 3/4"
<b>4'</b>	3' 11 3/4"	4' 1/4"	3' 11 1/2"	4' 1/2"	3' 11 1/2"	4' 3/4"
<b>3' 9"</b>	3' 8 3/4"	3' 9 1/4"	3' 8 3/4"	3' 9 1/2"	3' 8 1/2"	3' 9 1/2"
<b>3' 6"</b>	3' 5 3/4"	3' 6 1/4"	3' 5 3/4"	3' 6 1/4"	3' 5 1/2"	3' 6 1/2"
<b>3' 3"</b>	3' 2 3/4"	3' 3 1/4"	3' 2 3/4"	3' 3 1/4"	3' 2 3/4"	3' 3 1/2"

Depth of field tables

# Compact Prime CP.2 135mm/T2.1 T\*

circle of confusion: 0.025 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
INF	158' 1/4"	INF	110' 9 1/2"	INF
200'	88' 6 1/4"	INF	71' 6 1/4"	INF
100'	61' 5 3/4"	311' 1/2"	52' 9 3/4"	2077' 11 3/4"
60'	43' 8 1/4"	100' 8 1/2"	39' 1 3/4"	138' 7"
40'	32' 1"	54' 6 3/4"	29' 7"	63' 11 1/2"
30'	25' 4 1/4"	37' 5 1/4"	23' 9 1/4"	41' 7"
25'	21' 8 1/2"	29' 11"	20' 6 3/4"	32' 5 3/4"
20'	17' 10 1/4"	22' 11 3/4"	17' 1"	24' 5 1/2"
18'	16' 3"	20' 4 1/2"	15' 7 1/4"	21' 6"
16'	14' 7 1/2"	17' 10"	14' 1 1/4"	18' 8 1/4"
15'	13' 9 1/2"	16' 7"	13' 3 3/4"	17' 3 3/4"
14'	12' 11 1/4"	15' 4 1/4"	12' 6 1/2"	16'
13'	12' 1"	14' 2"	11' 8 3/4"	14' 8 1/4"
12'	11' 2 3/4"	12' 11 3/4"	10' 11"	13' 5"
11'	10' 4 1/4"	11' 9 3/4"	10' 1"	12' 2"
10'	9' 5 1/2"	10' 7 3/4"	9' 3"	10' 11 1/4"
9' 6"	9' 1/4"	10' 1"	8' 10"	10' 4"
9'	8' 6 3/4"	9' 6 1/4"	8' 4 3/4"	9' 9"
8' 6"	8' 1 1/2"	8' 11 1/2"	7' 11 1/2"	9' 1 3/4"
8'	7' 8"	8' 4 3/4"	7' 6 1/4"	8' 6 3/4"
7' 6"	7' 2 1/2"	7' 10 1/4"	7' 1"	8'
7'	6' 9"	7' 3 1/2"	6' 7 3/4"	7' 5"
6' 9"	6' 6 1/4"	7' 1/4"	6' 5"	7' 1 3/4"
6' 6"	6' 3 1/2"	6' 9"	6' 2 1/4"	6' 10 1/4"
6' 3"	6' 1/2"	6' 5 3/4"	5' 11 3/4"	6' 7"
6'	5' 9 3/4"	6' 2 1/2"	5' 9"	6' 3 1/2"
5' 9"	5' 7"	5' 11 1/4"	5' 6 1/4"	6' 1/4"
5' 6"	5' 4 1/4"	5' 8"	5' 3 1/2"	5' 9"
5' 3"	5' 1 1/4"	5' 4 3/4"	5' 3/4"	5' 5 3/4"
5'	4' 10 1/2"	5' 1 3/4"	4' 10"	5' 2 1/4"
4' 9"	4' 7 3/4"	4' 10 1/2"	4' 7 1/4"	4' 11"
4' 6"	4' 4 3/4"	4' 7 1/4"	4' 4 1/2"	4' 7 3/4"
4' 3"	4' 2"	4' 4 1/4"	4' 1 1/2"	4' 4 1/2"
4'	3' 11 1/4"	4' 1"	3' 10 3/4"	4' 1 1/2"
3' 9"	3' 8 1/4"	3' 9 3/4"	3' 8"	3' 10 1/4"
3' 6"	3' 5 1/4"	3' 6 3/4"	3' 5"	3' 7"
3' 3"	3' 2 1/2"	3' 3 1/2"	3' 2 1/4"	3' 3 3/4"

Depth of field tables

# Compact Prime CP.2 50mm/T2.1 Macro T\*

circle of confusion: 0.025 mm

Engraving	T-Stop					
	2.1		2.8		4	
feet	from	to	from	to	from	to
<b>INF</b>	176' 1/4"	INF	151' 1"	INF	159' 2 3/4"	INF
<b>100'</b>	63' 10 1/2"	231' 2 1/2"	60' 3 1/2"	INF	61' 6 1/4"	INF
<b>80'</b>	55' 1 1/4"	146' 4 1/2"	52' 5"	276' 10 1/4"	53' 4"	INF
<b>60'</b>	44' 10"	90' 10"	43' 1/2"	128' 2 3/4"	43' 8"	INF
<b>50'</b>	39' 1/4"	69' 8"	37' 8"	89' 8 1/2"	38' 1 1/2"	238' 6 3/4"
<b>40'</b>	32' 8"	51' 7 3/4"	31' 8 1/2"	61' 10"	32' 1/2"	108' 3"
<b>30'</b>	25' 8 1/4"	36' 3/4"	25' 1 1/4"	40' 8 3/4"	25' 3 1/2"	56' 8"
<b>25'</b>	21' 11 1/4"	29' 3/4"	21' 6 1/4"	32'	21' 7 3/4"	41' 1/4"
<b>20'</b>	18'	22' 6"	17' 8 1/2"	24' 2 1/2"	17' 9 3/4"	29' 1/4"
<b>15'</b>	13' 10 1/4"	16' 4 1/4"	13' 8 1/4"	17' 2 3/4"	13' 9"	19' 6"
<b>12'</b>	11' 3 1/4"	12' 10"	11' 1 3/4"	13' 4 1/2"	11' 2 1/4"	14' 8 1/4"
<b>10'</b>	9' 5 3/4"	10' 7"	9' 5"	10' 11"	9' 5 1/4"	11' 9 1/4"
<b>8'</b>	7' 8"	8' 4 1/4"	7' 7 1/2"	8' 6 3/4"	7' 7 3/4"	9' 1"
<b>7'</b>	6' 9"	7' 3 1/4"	6' 8 1/2"	7' 5 1/4"	6' 8 3/4"	7' 9 3/4"
<b>6'</b>	5' 9 3/4"	6' 2 1/4"	5' 9 1/2"	6' 3 3/4"	5' 9 1/2"	6' 6 3/4"
<b>5'</b>	4' 10 1/2"	5' 1 1/2"	4' 10 1/4"	5' 2 1/2"	4' 10 1/4"	5' 4 1/2"
<b>4' 6"</b>	4' 4 3/4"	4' 7 1/4"	4' 4 1/2"	4' 8"	4' 4 3/4"	4' 9 1/2"
<b>4'</b>	3' 11"	4' 1"	3' 11"	4' 1 1/2"	3' 11"	4' 2 3/4"
<b>3' 9"</b>	3' 8 1/4"	3' 9 3/4"	3' 8"	3' 10 1/4"	3' 8"	3' 11 1/2"
<b>3' 6"</b>	3' 5 1/4"	3' 6 3/4"	3' 5 1/4"	3' 7 1/4"	3' 5 1/4"	3' 8"
<b>3' 3"</b>	3' 2 1/2"	3' 3 3/4"	3' 2 1/4"	3' 4"	3' 2 1/4"	3' 4 3/4"
<b>3'</b>	2' 11 1/2"	3' 1/2"	2' 11 1/2"	3' 3/4"	2' 11 1/2"	3' 1 1/2"
<b>2' 9"</b>	2' 8 1/2"	2' 9 1/2"	2' 8 1/2"	2' 9 3/4"	2' 8 1/2"	2' 10 1/4"
<b>2' 6"</b>	2' 5 3/4"	2' 6 1/4"	2' 5 1/2"	2' 6 1/2"	2' 5 1/2"	2' 7"
<b>2' 3"</b>	2' 2 3/4"	2' 3 1/4"	2' 2 3/4"	2' 3 1/2"	2' 2 3/4"	2' 3 3/4"
<b>2'</b>	1' 11 3/4"	2' 1/4"	1' 11 3/4"	2' 1/4"	1' 11 3/4"	2' 1/2"
<b>1' 11"</b>	1' 10 3/4"	1' 11 1/4"	1' 10 3/4"	1' 11 1/4"	1' 10 3/4"	1' 11 1/2"
<b>1' 10"</b>	1' 9 3/4"	1' 10 1/4"	1' 9 3/4"	1' 10 1/4"	1' 9 3/4"	1' 10 1/2"
<b>1' 9"</b>	1' 8 3/4"	1' 9 1/4"	1' 8 3/4"	1' 9 1/4"	1' 8 3/4"	1' 9 1/2"
<b>1' 8"</b>	1' 7 3/4"	1' 8 1/4"	1' 7 3/4"	1' 8 1/4"	1' 7 3/4"	1' 8 1/4"
<b>1' 7"</b>	1' 7"	1' 7"	1' 6 3/4"	1' 7 1/4"	1' 6 3/4"	1' 7 1/4"
<b>1' 6"</b>	1' 6"	1' 6"	1' 6"	1' 6 1/4"	1' 6"	1' 6 1/4"
<b>1' 5"</b>	1' 5"	1' 5"	1' 5"	1' 5 1/4"	1' 5"	1' 5 1/4"
<b>1' 4"</b>	1' 4"	1' 4"	1' 4"	1' 4"	1' 4"	1' 4 1/4"
<b>1' 3"</b>	1' 3"	1' 3"	1' 3"	1' 3"	1' 3"	1' 3 1/4"
<b>1' 2"</b>	1' 2"	1' 2"	1' 2"	1' 2"	1' 2"	1' 2 1/4"
<b>1' 1"</b>	1' 1"	1' 1"	1' 1"	1' 1"	1' 1"	1' 1"
<b>1'</b>	1'	1'	1'	1'	1'	1'
<b>11"</b>	11"	11"	11"	11"	11"	11"
<b>10"</b>	10"	10"	10"	10"	10"	10"

Depth of field tables

# Compact Prime CP.2 50mm/T2.1 Macro T\*

circle of confusion: 0.025 mm

Engraving feet	T-Stop					
	5.6		8		11	
	from	to	from	to	from	to
INF	120' 4 1/4"	INF	74' 2 1/4"	INF	45' 5 3/4"	INF
100'	54' 8 1/2"	INF	42' 8 1/4"	INF	31' 4 1/4"	INF
80'	48' 1 3/4"	INF	38' 7 1/4"	INF	29' 1 1/4"	INF
60'	40' 1 1/2"	INF	33' 3 1/4"	INF	25' 11 3/4"	INF
50'	35' 4 3/4"	INF	29' 11 3/4"	INF	23' 11 1/4"	INF
40'	30' 1 1/4"	INF	26' 1"	INF	21' 4 3/4"	INF
30'	24' 1"	96' 2 1/2"	21' 5 1/2"	INF	18' 2 1/4"	INF
25'	20' 9"	58' 3 3/4"	18' 9 1/4"	108' 4 1/2"	16' 2 3/4"	INF
20'	17' 2 1/4"	36' 7 3/4"	15' 10"	51' 6 1/4"	13' 11 3/4"	105' 9"
15'	13' 4 1/2"	22' 7 3/4"	12' 6 1/2"	27' 6"	11' 4 1/2"	37' 8 1/2"
12'	10' 11 1/4"	16' 4 1/2"	10' 4 1/2"	18' 9"	9' 6 3/4"	22' 11 1/2"
10'	9' 3"	12' 10"	8' 10 1/4"	14' 2 3/4"	8' 3 1/4"	16' 6"
8'	7' 6 1/4"	9' 8 1/4"	7' 3"	10' 5 1/4"	6' 10 1/4"	11' 7 1/4"
7'	6' 7 3/4"	8' 2 3/4"	6' 5 1/4"	8' 9 1/4"	6' 1 1/2"	9' 6 3/4"
6'	5' 8 3/4"	6' 10 1/2"	5' 7"	7' 2 3/4"	5' 4 1/4"	7' 9 1/4"
5'	4' 9 3/4"	5' 7"	4' 8 1/2"	5' 9 3/4"	4' 6 1/2"	6' 1 3/4"
4' 6"	4' 4 1/4"	4' 11 1/2"	4' 3 1/4"	5' 1 3/4"	4' 1 1/2"	5' 4 3/4"
4'	3' 10 1/2"	4' 4 1/4"	3' 9 3/4"	4' 5 3/4"	3' 8 1/2"	4' 8"
3' 9"	3' 7 3/4"	4' 1/2"	3' 7"	4' 2"	3' 6"	4' 4"
3' 6"	3' 5"	3' 9"	3' 4 1/4"	3' 10 1/4"	3' 3 1/4"	4'
3' 3"	3' 2"	3' 5 1/2"	3' 1 1/2"	3' 6 1/2"	3' 3/4"	3' 8"
3'	2' 11 1/4"	3' 2 1/4"	2' 10 3/4"	3' 3"	2' 10"	3' 4"
2' 9"	2' 8 1/4"	2' 10 3/4"	2' 8"	2' 11 1/2"	2' 7 1/2"	3' 1/4"
2' 6"	2' 5 1/2"	2' 7 1/2"	2' 5 1/4"	2' 8"	2' 4 3/4"	2' 8 3/4"
2' 3"	2' 2 1/2"	2' 4"	2' 2 1/4"	2' 4 1/2"	2' 2"	2' 5"
2'	1' 11 3/4"	2' 3/4"	1' 11 1/2"	2' 1 1/4"	1' 11 1/4"	2' 1 1/2"
1' 11"	1' 10 3/4"	1' 11 3/4"	1' 10 1/2"	2'	1' 10 1/4"	2' 1/2"
1' 10"	1' 9 3/4"	1' 10 3/4"	1' 9 1/2"	1' 11"	1' 9 1/4"	1' 11 1/4"
1' 9"	1' 8 3/4"	1' 9 1/2"	1' 8 3/4"	1' 9 3/4"	1' 8 1/2"	1' 10"
1' 8"	1' 7 3/4"	1' 8 1/2"	1' 7 3/4"	1' 8 3/4"	1' 7 1/2"	1' 9"
1' 7"	1' 6 3/4"	1' 7 1/2"	1' 6 3/4"	1' 7 3/4"	1' 6 1/2"	1' 7 3/4"
1' 6"	1' 5 3/4"	1' 6 1/2"	1' 5 3/4"	1' 6 1/2"	1' 5 1/2"	1' 6 3/4"
1' 5"	1' 4 3/4"	1' 5 1/4"	1' 4 3/4"	1' 5 1/2"	1' 4 3/4"	1' 5 3/4"
1' 4"	1' 4"	1' 4 1/4"	1' 3 3/4"	1' 4 1/2"	1' 3 3/4"	1' 4 1/2"
1' 3"	1' 3"	1' 3 1/4"	1' 2 3/4"	1' 3 1/4"	1' 2 3/4"	1' 3 1/2"
1' 2"	1' 2"	1' 2 1/4"	1' 1 3/4"	1' 2 1/4"	1' 1 3/4"	1' 2 1/4"
1' 1"	1' 1"	1' 1 1/4"	1' 1"	1' 1 1/4"	1' 3/4"	1' 1 1/4"
1'	1'	1'	1'	1' 1/4"	11 3/4"	1' 1/4"
11"	11"	11"	11"	11"	11"	11 1/4"
10"	10"	10"	10"	10"	10"	10"

Depth of field tables

# Compact Prime CP.2 50mm/T2.1 Macro T\*

circle of confusion: 0.025 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
<b>INF</b>	28' 11 1/2"	INF	19' 1/4"	INF
<b>100'</b>	22' 6 1/2"	INF	16' 1/2"	INF
<b>80'</b>	21' 4 1/4"	INF	15' 5 1/4"	INF
<b>60'</b>	19' 7 1/2"	INF	14' 6 1/2"	INF
<b>50'</b>	18' 5 1/4"	INF	13' 10 1/2"	INF
<b>40'</b>	16' 11"	INF	13'	INF
<b>30'</b>	14' 10 1/4"	INF	11' 9"	INF
<b>25'</b>	13' 6 1/2"	INF	10' 11"	INF
<b>20'</b>	11' 11 1/4"	INF	9' 10 1/2"	INF
<b>15'</b>	10'	76' 4 3/4"	8' 6"	INF
<b>12'</b>	8' 7"	33' 1/2"	7' 5 3/4"	85' 1 3/4"
<b>10'</b>	7' 6 1/4"	21' 1"	6' 8"	34' 4 1/2"
<b>8'</b>	6' 4 1/4"	13' 8"	5' 8 3/4"	18' 1 3/4"
<b>7'</b>	5' 8 1/2"	10' 11"	5' 2 1/2"	13' 6 3/4"
<b>6'</b>	5' 1/2"	8' 7 1/4"	4' 7 3/4"	10' 1 3/4"
<b>5'</b>	4' 4"	6' 7 3/4"	4' 1/2"	7' 6"
<b>4' 6"</b>	3' 11 1/2"	5' 9 1/4"	3' 8 1/2"	6' 4 3/4"
<b>4'</b>	3' 6 3/4"	4' 11 1/2"	3' 4 1/2"	5' 4 3/4"
<b>3' 9"</b>	3' 4 1/2"	4' 6 3/4"	3' 2 1/2"	4' 11 1/4"
<b>3' 6"</b>	3' 2"	4' 2 1/4"	3' 1/4"	4' 6"
<b>3' 3"</b>	2' 11 1/2"	3' 10"	2' 10"	4' 1"
<b>3'</b>	2' 9"	3' 5 3/4"	2' 7 3/4"	3' 8 1/4"
<b>2' 9"</b>	2' 6 1/2"	3' 1 1/2"	2' 5 1/2"	3' 3 1/2"
<b>2' 6"</b>	2' 4"	2' 9 3/4"	2' 3 1/4"	2' 11 1/4"
<b>2' 3"</b>	2' 1 1/2"	2' 5 3/4"	2' 3/4"	2' 7"
<b>2'</b>	1' 10 3/4"	2' 2"	1' 10 1/4"	2' 3"
<b>1' 11"</b>	1' 10"	2' 1"	1' 9 1/2"	2' 1 3/4"
<b>1' 10"</b>	1' 9"	1' 11 3/4"	1' 8 1/2"	2' 1/4"
<b>1' 9"</b>	1' 8"	1' 10 1/2"	1' 7 3/4"	1' 11"
<b>1' 8"</b>	1' 7 1/4"	1' 9 1/4"	1' 6 3/4"	1' 9 3/4"
<b>1' 7"</b>	1' 6 1/4"	1' 8 1/4"	1' 6"	1' 8 1/2"
<b>1' 6"</b>	1' 5 1/2"	1' 7"	1' 5"	1' 7 1/2"
<b>1' 5"</b>	1' 4 1/2"	1' 5 3/4"	1' 4 1/4"	1' 6 1/4"
<b>1' 4"</b>	1' 3 1/2"	1' 4 3/4"	1' 3 1/4"	1' 5"
<b>1' 3"</b>	1' 2 1/2"	1' 3 1/2"	1' 2 1/2"	1' 3 3/4"
<b>1' 2"</b>	1' 1 3/4"	1' 2 1/2"	1' 1 1/2"	1' 2 3/4"
<b>1' 1"</b>	1' 3/4"	1' 1 1/2"	1' 1/2"	1' 1 1/2"
<b>1'</b>	11 3/4"	1' 1/4"	11 3/4"	1' 1/2"
<b>11"</b>	10 3/4"	11 1/4"	10 3/4"	11 1/4"
<b>10"</b>	10"	10 1/4"	9 3/4"	10 1/4"

Depth of field tables

# Compact Prime CP.2 15mm/T2.9 T\*

circle of confusion: 0.030 mm

Engraving feet	T-Stop					
	2.9		4		5.6	
	from	to	from	to	from	to
<b>INF</b>	9' 5 3/4"	INF	7' 5"	INF	6' 2"	INF
<b>30'</b>	7' 4"	INF	6' 3/4"	INF	5' 2 3/4"	INF
<b>15'</b>	5' 11 3/4"	INF	5' 1 1/2"	INF	4' 6 1/4"	INF
<b>10'</b>	5' 1/2"	INF	4' 5 1/4"	INF	3' 11 3/4"	INF
<b>8'</b>	4' 6 1/4"	48' 4 1/4"	4' 1/4"	INF	3' 8"	INF
<b>6'</b>	3' 10 1/4"	15' 2 3/4"	3' 6"	30' 6 3/4"	3' 2 3/4"	INF
<b>5'</b>	3' 5 1/4"	9' 10"	3' 2"	14' 4 1/2"	2' 11 1/4"	INF
<b>4' 6"</b>	3' 2 1/2"	7' 11 1/2"	2' 11 3/4"	10' 7 1/2"	2' 9 1/4"	96' 6 1/2"
<b>4'</b>	2' 11 1/2"	6' 5 1/4"	2' 9 1/4"	8' 1/4"	2' 7 1/4"	23' 3 1/2"
<b>3' 6"</b>	2' 8 1/4"	5' 2"	2' 6 1/2"	6' 1 1/4"	2' 4 3/4"	11' 9 1/2"
<b>3'</b>	2' 5"	4' 1"	2' 3 1/2"	4' 7 1/2"	2' 2"	7' 1 1/2"
<b>2' 9"</b>	2' 3"	3' 7 1/4"	2' 1 3/4"	4'	2' 3/4"	5' 8 1/4"
<b>2' 6"</b>	2' 1"	3' 2"	2'	3' 5 1/2"	1' 11"	4' 7"
<b>2' 3"</b>	1' 11"	2' 9"	1' 10 1/4"	2' 11 1/2"	1' 9 1/2"	3' 8 1/2"
<b>2'</b>	1' 9"	2' 4 1/4"	1' 8 1/4"	2' 6"	1' 7 3/4"	3'
<b>1' 11"</b>	1' 8 1/4"	2' 2 3/4"	1' 7 3/4"	2' 4 1/2"	1' 7"	2' 9 1/2"
<b>1' 10"</b>	1' 7 1/2"	2' 1 1/2"	1' 7"	2' 2 3/4"	1' 6 1/2"	2' 7"
<b>1' 9"</b>	1' 6 3/4"	2'	1' 6 1/4"	2' 1 1/4"	1' 5 3/4"	2' 4 3/4"
<b>1' 8"</b>	1' 6"	1' 10 3/4"	1' 5 1/2"	1' 11 3/4"	1' 5 1/4"	2' 2 3/4"
<b>1' 7"</b>	1' 5 1/4"	1' 9 1/4"	1' 4 3/4"	1' 10 1/4"	1' 4 1/2"	2' 3/4"
<b>1' 6"</b>	1' 4 1/2"	1' 8"	1' 4"	1' 8 3/4"	1' 3 3/4"	1' 10 3/4"
<b>1' 5"</b>	1' 3 3/4"	1' 6 3/4"	1' 3 1/4"	1' 7 1/4"	1' 3"	1' 9"
<b>1' 4"</b>	1' 3"	1' 5 1/2"	1' 2 1/2"	1' 6"	1' 2 1/4"	1' 7 1/4"
<b>1' 3"</b>	1' 2"	1' 4 1/4"	1' 1 3/4"	1' 4 1/2"	1' 1 1/2"	1' 5 3/4"
<b>1' 2"</b>	1' 1 1/4"	1' 3"	1' 1"	1' 3 1/4"	1' 3/4"	1' 4 1/4"
<b>1' 1"</b>	1' 1/4"	1' 1 3/4"	1' 1/4"	1' 2"	1'	1' 2 3/4"
<b>1'</b>	11 1/2"	1' 1/2"	11 1/4"	1' 3/4"	11 1/4"	1' 1 1/4"



Depth of field tables

# Compact Prime CP.2 15mm/T2.9 T\*

circle of confusion: 0.030 mm

Engraving feet	T-Stop					
	8		11		16	
	from	to	from	to	from	to
<b>INF</b>	4' 7 3/4"	INF	3' 3 3/4"	INF	2' 4 1/2"	INF
<b>30'</b>	4' 1 1/4"	INF	3' 1/2"	INF	2' 3"	INF
<b>15'</b>	3' 8"	INF	2' 9 3/4"	INF	2' 1 1/2"	INF
<b>10'</b>	3' 4"	INF	2' 7 1/2"	INF	2' 1/4"	INF
<b>8'</b>	3' 1 1/4"	INF	2' 6"	INF	1' 11 1/2"	INF
<b>6'</b>	2' 9 1/2"	INF	2' 3 1/2"	INF	1' 10 1/4"	INF
<b>5'</b>	2' 7"	INF	2' 2"	INF	1' 9 1/4"	INF
<b>4' 6"</b>	2' 5 1/2"	INF	2' 1"	INF	1' 8 1/2"	INF
<b>4'</b>	2' 4"	INF	2'	INF	1' 8"	INF
<b>3' 6"</b>	2' 2"	INF	1' 10 1/2"	INF	1' 7"	INF
<b>3'</b>	2'	23' 8 1/2"	1' 9"	INF	1' 6"	INF
<b>2' 9"</b>	1' 10 3/4"	12' 5 3/4"	1' 8 1/4"	INF	1' 5 1/2"	INF
<b>2' 6"</b>	1' 9 1/2"	7' 11 1/2"	1' 7 1/4"	1801' 4"	1' 4 3/4"	INF
<b>2' 3"</b>	1' 8"	5' 6 1/4"	1' 6 1/4"	16' 4 1/4"	1' 4"	INF
<b>2'</b>	1' 6 1/2"	4'	1' 5"	7' 4"	1' 3 1/4"	INF
<b>1' 11"</b>	1' 6"	3' 7 1/2"	1' 4 1/2"	6' 1/2"	1' 2 3/4"	1658' 7 1/2"
<b>1' 10"</b>	1' 5 1/2"	3' 3 1/4"	1' 4"	5' 3/4"	1' 2 1/2"	27' 4"
<b>1' 9"</b>	1' 5"	2' 11 1/2"	1' 3 3/4"	4' 3 3/4"	1' 2 1/4"	13' 2 1/4"
<b>1' 8"</b>	1' 4 1/4"	2' 8 1/4"	1' 3 1/4"	3' 8 1/2"	1' 1 3/4"	8' 5 1/4"
<b>1' 7"</b>	1' 3 3/4"	2' 5 1/4"	1' 2 3/4"	3' 2 1/2"	1' 1 1/2"	6' 1/2"
<b>1' 6"</b>	1' 3 1/4"	2' 2 1/2"	1' 2 1/4"	2' 9 1/2"	1' 1"	4' 7"
<b>1' 5"</b>	1' 2 1/2"	2'	1' 1 3/4"	2' 5 1/4"	1' 3/4"	3' 7 1/2"
<b>1' 4"</b>	1' 1 3/4"	1' 9 3/4"	1' 1"	2' 1 3/4"	1' 1/4"	2' 11 1/4"
<b>1' 3"</b>	1' 1 1/4"	1' 7 1/2"	1' 1/2"	1' 10 1/2"	11 3/4"	2' 5 1/4"
<b>1' 2"</b>	1' 1/2"	1' 5 1/2"	1'	1' 7 3/4"	11 1/4"	2' 1/4"
<b>1' 1"</b>	11 3/4"	1' 3 3/4"	11 1/4"	1' 5 1/2"	10 3/4"	1' 8 1/2"
<b>1'</b>	11"	1' 2"	10 3/4"	1' 3 1/4"	10 1/4"	1' 5 1/4"

Depth of field tables

# Compact Prime CP.2 15mm/T2.9 T\*

circle of confusion: 0.030 mm

Engraving	T-Stop	
	22	
feet	from	to
<b>INF</b>	1' 9"	INF
<b>30'</b>	1' 8 1/4"	INF
<b>15'</b>	1' 7 1/2"	INF
<b>10'</b>	1' 6 3/4"	INF
<b>8'</b>	1' 6 1/2"	INF
<b>6'</b>	1' 5 3/4"	INF
<b>5'</b>	1' 5"	INF
<b>4' 6"</b>	1' 4 3/4"	INF
<b>4'</b>	1' 4 1/4"	INF
<b>3' 6"</b>	1' 3 3/4"	INF
<b>3'</b>	1' 3 1/4"	INF
<b>2' 9"</b>	1' 2 3/4"	INF
<b>2' 6"</b>	1' 2 1/2"	INF
<b>2' 3"</b>	1' 2"	INF
<b>2'</b>	1' 1 1/4"	INF
<b>1' 11"</b>	1' 1"	INF
<b>1' 10"</b>	1' 1"	INF
<b>1' 9"</b>	1' 3/4"	INF
<b>1' 8"</b>	1' 1/2"	INF
<b>1' 7"</b>	1'	INF
<b>1' 6"</b>	11 3/4"	INF
<b>1' 5"</b>	11 1/2"	16' 9 3/4"
<b>1' 4"</b>	11 1/4"	7' 4 3/4"
<b>1' 3"</b>	10 3/4"	4' 6 1/2"
<b>1' 2"</b>	10 1/2"	3' 2"
<b>1' 1"</b>	10"	2' 4 1/4"
<b>1'</b>	9 1/2"	1' 10"

Depth of field tables

# Compact Prime CP.2 21mm/T2.9 T\*

circle of confusion: 0.030 mm

Engraving	T-Stop					
	2.9		4		5.6	
feet	from	to	from	to	from	to
INF	18' 5"	INF	15' 2 3/4"	INF	13' 7 1/4"	INF
30'	11' 7"	INF	10' 3"	INF	9' 6"	INF
15'	8' 5 1/4"	78' 7 3/4"	7' 8 3/4"	INF	7' 3 3/4"	INF
10'	6' 7 3/4"	21' 1 1/2"	6' 2 1/2"	31' 3 3/4"	5' 11 1/4"	INF
8'	5' 8 3/4"	13' 7 3/4"	5' 4 3/4"	17' 2 1/4"	5' 2 1/2"	93' 4 1/4"
6'	4' 7 3/4"	8' 7"	4' 5 1/4"	9' 9 3/4"	4' 3 3/4"	17' 10 1/2"
5'	4' 1/2"	6' 7 1/2"	3' 10 3/4"	7' 3 3/4"	3' 9 1/2"	10' 10 1/4"
4' 6"	3' 8 3/4"	5' 9"	3' 7 1/4"	6' 3"	3' 6"	8' 7 1/4"
4'	3' 4 3/4"	4' 11 1/4"	3' 3 1/4"	5' 3 1/2"	3' 2 1/2"	6' 10"
3' 6"	3' 1/2"	4' 2"	2' 11 1/2"	4' 5"	2' 10 3/4"	5' 5"
2' 9"	2' 5 1/2"	3' 1 1/2"	2' 5"	3' 3"	2' 4 1/2"	3' 8 1/2"
2' 6"	2' 3 1/4"	2' 9 1/2"	2' 2 3/4"	2' 10 3/4"	2' 2 1/2"	3' 3"
2' 3"	2' 3/4"	2' 5 3/4"	2' 1/2"	2' 6 1/2"	2' 1/4"	2' 9 3/4"
1' 11"	1' 9 1/2"	2' 3/4"	1' 9 1/4"	2' 1 1/4"	1' 9"	2' 3 1/4"
1' 10"	1' 8 3/4"	1' 11 1/2"	1' 8 1/2"	2'	1' 8 1/4"	2' 1 3/4"
1' 9"	1' 7 3/4"	1' 10 1/2"	1' 7 1/2"	1' 10 3/4"	1' 7 1/2"	2' 1/4"
1' 8"	1' 7"	1' 9 1/4"	1' 6 3/4"	1' 9 3/4"	1' 6 1/2"	1' 11"
1' 7"	1' 6"	1' 8"	1' 5 3/4"	1' 8 1/2"	1' 5 3/4"	1' 9 1/2"
1' 6"	1' 5 1/4"	1' 7"	1' 5"	1' 7 1/4"	1' 5"	1' 8 1/4"
1' 5"	1' 4 1/4"	1' 5 3/4"	1' 4 1/4"	1' 6"	1' 4"	1' 6 3/4"
1' 4"	1' 3 1/2"	1' 4 3/4"	1' 3 1/4"	1' 5"	1' 3 1/4"	1' 5 1/2"
1' 3"	1' 2 1/2"	1' 3 1/2"	1' 2 1/2"	1' 3 3/4"	1' 2 1/4"	1' 4 1/4"
1' 2"	1' 1 1/2"	1' 2 1/2"	1' 1 1/2"	1' 2 1/2"	1' 1 1/2"	1' 3"
1' 1"	1' 3/4"	1' 1 1/2"	1' 1/2"	1' 1 1/2"	1' 1/2"	1' 1 3/4"
1'	11 3/4"	1' 1/4"	11 3/4"	1' 1/2"	11 3/4"	1' 3/4"
11"	10 3/4"	11 1/4"	10 3/4"	11 1/4"	10 3/4"	11 1/2"
10"	9 3/4"	10 1/4"	9 3/4"	10 1/4"	9 3/4"	10 1/4"

Depth of field tables

# Compact Prime CP.2 21mm/T2.9 T\*

circle of confusion: 0.030 mm

Engraving feet	T-Stop					
	8		11		16	
	from	to	from	to	from	to
<b>INF</b>	10' 6 1/2"	INF	7' 3 1/4"	INF	4' 10 3/4"	INF
<b>30'</b>	7' 11 1/4"	INF	5' 11 1/2"	INF	4' 3 1/2"	INF
<b>15'</b>	6' 4 1/4"	INF	5' 1/2"	INF	3' 10"	INF
<b>10'</b>	5' 3 3/4"	INF	4' 4 1/2"	INF	3' 5 1/4"	INF
<b>8'</b>	4' 8 1/2"	INF	3' 11 3/4"	INF	3' 2 1/2"	INF
<b>6'</b>	3' 11 3/4"	INF	3' 5 1/2"	INF	2' 10 1/2"	INF
<b>5'</b>	3' 6 1/2"	27' 4"	3' 1 1/2"	INF	2' 7 3/4"	INF
<b>4' 6"</b>	3' 3 1/2"	16' 2 3/4"	2' 11 1/4"	INF	2' 6 1/4"	INF
<b>4'</b>	3' 1/2"	10' 9"	2' 8 3/4"	35' 10 3/4"	2' 4 1/2"	INF
<b>3' 6"</b>	2' 9"	7' 6 1/4"	2' 6 1/4"	14' 3 1/2"	2' 2 1/2"	INF
<b>2' 9"</b>	2' 3 1/2"	4' 6 1/2"	2' 1 1/2"	6' 2 1/4"	1' 11"	12' 2 1/2"
<b>2' 6"</b>	2' 1 1/2"	3' 10"	1' 11 3/4"	4' 10 3/4"	1' 9 3/4"	7' 10 1/2"
<b>2' 3"</b>	1' 11 1/2"	3' 2 1/2"	1' 10"	3' 11"	1' 8 1/4"	5' 6"
<b>1' 11"</b>	1' 8 1/2"	2' 6 1/4"	1' 7 1/2"	2' 10 3/4"	1' 6 1/4"	3' 7 1/4"
<b>1' 10"</b>	1' 7 3/4"	2' 4 1/4"	1' 6 3/4"	2' 8 1/4"	1' 5 1/2"	3' 3 1/4"
<b>1' 9"</b>	1' 7"	2' 2 1/2"	1' 6 1/4"	2' 5 3/4"	1' 5"	2' 11 1/2"
<b>1' 8"</b>	1' 6 1/4"	2' 3/4"	1' 5 1/2"	2' 3 1/2"	1' 4 1/2"	2' 8 1/4"
<b>1' 7"</b>	1' 5 1/2"	1' 11 1/4"	1' 4 3/4"	2' 1 1/2"	1' 3 3/4"	2' 5 1/4"
<b>1' 6"</b>	1' 4 1/2"	1' 9 1/2"	1' 4"	1' 11 1/2"	1' 3 1/4"	2' 2 1/2"
<b>1' 5"</b>	1' 3 3/4"	1' 8"	1' 3 1/4"	1' 9 1/2"	1' 2 1/2"	2'
<b>1' 4"</b>	1' 3"	1' 6 1/2"	1' 2 1/2"	1' 7 3/4"	1' 2"	1' 9 3/4"
<b>1' 3"</b>	1' 2"	1' 5"	1' 1 3/4"	1' 6"	1' 1 1/4"	1' 7 1/2"
<b>1' 2"</b>	1' 1 1/4"	1' 3 3/4"	1' 1"	1' 4 1/2"	1' 1/2"	1' 5 1/2"
<b>1' 1"</b>	1' 1/2"	1' 2 1/4"	1' 1/4"	1' 3"	11 3/4"	1' 3 3/4"
<b>1'</b>	11 1/2"	1' 1"	11 1/4"	1' 1 1/2"	11"	1' 2"
<b>11"</b>	10 3/4"	11 3/4"	10 1/2"	1'	10 1/4"	1' 1/2"
<b>10"</b>	9 3/4"	10 1/2"	9 1/2"	10 3/4"	9 1/2"	11"

Depth of field tables

# Compact Prime CP.2 21mm/T2.9 T\*

circle of confusion: 0.030 mm

Engraving	T-Stop	
	22	
feet	from	to
<b>INF</b>	3' 4 3/4"	INF
<b>30'</b>	3' 1 1/4"	INF
<b>15'</b>	2' 10 1/2"	INF
<b>10'</b>	2' 8"	INF
<b>8'</b>	2' 6 1/4"	INF
<b>6'</b>	2' 4"	INF
<b>5'</b>	2' 2 1/4"	INF
<b>4' 6"</b>	2' 1 1/4"	INF
<b>4'</b>	2'	INF
<b>3' 6"</b>	1' 10 3/4"	INF
<b>2' 9"</b>	1' 8 1/4"	INF
<b>2' 6"</b>	1' 7 1/4"	73' 5 3/4"
<b>2' 3"</b>	1' 6 1/4"	13' 8"
<b>1' 11"</b>	1' 4 1/2"	5' 8 1/4"
<b>1' 10"</b>	1' 4 1/4"	4' 10"
<b>1' 9"</b>	1' 3 3/4"	4' 1 3/4"
<b>1' 8"</b>	1' 3 1/4"	3' 7"
<b>1' 7"</b>	1' 2 3/4"	3' 1 1/2"
<b>1' 6"</b>	1' 2 1/4"	2' 8 3/4"
<b>1' 5"</b>	1' 1 3/4"	2' 4 3/4"
<b>1' 4"</b>	1' 1"	2' 1 1/4"
<b>1' 3"</b>	1' 1/2"	1' 10 1/4"
<b>1' 2"</b>	1'	1' 7 3/4"
<b>1' 1"</b>	11 1/4"	1' 5 1/4"
<b>1'</b>	10 3/4"	1' 3 1/4"
<b>11"</b>	10"	1' 1 1/4"
<b>10"</b>	9 1/4"	11 1/2"

Depth of field tables

# Compact Prime CP.2 25mm/T2.1 T\*

circle of confusion: 0.030 mm

Engraving feet	T-Stop					
	2.1		2.8		4	
	from	to	from	to	from	to
INF	36' 11 1/2"	INF	31' 9 1/4"	INF	23' 3 1/4"	INF
40'	19' 4 1/4"	INF	17' 10 1/4"	INF	14' 10 1/4"	INF
20'	13' 1 1/4"	44' 3 1/4"	12' 5"	106' 11 1/4"	10' 10 3/4"	INF
13'	9' 8 3/4"	20' 1/4"	9' 4 1/4"	27' 3/4"	8' 5 3/4"	53' 7 1/4"
10'	7' 11 3/4"	13' 7 1/2"	7' 8 1/2"	16' 6"	7' 1 1/2"	23' 5 3/4"
8'	6' 8"	10' 1 1/2"	6' 5 3/4"	11' 7 1/4"	6' 3/4"	14' 7 1/4"
7'	5' 11 1/2"	8' 6 1/2"	5' 10"	9' 6 3/4"	5' 5 3/4"	11' 6"
6'	5' 2 3/4"	7' 1"	5' 1 1/2"	7' 9"	4' 10 1/2"	8' 11 1/2"
5'	4' 5 1/2"	5' 8 1/2"	4' 4 3/4"	6' 1 1/2"	4' 2 1/2"	6' 10"
4' 6"	4' 3/4"	5' 3/4"	4'	5' 4 1/2"	3' 10 1/4"	5' 11"
4'	3' 8"	4' 5 1/4"	3' 7 1/4"	4' 8"	3' 5 3/4"	5' 3/4"
3' 6"	3' 3"	3' 9 3/4"	3' 2 1/2"	3' 11 3/4"	3' 1 1/4"	4' 3"
3' 3"	3' 1/4"	3' 6 1/4"	3'	3' 8"	2' 11"	3' 10 1/2"
3'	2' 9 3/4"	3' 2 3/4"	2' 9 1/2"	3' 4"	2' 8 1/2"	3' 6 1/4"
2' 9"	2' 7 1/4"	2' 11 1/4"	2' 7"	3' 1/4"	2' 6 1/4"	3' 2"
2' 6"	2' 4 1/2"	2' 7 3/4"	2' 4 1/4"	2' 8 3/4"	2' 3 3/4"	2' 10"
2' 3"	2' 1 3/4"	2' 4 1/4"	2' 1 3/4"	2' 5"	2' 1 1/4"	2' 6"
2'	1' 11"	2' 1"	1' 11"	2' 1 1/2"	1' 10 1/2"	2' 2 1/4"
1' 11"	1' 10 1/4"	2'	1' 10"	2' 1/2"	1' 9 3/4"	2' 1"
1' 10"	1' 9 1/4"	1' 10 3/4"	1' 9 1/4"	1' 11 1/4"	1' 8 3/4"	1' 11 3/4"
1' 9"	1' 8 1/4"	1' 9 3/4"	1' 8 1/4"	1' 10"	1' 8"	1' 10 3/4"
1' 8"	1' 7 1/2"	1' 8 3/4"	1' 7 1/4"	1' 9"	1' 7"	1' 9 1/2"
1' 7"	1' 6 1/2"	1' 7 1/2"	1' 6 1/2"	1' 7 3/4"	1' 6 1/4"	1' 8 1/4"
1' 6"	1' 5 1/2"	1' 6 1/2"	1' 5 1/2"	1' 6 3/4"	1' 5 1/4"	1' 7"
1' 5"	1' 4 1/2"	1' 5 1/2"	1' 4 1/2"	1' 5 3/4"	1' 4 1/2"	1' 6"
1' 4"	1' 3 3/4"	1' 4 1/4"	1' 3 1/2"	1' 4 1/2"	1' 3 1/2"	1' 4 3/4"
1' 3"	1' 2 3/4"	1' 3 1/4"	1' 2 3/4"	1' 3 1/2"	1' 2 1/2"	1' 3 3/4"
1' 2"	1' 1 3/4"	1' 2 1/4"	1' 1 3/4"	1' 2 1/2"	1' 1 1/2"	1' 2 1/2"
1' 1"	1' 3/4"	1' 1 1/4"	1' 3/4"	1' 1 1/4"	1' 3/4"	1' 1 1/2"
1'	11 3/4"	1' 1/4"	11 3/4"	1' 1/4"	11 3/4"	1' 1/4"
11"	11"	11 1/4"	10 3/4"	11 1/4"	10 3/4"	11 1/4"

Depth of field tables

# Compact Prime CP.2 25mm/T2.1 T\*

circle of confusion: 0.030 mm

Engraving feet	T-Stop					
	5.6		8		11	
	from	to	from	to	from	to
INF	16' 2"	INF	11' 2"	INF	7' 9"	INF
40'	11' 7 3/4"	INF	8' 10"	INF	6' 7"	INF
20'	9' 1"	INF	7' 3 1/2"	INF	5' 8 1/2"	INF
13'	7' 4 1/4"	INF	6' 1 3/4"	INF	5'	INF
10'	6' 3 3/4"	51' 1/2"	5' 5"	INF	4' 6 1/4"	INF
8'	5' 5 3/4"	21' 9 3/4"	4' 9 3/4"	67' 5"	4' 1"	INF
7'	5' 1/4"	15' 5 3/4"	4' 5 1/4"	29' 5 1/2"	3' 10"	INF
6'	4' 6"	11' 2"	4' 1/2"	16' 10"	3' 6 1/4"	59' 9 1/4"
5'	3' 11"	8' 1/4"	3' 7"	10' 6 1/4"	3' 2 1/4"	18' 9"
4' 6"	3' 7 1/2"	6' 9"	3' 4"	8' 5"	2' 11 3/4"	12' 10 1/2"
4'	3' 3 1/2"	5' 7 3/4"	3' 3/4"	6' 8 3/4"	2' 9 1/4"	9' 3"
3' 6"	2' 11 1/2"	4' 8"	2' 9 1/4"	5' 4 1/4"	2' 6 1/2"	6' 9 1/2"
3' 3"	2' 9 1/2"	4' 2 1/2"	2' 7 1/2"	4' 9"	2' 5"	5' 10"
3'	2' 7 1/4"	3' 9 1/2"	2' 5 1/2"	4' 2 1/2"	2' 3 1/2"	5' 1/4"
2' 9"	2' 5"	3' 4 1/2"	2' 3 1/2"	3' 8 1/2"	2' 1 3/4"	4' 3 1/2"
2' 6"	2' 2 3/4"	3'	2' 1 1/2"	3' 3"	2'	3' 8"
2' 3"	2' 1/2"	2' 7 1/2"	1' 11 1/2"	2' 9 3/4"	1' 10 1/4"	3' 1 1/2"
2'	1' 10"	2' 3 1/4"	1' 9 1/4"	2' 5"	1' 8 1/4"	2' 7 1/2"
1' 11"	1' 9 1/4"	2' 2"	1' 8 1/2"	2' 3 1/2"	1' 7 1/2"	2' 5 3/4"
1' 10"	1' 8 1/2"	2' 3/4"	1' 7 3/4"	2' 2"	1' 6 3/4"	2' 3 3/4"
1' 9"	1' 7 1/2"	1' 11 1/4"	1' 7"	2' 1/2"	1' 6 1/4"	2' 2 1/4"
1' 8"	1' 6 3/4"	1' 10"	1' 6 1/4"	1' 11"	1' 5 1/2"	2' 1/2"
1' 7"	1' 5 3/4"	1' 8 3/4"	1' 5 1/2"	1' 9 3/4"	1' 4 3/4"	1' 11"
1' 6"	1' 5"	1' 7 1/2"	1' 4 1/2"	1' 8 1/4"	1' 4"	1' 9 1/4"
1' 5"	1' 4"	1' 6 1/4"	1' 3 3/4"	1' 7"	1' 3 1/4"	1' 7 3/4"
1' 4"	1' 3 1/4"	1' 5 1/4"	1' 3"	1' 5 3/4"	1' 2 1/2"	1' 6 1/2"
1' 3"	1' 2 1/4"	1' 4"	1' 2"	1' 4 1/2"	1' 1 3/4"	1' 5"
1' 2"	1' 1 1/2"	1' 2 3/4"	1' 1 1/4"	1' 3 1/4"	1' 1"	1' 3 3/4"
1' 1"	1' 1/2"	1' 1 3/4"	1' 1/2"	1' 2"	1'	1' 2 1/4"
1'	11 3/4"	1' 1/2"	11 1/2"	1' 3/4"	11 1/4"	1' 1"
11"	10 3/4"	11 1/2"	10 1/2"	11 1/2"	10 1/2"	11 3/4"

Depth of field tables

# Compact Prime CP.2 25mm/T2.1 T\*

circle of confusion: 0.030 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
<b>INF</b>	5' 5 1/2"	INF	3' 10 1/2"	INF
<b>40'</b>	4' 10 1/4"	INF	3' 7"	INF
<b>20'</b>	4' 4 1/2"	INF	3' 4"	INF
<b>13'</b>	3' 11 1/2"	INF	3' 1 1/4"	INF
<b>10'</b>	3' 8"	INF	2' 11"	INF
<b>8'</b>	3' 4 3/4"	INF	2' 9"	INF
<b>7'</b>	3' 2 1/2"	INF	2' 7 3/4"	INF
<b>6'</b>	3'	INF	2' 6"	INF
<b>5'</b>	2' 9"	INF	2' 4"	INF
<b>4' 6"</b>	2' 7 1/2"	55' 1/4"	2' 2 3/4"	INF
<b>4'</b>	2' 5 1/2"	20' 1 1/4"	2' 1 1/2"	INF
<b>3' 6"</b>	2' 3 1/4"	11' 3/4"	2'	161' 4 3/4"
<b>3' 3"</b>	2' 2"	8' 8 1/4"	1' 11"	30' 9 3/4"
<b>3'</b>	2' 3/4"	6' 11 1/4"	1' 10"	15' 10 1/4"
<b>2' 9"</b>	1' 11 1/2"	5' 7 1/4"	1' 9"	10' 1"
<b>2' 6"</b>	1' 10"	4' 6 1/2"	1' 8"	7' 1/4"
<b>2' 3"</b>	1' 8 1/2"	3' 8 1/2"	1' 6 3/4"	5' 1 1/2"
<b>2'</b>	1' 7"	3'	1' 5 1/2"	3' 10"
<b>1' 11"</b>	1' 6 1/2"	2' 9 1/2"	1' 5"	3' 6"
<b>1' 10"</b>	1' 5 3/4"	2' 7 1/4"	1' 4 1/2"	3' 2 1/4"
<b>1' 9"</b>	1' 5 1/4"	2' 5"	1' 4"	2' 10 3/4"
<b>1' 8"</b>	1' 4 1/2"	2' 3"	1' 3 1/2"	2' 7 3/4"
<b>1' 7"</b>	1' 4"	2' 1"	1' 3"	2' 5"
<b>1' 6"</b>	1' 3 1/4"	1' 11"	1' 2 1/2"	2' 2 1/4"
<b>1' 5"</b>	1' 2 3/4"	1' 9 1/4"	1' 1 3/4"	2'
<b>1' 4"</b>	1' 2"	1' 7 1/2"	1' 1 1/4"	1' 9 3/4"
<b>1' 3"</b>	1' 1 1/4"	1' 6"	1' 3/4"	1' 7 1/2"
<b>1' 2"</b>	1' 1/2"	1' 4 1/2"	1'	1' 5 3/4"
<b>1' 1"</b>	11 3/4"	1' 3"	11 1/4"	1' 4"
<b>1'</b>	11"	1' 1 1/2"	10 3/4"	1' 2 1/4"
<b>11"</b>	10 1/4"	1'	10"	1' 3/4"



Depth of field tables

# Compact Prime CP.2 25mm/T2.9 T\*

circle of confusion: 0.030 mm

Engraving feet	T-Stop					
	2.9		4		5.6	
	from	to	from	to	from	to
<b>INF</b>	26' 1 1/2"	INF	19' 9 1/2"	INF	16' 4 1/4"	INF
<b>12'</b>	8' 4 1/4"	21' 8 1/2"	7' 7 1/2"	30' 5 1/4"	7' 3/4"	INF
<b>6'</b>	4' 11 3/4"	7' 7 1/4"	4' 8 1/2"	8' 5"	4' 6"	11' 2 1/4"
<b>4'</b>	3' 6 1/2"	4' 7 1/2"	3' 5"	4' 10 1/2"	3' 3 3/4"	5' 7 3/4"
<b>3'</b>	2' 9"	3' 3 3/4"	2' 8"	3' 5 1/4"	2' 7 1/4"	3' 9 1/2"
<b>2'6"</b>	2' 4"	2' 8 1/2"	2' 3 1/4"	2' 9 1/2"	2' 2 3/4"	3'
<b>2'</b>	1' 10 3/4"	2' 1 1/2"	1' 10 1/2"	2' 2"	1' 10"	2' 3 1/4"
<b>22"</b>	1' 9"	1' 11 1/4"	1' 8 3/4"	1' 11 1/2"	1' 8 1/2"	2' 3/4"
<b>20"</b>	1' 7 1/4"	1' 9"	1' 7"	1' 9 1/4"	1' 6 3/4"	1' 10"
<b>18"</b>	1' 5 1/4"	1' 6 3/4"	1' 5 1/4"	1' 7"	1' 5"	1' 7 1/2"
<b>17"</b>	1' 4 1/2"	1' 5 1/2"	1' 4 1/4"	1' 5 3/4"	1' 4 1/4"	1' 6 1/4"
<b>16"</b>	1' 3 1/2"	1' 4 1/2"	1' 3 1/2"	1' 4 3/4"	1' 3 1/4"	1' 5 1/4"
<b>15"</b>	1' 2 1/2"	1' 3 1/2"	1' 2 1/2"	1' 3 1/2"	1' 2 1/2"	1' 4"
<b>14"</b>	1' 1 3/4"	1' 2 1/4"	1' 1 1/2"	1' 2 1/2"	1' 1 1/2"	1' 2 3/4"
<b>13"</b>	1' 3/4"	1' 1 1/4"	1' 3/4"	1' 1 1/2"	1' 1/2"	1' 1 3/4"
<b>12"</b>	11 3/4"	1' 1/4"	11 3/4"	1' 1/4"	11 3/4"	1' 1/2"
<b>11"</b>	10 3/4"	11 1/4"	10 3/4"	11 1/4"	10 3/4"	11 1/2"
<b>10"</b>	10"	10 1/4"	9 3/4"	10 1/4"	9 3/4"	10 1/4"
<b>9"</b>	9"	9"	9"	9"	8 3/4"	9 1/4"
<b>8"</b>	8"	8"	8"	8"	8"	8"
<b>7"</b>	7"	7"	7"	7"	7"	7"

Depth of field tables

# Compact Prime CP.2 25mm/T2.9 T\*

circle of confusion: 0.030 mm

Engraving feet	T-Stop					
	8		11		16	
	from	to	from	to	from	to
INF	12' 3 1/4"	INF	8' 7 1/4"	INF	5' 11 1/4"	INF
12'	6' 2 1/2"	INF	5' 2"	INF	4' 1 1/4"	INF
6'	4' 2"	19' 2"	3' 8 1/4"	217' 1/4"	3' 1 3/4"	INF
4'	3' 1 1/2"	7' 1/2"	2' 10 1/4"	10' 3 3/4"	2' 6 1/2"	27' 9 3/4"
3'	2' 6"	4' 4"	2' 4"	5' 3 1/2"	2' 1 1/2"	7' 7 1/4"
2'6	2' 2"	3' 3 3/4"	2' 1/2"	3' 9 3/4"	1' 10 1/2"	4' 9 3/4"
2'	1' 9 1/2"	2' 5 1/4"	1' 8 1/2"	2' 8 1/4"	1' 7 1/4"	3' 1 1/4"
22"	1' 8"	2' 2 1/4"	1' 7 1/4"	2' 4 1/2"	1' 6"	2' 8"
20"	1' 6 1/4"	1' 11 1/4"	1' 5 3/4"	2' 1"	1' 4 3/4"	2' 3 1/2"
18"	1' 4 3/4"	1' 8 1/2"	1' 4 1/4"	1' 9 1/2"	1' 3 1/2"	1' 11 1/2"
17"	1' 3 3/4"	1' 7"	1' 3 1/2"	1' 8"	1' 2 3/4"	1' 9 1/2"
16"	1' 3"	1' 5 3/4"	1' 2 3/4"	1' 6 1/2"	1' 2"	1' 7 3/4"
15"	1' 2 1/4"	1' 4 1/2"	1' 1 3/4"	1' 5 1/4"	1' 1 1/2"	1' 6 1/4"
14"	1' 1 1/4"	1' 3 1/4"	1' 1"	1' 3 3/4"	1' 3/4"	1' 4 1/2"
13"	1' 1/2"	1' 2"	1' 1/4"	1' 2 1/2"	1'	1' 3"
12"	11 1/2"	1' 3/4"	11 1/4"	1' 1"	11"	1' 1 1/2"
11"	10 3/4"	11 1/2"	10 1/2"	11 3/4"	10 1/4"	1' 1/4"
10"	9 3/4"	10 1/2"	9 3/4"	10 1/2"	9 1/2"	10 3/4"
9"	8 3/4"	9 1/4"	8 3/4"	9 1/2"	8 3/4"	9 1/2"
8"	8"	8 1/4"	7 3/4"	8 1/4"	7 3/4"	8 1/4"
7"	7"	7"	7"	7 1/4"	6 3/4"	7 1/4"

Depth of field tables

# Compact Prime CP.2 25mm/T2.9 T\*

circle of confusion: 0.030 mm

Engraving	T-Stop	
	22	
feet	from	to
INF	4' 1 1/2"	INF
12'	3' 2 1/4"	INF
6'	2' 7 1/4"	INF
4'	2' 2 1/4"	INF
3'	1' 10 3/4"	20' 3 3/4"
2'6"	1' 8 1/2"	7' 8 1/2"
2'	1' 5 3/4"	4'
22"	1' 4 3/4"	3' 3 1/2"
20"	1' 3 3/4"	2' 8 1/2"
18"	1' 2 1/2"	2' 2 3/4"
17"	1' 2"	2' 1/4"
16"	1' 1 1/2"	1' 10"
15"	1' 3/4"	1' 7 3/4"
14"	1' 1/4"	1' 5 3/4"
13"	11 1/2"	1' 4"
12"	10 3/4"	1' 2 1/4"
11"	10"	1' 3/4"
10"	9 1/4"	11 1/4"
9"	8 1/2"	9 3/4"
8"	7 3/4"	8 1/2"
7"	6 3/4"	7 1/4"



Depth of field tables

# Compact Prime CP.2 28mm/T2.1 T\*

circle of confusion: 0.030 mm

Engraving feet	T-Stop					
	5.6		8		11	
	from	to	from	to	from	to
INF	25' 9 1/4"	INF	18' 4 3/4"	INF	12' 1 1/4"	INF
30'	14'	INF	11' 6 1/2"	INF	8' 9"	INF
15'	9' 7 1/2"	INF	8' 5"	INF	6' 10 1/4"	INF
10'	7' 4"	36' 3 3/4"	6' 7 1/2"	INF	5' 7 1/2"	INF
8'	6' 2 1/2"	18' 7 1/2"	5' 8 1/2"	43' 8"	4' 11 1/2"	INF
6'	4' 11 1/2"	10' 3 1/4"	4' 7 1/2"	14' 10 1/4"	4' 1 3/4"	32' 7 1/4"
5'	4' 3 1/4"	7' 6 3/4"	4' 1/4"	9' 8 1/2"	3' 8"	14' 11"
4'6"	3' 10 3/4"	6' 5 1/4"	3' 8 1/2"	7' 10 3/4"	3' 4 3/4"	10' 11 1/2"
4'	3' 6 1/4"	5' 5"	3' 4 1/2"	6' 4 3/4"	3' 1 1/2"	8' 2 3/4"
3'6"	3' 1 3/4"	4' 6"	3' 1/4"	5' 1 3/4"	2' 9 3/4"	6' 2 3/4"
3'	2' 9"	3' 8 1/4"	2' 7 3/4"	4' 1"	2' 6"	4' 8 1/2"
2'9"	2' 6 1/2"	3' 3 1/2"	2' 5 1/2"	3' 7 1/4"	2' 4"	4' 1"
2'6"	2' 4"	2' 11 1/4"	2' 3 1/4"	3' 2"	2' 1 3/4"	3' 6 1/4"
2'3"	2' 1 1/4"	2' 7"	2' 3/4"	2' 9"	1' 11 3/4"	3'
2'	1' 10 3/4"	2' 3"	1' 10 1/4"	2' 4 1/2"	1' 9 1/2"	2' 6 1/2"
23"	1' 9 3/4"	2' 1 3/4"	1' 9 1/2"	2' 3"	1' 8 3/4"	2' 4 3/4"
22"	1' 9"	2' 1/4"	1' 8 1/2"	2' 1 1/2"	1' 8"	2' 3 1/4"
21"	1' 8"	1' 11"	1' 7 3/4"	2'	1' 7"	2' 1 1/2"
20"	1' 7 1/4"	1' 9 3/4"	1' 6 3/4"	1' 10 3/4"	1' 6 1/4"	2'
19"	1' 6 1/4"	1' 8 1/2"	1' 6"	1' 9 1/2"	1' 5 1/2"	1' 10 1/2"
18"	1' 5 1/4"	1' 7 1/2"	1' 5"	1' 8"	1' 4 3/4"	1' 9"
17"	1' 4 1/2"	1' 6 1/4"	1' 4 1/4"	1' 6 3/4"	1' 3 3/4"	1' 7 1/2"
16"	1' 3 1/2"	1' 5"	1' 3 1/4"	1' 5 1/2"	1' 3"	1' 6"
15"	1' 2 1/2"	1' 3 3/4"	1' 2 1/2"	1' 4 1/4"	1' 2 1/4"	1' 4 3/4"
14"	1' 1 3/4"	1' 2 3/4"	1' 1 1/2"	1' 3"	1' 1 1/4"	1' 3 1/2"
13"	1' 3/4"	1' 1 1/2"	1' 1/2"	1' 1 3/4"	1' 1/2"	1' 2 1/4"
12"	11 3/4"	1' 1/2"	11 3/4"	1' 3/4"	11 1/2"	1' 1"
11"	10 3/4"	11 1/4"	10 3/4"	11 1/2"	10 3/4"	11 3/4"
10"	9 3/4"	10 1/4"	9 3/4"	10 1/4"	9 3/4"	10 1/2"

Depth of field tables

# Compact Prime CP.2 28mm/T2.1 T\*

circle of confusion: 0.030 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
INF	8'	INF	5' 5"	INF
30'	6' 5"	INF	4' 8"	INF
15'	5' 4 1/4"	INF	4' 1"	INF
10'	4' 7"	INF	3' 7 3/4"	INF
8'	4' 1 3/4"	INF	3' 4 1/2"	INF
6'	3' 7"	INF	3'	INF
5'	3' 2 3/4"	53' 8"	2' 9"	INF
4'6	3' 1/4"	22' 11 1/4"	2' 7 1/4"	INF
4'	2' 9 1/2"	13' 4 1/2"	2' 5 1/2"	126' 6"
3'6	2' 6 3/4"	8' 8 1/2"	2' 3 1/4"	20' 1 1/2"
3'	2' 3 1/2"	5' 11 1/4"	2' 3/4"	9' 6"
2'9	2' 2"	4' 11 1/2"	1' 11 1/2"	7' 1 1/2"
2'6	2' 1/4"	4' 1 1/2"	1' 10"	5' 5 3/4"
2'3	1' 10 1/4"	3' 5"	1' 8 1/2"	4' 3 1/4"
2'	1' 8 1/4"	2' 10"	1' 7"	3' 4 1/4"
23"	1' 7 3/4"	2' 7 3/4"	1' 6 1/4"	3' 1"
22"	1' 7"	2' 5 3/4"	1' 5 3/4"	2' 10 1/4"
21"	1' 6 1/4"	2' 3 3/4"	1' 5 1/4"	2' 7 1/2"
20"	1' 5 1/2"	2' 1 3/4"	1' 4 1/2"	2' 5"
19"	1' 4 3/4"	2'	1' 4"	2' 2 3/4"
18"	1' 4"	1' 10 1/4"	1' 3 1/4"	2' 1/2"
17"	1' 3 1/4"	1' 8 1/2"	1' 2 3/4"	1' 10 1/2"
16"	1' 2 1/2"	1' 7"	1' 2"	1' 8 1/2"
15"	1' 1 3/4"	1' 5 1/2"	1' 1 1/4"	1' 6 3/4"
14"	1' 1"	1' 4"	1' 1/2"	1' 5"
13"	1' 1/4"	1' 2 1/2"	11 3/4"	1' 3 1/4"
12"	11 1/4"	1' 1 1/4"	11"	1' 1 3/4"
11"	10 1/2"	1'	10 1/4"	1' 1/4"
10"	9 1/2"	10 3/4"	9 1/2"	11"

Depth of field tables

# Compact Prime CP.2 35mm/T2.1 T\*

circle of confusion: 0.030 mm

Engraving feet	T-Stop					
	2.1		2.8		4	
	from	to	from	to	from	to
<b>INF</b>	71' 8 3/4"	INF	73' 4"	INF	59' 4"	INF
<b>50'</b>	29' 7 1/4"	164' 1 1/4"	29' 10 1/2"	INF	27' 3 1/4"	INF
<b>25'</b>	18' 7 3/4"	38' 1"	18' 9"	59' 5 3/4"	17' 8 1/2"	213' 6 1/4"
<b>15'</b>	12' 6"	18' 9 3/4"	12' 6 1/2"	22' 9 1/2"	12' 3/4"	31' 3 1/2"
<b>10'</b>	8' 10"	11' 6 1/4"	8' 10 1/4"	12' 10 1/2"	8' 7 1/2"	15' 1 3/4"
<b>8'</b>	7' 3"	8' 11 1/4"	7' 3 1/4"	9' 8 1/2"	7' 1 1/4"	10' 11"
<b>7'</b>	6' 5"	7' 8 1/4"	6' 5 1/4"	8' 3"	6' 3 3/4"	9' 1 1/4"
<b>6'</b>	5' 7"	6' 6"	5' 7"	6' 10 1/2"	5' 6"	7' 5 1/2"
<b>5'</b>	4' 8 1/2"	5' 4"	4' 8 1/2"	5' 7"	4' 7 3/4"	5' 11 1/4"
<b>4'6</b>	4' 3 1/4"	4' 9 1/4"	4' 3 1/4"	4' 11 1/2"	4' 2 3/4"	5' 2 3/4"
<b>4'</b>	3' 9 3/4"	4' 2 1/2"	3' 9 3/4"	4' 4 1/4"	3' 9 1/4"	4' 6 3/4"
<b>3'9</b>	3' 7"	3' 11"	3' 7 1/4"	4' 3/4"	3' 6 3/4"	4' 2 3/4"
<b>3'6</b>	3' 4 1/4"	3' 7 3/4"	3' 4 1/2"	3' 9"	3' 4"	3' 11"
<b>3'3</b>	3' 1 1/2"	3' 4 1/2"	3' 1 1/2"	3' 5 1/2"	3' 1 1/4"	3' 7 1/4"
<b>3'</b>	2' 10 3/4"	3' 1 1/4"	2' 10 3/4"	3' 2 1/4"	2' 10 1/2"	3' 3 1/2"
<b>2'9</b>	2' 8"	2' 10"	2' 8"	2' 10 3/4"	2' 7 3/4"	2' 11 3/4"
<b>2'6</b>	2' 5 1/4"	2' 6 3/4"	2' 5 1/4"	2' 7 1/2"	2' 5"	2' 8 1/4"
<b>2'3</b>	2' 2 1/2"	2' 3 3/4"	2' 2 1/2"	2' 4"	2' 2 1/4"	2' 4 3/4"
<b>2'</b>	1' 11 1/2"	2' 1/2"	1' 11 1/2"	2' 3/4"	1' 11 1/2"	2' 1 1/4"
<b>23"</b>	1' 10 1/2"	1' 11 1/2"	1' 10 1/2"	1' 11 3/4"	1' 10 1/2"	2' 1/4"
<b>22"</b>	1' 9 1/2"	1' 10 1/2"	1' 9 1/2"	1' 10 3/4"	1' 9 1/2"	1' 11"
<b>21"</b>	1' 8 3/4"	1' 9 1/4"	1' 8 3/4"	1' 9 1/2"	1' 8 1/2"	1' 10"
<b>20"</b>	1' 7 3/4"	1' 8 1/4"	1' 7 3/4"	1' 8 1/2"	1' 7 3/4"	1' 8 3/4"
<b>19"</b>	1' 6 3/4"	1' 7 1/4"	1' 6 3/4"	1' 7 1/2"	1' 6 3/4"	1' 7 3/4"
<b>18"</b>	1' 5 3/4"	1' 6 1/4"	1' 5 3/4"	1' 6 1/2"	1' 5 3/4"	1' 6 1/2"
<b>17"</b>	1' 4 3/4"	1' 5 1/4"	1' 4 3/4"	1' 5 1/4"	1' 4 3/4"	1' 5 1/2"
<b>16"</b>	1' 3 3/4"	1' 4 1/4"	1' 3 3/4"	1' 4 1/4"	1' 3 3/4"	1' 4 1/2"
<b>15"</b>	1' 2 3/4"	1' 3 1/4"	1' 2 3/4"	1' 3 1/4"	1' 2 3/4"	1' 3 1/2"
<b>14"</b>	1' 2"	1' 2 1/4"	1' 2"	1' 2 1/4"	1' 1 3/4"	1' 2 1/4"
<b>13"</b>	1' 1"	1' 1"	1' 1"	1' 1 1/4"	1' 1"	1' 1 1/4"
<b>12"</b>	1'	1'	1'	1' 1/4"	1'	1' 1/4"

Depth of field tables

# Compact Prime CP.2 35mm/T2.1 T\*

circle of confusion: 0.030 mm

Engraving feet	T-Stop					
	5.6		8		11	
	from	to	from	to	from	to
INF	41'	INF	26' 8 1/4"	INF	17' 4"	INF
50'	22' 8"	INF	17' 6 1/2"	INF	12' 11 3/4"	INF
25'	15' 8"	INF	13' 3/4"	INF	10' 4 1/2"	INF
15'	11' 1 1/4"	55' 10 1/2"	9' 8 3/4"	INF	8' 2 1/4"	INF
10'	8' 1 1/2"	19' 1 1/2"	7' 4 3/4"	28' 6"	6' 5 3/4"	80' 2"
8'	6' 9 1/4"	12' 9 3/4"	6' 3"	16' 4 1/4"	5' 7 1/4"	25' 8 1/2"
7'	6' 1/2"	10' 4 1/2"	5' 7 3/4"	12' 6 1/2"	5' 1 1/4"	17' 3 3/4"
6'	5' 3 1/2"	8' 3 1/4"	4' 11 3/4"	9' 6 3/4"	4' 6 3/4"	12' 3/4"
5'	4' 6 1/4"	6' 5 1/4"	4' 3 1/2"	7' 2 1/4"	3' 11 3/4"	8' 5 1/2"
4'6	4' 1 1/4"	5' 7 1/4"	3' 11"	6' 2"	3' 8"	7' 3/4"
4'	3' 8 1/4"	4' 10"	3' 6 1/2"	5' 2 3/4"	3' 4"	5' 10 1/4"
3'9	3' 5 3/4"	4' 5 1/2"	3' 4 1/4"	4' 9 1/2"	3' 2"	5' 3 3/4"
3'6	3' 3 1/4"	4' 1 1/4"	3' 1 3/4"	4' 4 1/2"	3'	4' 9 1/2"
3'3	3' 1/2"	3' 9"	2' 11 1/2"	3' 11 3/4"	2' 9 3/4"	4' 3 3/4"
3'	2' 10"	3' 5"	2' 9"	3' 7 1/4"	2' 7 1/2"	3' 10 1/2"
2'9	2' 7 1/4"	3' 1"	2' 6 1/2"	3' 2 3/4"	2' 5 1/4"	3' 5 1/4"
2'6	2' 4 3/4"	2' 9 1/4"	2' 4"	2' 10 1/2"	2' 3"	3' 1/2"
2'3	2' 2"	2' 5 1/2"	2' 1 1/2"	2' 6 1/2"	2' 1/2"	2' 8"
2'	1' 11 1/4"	2' 1 3/4"	1' 10 3/4"	2' 2 1/2"	1' 10 1/4"	2' 3 3/4"
23"	1' 10 1/4"	2' 3/4"	1' 10"	2' 1 1/4"	1' 9 1/4"	2' 2 1/4"
22"	1' 9 1/4"	1' 11 1/2"	1' 9"	2'	1' 8 1/2"	2' 1"
21"	1' 8 1/2"	1' 10 1/4"	1' 8"	1' 10 3/4"	1' 7 3/4"	1' 11 1/2"
20"	1' 7 1/2"	1' 9 1/4"	1' 7 1/4"	1' 9 1/2"	1' 6 3/4"	1' 10 1/4"
19"	1' 6 1/2"	1' 8"	1' 6 1/4"	1' 8 1/2"	1' 6"	1' 9"
18"	1' 5 1/2"	1' 7"	1' 5 1/2"	1' 7 1/4"	1' 5"	1' 7 3/4"
17"	1' 4 3/4"	1' 5 3/4"	1' 4 1/2"	1' 6"	1' 4 1/4"	1' 6 1/2"
16"	1' 3 3/4"	1' 4 3/4"	1' 3 1/2"	1' 5"	1' 3 1/4"	1' 5 1/4"
15"	1' 2 3/4"	1' 3 1/2"	1' 2 1/2"	1' 3 3/4"	1' 2 1/2"	1' 4"
14"	1' 1 3/4"	1' 2 1/2"	1' 1 3/4"	1' 2 1/2"	1' 1 1/2"	1' 2 3/4"
13"	1' 3/4"	1' 1 1/4"	1' 3/4"	1' 1 1/2"	1' 1/2"	1' 1 3/4"
12"	11 3/4"	1' 1/4"	11 3/4"	1' 1/2"	11 3/4"	1' 1/2"



Depth of field tables

# Compact Prime CP.2 35mm/T2.1 T\*

circle of confusion: 0.030 mm

Engraving feet	T-Stop			
	16		22	
	from	to	from	to
INF	11' 6 1/2"	INF	7' 10 1/2"	INF
50'	9' 5 1/2"	INF	6' 10 1/2"	INF
25'	8' 1/4"	INF	6' 1 1/4"	INF
15'	6' 8"	INF	5' 3 1/2"	INF
10'	5' 6"	INF	4' 6 3/4"	INF
8'	4' 10 1/2"	130'	4' 1 1/2"	INF
7'	4' 6"	37' 1 3/4"	3' 10 1/4"	INF
6'	4' 1"	19' 1/4"	3' 6 3/4"	111' 11 1/4"
5'	3' 7 1/2"	11' 3 3/4"	3' 2 1/2"	21' 10"
4'6	3' 4 1/4"	8' 10 3/4"	3'	14' 2 1/2"
4'	3' 1"	7' 1/2"	2' 9 1/2"	9' 10 3/4"
3'9	2' 11 1/4"	6' 3"	2' 8"	8' 4 1/2"
3'6	2' 9 1/2"	5' 6 1/2"	2' 6 1/2"	7' 1 1/2"
3'3	2' 7 3/4"	4' 10 3/4"	2' 5"	6' 1"
3'	2' 5 3/4"	4' 3 3/4"	2' 3 1/2"	5' 2 1/4"
2'9	2' 3 3/4"	3' 9 1/2"	2' 1 3/4"	4' 5"
2'6	2' 1 3/4"	3' 3 1/2"	2'	3' 9"
2'3	1' 11 1/2"	2' 10 1/4"	1' 10 1/4"	3' 2"
2'	1' 9 1/4"	2' 5 1/4"	1' 8 1/4"	2' 8"
23"	1' 8 1/2"	2' 3 3/4"	1' 7 1/2"	2' 6"
22"	1' 7 3/4"	2' 2 1/4"	1' 7"	2' 4 1/4"
21"	1' 7"	2' 3/4"	1' 6 1/4"	2' 2 1/2"
20"	1' 6 1/4"	1' 11 1/4"	1' 5 1/2"	2' 3/4"
19"	1' 5 1/2"	1' 9 3/4"	1' 4 3/4"	1' 11"
18"	1' 4 3/4"	1' 8 1/2"	1' 4"	1' 9 1/2"
17"	1' 3 3/4"	1' 7"	1' 3 1/4"	1' 8"
16"	1' 3"	1' 5 3/4"	1' 2 1/2"	1' 6 1/2"
15"	1' 2 1/4"	1' 4 1/2"	1' 1 3/4"	1' 5"
14"	1' 1 1/4"	1' 3 1/4"	1' 1"	1' 3 3/4"
13"	1' 1/2"	1' 2"	1' 1/4"	1' 2 1/4"
12"	11 1/2"	1' 3/4"	11 1/4"	1' 1"

Depth of field tables

# Compact Prime CP.2 50mm/T2.1 T\*

circle of confusion: 0.030 mm

Engraving feet	T-Stop					
	2.1		2.8		4	
	from	to	from	to	from	to
INF	151' 7"	INF	177' 11 3/4"	INF	171' 6"	INF
50'	37' 8 1/4"	74' 5"	39' 1 1/4"	139' 8"	38' 9 1/4"	INF
30'	25' 1 1/4"	37' 3 1/2"	25' 8 3/4"	48' 7"	25' 7"	77' 5 1/2"
20'	17' 8 1/2"	22' 11 3/4"	18' 1/4"	26' 9 1/4"	17' 11 1/4"	33' 7 1/4"
15'	13' 8 1/4"	16' 7 1/4"	13' 10 1/4"	18' 5 3/4"	13' 9 3/4"	21' 5 1/2"
12'	11' 1 3/4"	13'	11' 3 1/4"	14' 1 1/4"	11' 2 3/4"	15' 9"
10'	9' 5"	10' 8"	9' 5 3/4"	11' 4 3/4"	9' 5 1/2"	12' 5 1/2"
9'	8' 6 1/4"	9' 6 1/2"	8' 7"	10' 1 1/4"	8' 6 3/4"	10' 11"
8'	7' 7 1/2"	8' 5"	7' 8"	8' 10 1/4"	7' 8"	9' 5 3/4"
7'	6' 8 1/2"	7' 3 3/4"	6' 9"	7' 7 3/4"	6' 8 3/4"	8' 1"
6'6"	6' 3"	6' 9 1/4"	6' 3 1/2"	7' 1/2"	6' 3 1/4"	7' 5"
6'	5' 9 1/2"	6' 2 3/4"	5' 9 3/4"	6' 5 1/2"	5' 9 3/4"	6' 9 1/4"
5'6"	5' 4"	5' 8 1/4"	5' 4 1/4"	5' 10 1/2"	5' 4"	6' 1 1/2"
5'	4' 10 1/4"	5' 1 3/4"	4' 10 1/2"	5' 3 3/4"	4' 10 1/2"	5' 6 1/4"
4'9"	4' 7 1/2"	4' 10 3/4"	4' 7 3/4"	5' 1/4"	4' 7 1/2"	5' 2 1/2"
4'6"	4' 4 1/2"	4' 7 1/2"	4' 4 3/4"	4' 9"	4' 4 3/4"	4' 10 3/4"
4'3"	4' 1 3/4"	4' 4 1/4"	4' 2"	4' 5 1/2"	4' 1 3/4"	4' 7 1/4"
4'	3' 11"	4' 1 1/4"	3' 11"	4' 2 1/4"	3' 11"	4' 3 3/4"
3'9"	3' 8"	3' 10"	3' 8 1/4"	3' 11"	3' 8"	4' 1/4"
3'6"	3' 5 1/4"	3' 6 3/4"	3' 5 1/4"	3' 7 3/4"	3' 5 1/4"	3' 8 3/4"
3'3"	3' 2 1/4"	3' 3 3/4"	3' 2 1/2"	3' 4 1/2"	3' 2 1/4"	3' 5 1/4"
3'	2' 11 1/2"	3' 1/2"	2' 11 1/2"	3' 1 1/4"	2' 11 1/2"	3' 2"
2'9"	2' 8 1/2"	2' 9 1/2"	2' 8 1/2"	2' 10"	2' 8 1/2"	2' 10 1/2"
2'6"	2' 5 1/2"	2' 6 1/2"	2' 5 3/4"	2' 6 3/4"	2' 5 3/4"	2' 7 1/4"
2'3"	2' 2 3/4"	2' 3 1/4"	2' 2 3/4"	2' 3 1/2"	2' 2 3/4"	2' 4"
2'	1' 11 3/4"	2' 1/4"	1' 11 3/4"	2' 1/2"	1' 11 3/4"	2' 3/4"
23"	1' 10 3/4"	1' 11 1/4"	1' 10 3/4"	1' 11 1/2"	1' 10 3/4"	1' 11 3/4"
22"	1' 9 3/4"	1' 10 1/4"	1' 9 3/4"	1' 10 1/2"	1' 9 3/4"	1' 10 1/2"
21"	1' 8 3/4"	1' 9 1/4"	1' 8 3/4"	1' 9 1/4"	1' 8 3/4"	1' 9 1/2"
20"	1' 7 3/4"	1' 8 1/4"	1' 7 3/4"	1' 8 1/4"	1' 7 3/4"	1' 8 1/2"
19"	1' 6 3/4"	1' 7 1/4"	1' 7"	1' 7 1/4"	1' 6 3/4"	1' 7 1/2"
18"	1' 6"	1' 6 1/4"	1' 6"	1' 6 1/4"	1' 6"	1' 6 1/4"

Depth of field tables

# Compact Prime CP.2 50mm/T2.1 T\*

circle of confusion: 0.030 mm

Engraving feet	T-Stop					
	5.6		8		11	
	from	to	from	to	from	to
INF	109' 8 1/4"	INF	63' 9 1/2"	INF	38' 4 1/4"	INF
50'	34' 5"	INF	28' 1 1/2"	INF	21' 9 3/4"	INF
30'	23' 7 1/2"	197' 3"	20' 6"	INF	16' 11 1/4"	INF
20'	16' 11 1/2"	45' 5 3/4"	15' 3 1/2"	77' 5"	13' 3"	INF
15'	13' 2 3/4"	25' 8 1/2"	12' 2 1/2"	33' 5"	10' 10 1/2"	54' 7"
12'	10' 10 1/4"	17' 11"	10' 1 3/4"	21' 3 3/4"	9' 2 1/2"	28' 2 3/4"
10'	9' 2 1/4"	13' 9"	8' 8 1/4"	15' 7 3/4"	8'	19' 1 1/2"
9'	8' 4"	11' 10 3/4"	7' 11 1/4"	13' 3 1/2"	7' 4 1/4"	15' 7 3/4"
8'	7' 5 3/4"	10' 2 1/4"	7' 1 3/4"	11' 2 1/4"	6' 8 1/4"	12' 9 1/2"
7'	6' 7 1/4"	8' 7 1/4"	6' 4"	9' 3 1/2"	5' 11 3/4"	10' 4 1/2"
6'6"	6' 1 3/4"	7' 10 1/4"	5' 11 1/4"	8' 5"	5' 7 1/4"	9' 3 1/4"
6'	5' 8 1/2"	7' 1 1/2"	5' 6 1/4"	7' 7"	5' 2 3/4"	8' 3 1/4"
5'6"	5' 3"	6' 5"	5' 1"	6' 9 1/2"	4' 10 1/4"	7' 4"
5'	4' 9 1/2"	5' 8 3/4"	4' 8"	6' 1/4"	4' 5 1/2"	6' 5 1/4"
4'9"	4' 6 3/4"	5' 5"	4' 5 1/4"	5' 8"	4' 3 1/4"	6' 1/4"
4'6"	4' 4"	5' 1"	4' 2 3/4"	5' 3 3/4"	4' 3/4"	5' 7 1/2"
4'3"	4' 1 1/4"	4' 9"	4'	4' 11 1/2"	3' 10 1/2"	5' 2 3/4"
4'	3' 10 1/2"	4' 5 1/4"	3' 9 1/2"	4' 7 1/4"	3' 8"	4' 10 1/4"
3'9"	3' 7 3/4"	4' 1 1/2"	3' 6 3/4"	4' 3 1/4"	3' 5 1/2"	4' 5 3/4"
3'6"	3' 4 3/4"	3' 10"	3' 4"	3' 11 1/4"	3' 3"	4' 1 1/2"
3'3"	3' 2"	3' 6 1/4"	3' 1 1/4"	3' 7 1/2"	3' 1/4"	3' 9 1/4"
3'	2' 11 1/4"	3' 2 3/4"	2' 10 1/2"	3' 3 3/4"	2' 9 3/4"	3' 5"
2'9"	2' 8 1/4"	2' 11 1/4"	2' 7 3/4"	3'	2' 7"	3' 1 1/4"
2'6"	2' 5 1/2"	2' 7 3/4"	2' 5"	2' 8 1/2"	2' 4 1/2"	2' 9 1/4"
2'3"	2' 2 1/2"	2' 4 1/2"	2' 2 1/4"	2' 5"	2' 1 3/4"	2' 5 1/2"
2'	1' 11 3/4"	2' 1"	1' 11 1/2"	2' 1 1/2"	1' 11"	2' 2"
23"	1' 10 3/4"	2'	1' 10 1/2"	2' 1/4"	1' 10 1/4"	2' 3/4"
22"	1' 9 3/4"	1' 10 3/4"	1' 9 1/2"	1' 11 1/4"	1' 9 1/4"	1' 11 1/2"
21"	1' 8 3/4"	1' 9 3/4"	1' 8 1/2"	1' 10"	1' 8 1/4"	1' 10 1/2"
20"	1' 7 3/4"	1' 8 3/4"	1' 7 1/2"	1' 9"	1' 7 1/2"	1' 9 1/4"
19"	1' 6 3/4"	1' 7 1/2"	1' 6 3/4"	1' 7 3/4"	1' 6 1/2"	1' 8"
18"	1' 5 3/4"	1' 6 1/2"	1' 5 3/4"	1' 6 3/4"	1' 5 1/2"	1' 7"

Depth of field tables

# Compact Prime CP.2 50mm/T2.1 T\*

circle of confusion: 0.030 mm

Engraving feet	T-Stop			
	16		22	
	from	to	from	to
<b>INF</b>	24' 4"	INF	16'	INF
<b>50'</b>	16' 5 1/2"	INF	12' 2 1/2"	INF
<b>30'</b>	13' 6 1/2"	INF	10' 6 1/2"	INF
<b>20'</b>	11' 1"	INF	9'	INF
<b>15'</b>	9' 4 3/4"	INF	7' 10 1/4"	INF
<b>12'</b>	8' 1 3/4"	51' 3 3/4"	6' 11 3/4"	INF
<b>10'</b>	7' 2 1/4"	27' 2 3/4"	6' 3 1/4"	69' 1/4"
<b>9'</b>	6' 8"	20' 9"	5' 10 1/2"	38' 3 3/4"
<b>8'</b>	6' 1 1/4"	15' 11 3/4"	5' 5 1/4"	24' 7 1/4"
<b>7'</b>	5' 6 1/4"	12' 4"	4' 11 3/4"	16' 10 1/4"
<b>6'6</b>	5' 2 1/2"	10' 9 3/4"	4' 8 3/4"	14' 1 1/2"
<b>6'</b>	4' 10 3/4"	9' 5 1/2"	4' 5 1/2"	11' 10 1/2"
<b>5'6</b>	4' 6 3/4"	8' 3"	4' 2 1/4"	10'
<b>5'</b>	4' 2 1/2"	7' 1 3/4"	3' 10 3/4"	8' 4 3/4"
<b>4'9</b>	4' 1/2"	6' 7 1/2"	3' 9"	7' 8 1/4"
<b>4'6</b>	3' 10 1/4"	6' 1 1/2"	3' 7"	7' 1/4"
<b>4'3</b>	3' 8"	5' 8"	3' 5 1/4"	6' 5"
<b>4'</b>	3' 6"	5' 2 1/2"	3' 3 1/4"	5' 10"
<b>3'9</b>	3' 3 3/4"	4' 9 1/2"	3' 1 1/4"	5' 3 1/2"
<b>3'6</b>	3' 1 1/4"	4' 4 1/2"	2' 11 1/4"	4' 9 1/2"
<b>3'3</b>	2' 11"	3' 11 3/4"	2' 9 1/4"	4' 3 3/4"
<b>3'</b>	2' 8 1/2"	3' 7 1/4"	2' 7"	3' 10 1/2"
<b>2'9</b>	2' 6 1/4"	3' 2 3/4"	2' 5"	3' 5 1/4"
<b>2'6</b>	2' 3 3/4"	2' 10 1/2"	2' 2 1/2"	3' 1/2"
<b>2'3</b>	2' 1 1/4"	2' 6 1/2"	2' 1/4"	2' 8"
<b>2</b>	1' 10 1/2"	2' 2 3/4"	1' 10"	2' 3 3/4"
<b>23"</b>	1' 9 3/4"	2' 1 1/2"	1' 9"	2' 2 1/4"
<b>22"</b>	1' 8 3/4"	2' 1/4"	1' 8 1/4"	2' 1"
<b>21"</b>	1' 8"	1' 11"	1' 7 1/2"	1' 11 3/4"
<b>20"</b>	1' 7"	1' 9 3/4"	1' 6 1/2"	1' 10 1/4"
<b>19"</b>	1' 6 1/4"	1' 8 1/2"	1' 5 3/4"	1' 9"
<b>18"</b>	1' 5 1/4"	1' 7 1/4"	1' 5"	1' 7 3/4"

Depth of field tables

# Compact Prime CP.2 85mm/T2.1 T\*

circle of confusion: 0.030 mm

Engraving feet	T-Stop					
	2.1		2.8		4	
	from	to	from	to	from	to
INF	399' 2 1/2"	INF	340' 11"	INF	264' 11 1/2"	INF
200'	133' 4 1/2"	INF	126' 2 1/4"	INF	114' 1 1/4"	INF
100'	80' 3/4"	133' 3"	77' 5"	162' 7 3/4"	72' 8 1/2"	242' 6 1/2"
60'	52' 2 3/4"	70' 6 1/4"	51' 1"	77' 11 1/4"	49'	92' 5 1/4"
40'	36' 5"	44' 4 3/4"	35' 10 1/4"	47' 2 1/2"	34' 9 3/4"	52' 1 1/2"
30'	27' 11 1/4"	32' 4 3/4"	27' 7 1/2"	33' 10 1/4"	27'	36' 3 1/2"
25'	23' 6 3/4"	26' 7 1/2"	23' 4"	27' 7 1/4"	22' 10 3/4"	29' 2 1/2"
20'	19' 1"	21' 1/4"	18' 11"	21' 7 1/2"	18' 7 1/2"	22' 7"
17'	16' 4"	17' 8 3/4"	16' 2 1/2"	18' 1 3/4"	16'	18' 9 3/4"
15'	14' 5 3/4"	15' 6 3/4"	14' 4 3/4"	15' 10 1/2"	14' 2 3/4"	16' 4 3/4"
14'	13' 6 1/2"	14' 5 3/4"	13' 5 3/4"	14' 9 1/4"	13' 3 3/4"	15' 2 1/4"
13'	12' 7 1/4"	13' 5"	12' 6 1/2"	13' 7 3/4"	12' 5"	14' 1/4"
12'	11' 8"	12' 4 1/4"	11' 7 1/4"	12' 6 1/2"	11' 6"	12' 10 1/4"
11'	10' 8 3/4"	11' 3 1/2"	10' 8"	11' 5 1/2"	10' 7"	11' 8 1/2"
10'	9' 9 1/4"	10' 3"	9' 8 3/4"	10' 4 1/2"	9' 7 3/4"	10' 7"
9'6	9' 3 1/2"	9' 8 1/2"	9' 3"	9' 10"	9' 2 1/4"	10' 1/4"
9'	8' 9 3/4"	9' 2 1/4"	8' 9 1/2"	9' 3 1/2"	8' 8 3/4"	9' 5 1/2"
8'6	8' 4"	8' 8"	8' 3 3/4"	8' 9 1/4"	8' 3"	8' 11"
8'	7' 10 1/4"	8' 1 3/4"	7' 10"	8' 2 3/4"	7' 9 1/4"	8' 4 1/4"
7'9	7' 7 1/4"	7' 10 3/4"	7' 7"	7' 11 1/2"	7' 6 1/2"	8' 1"
7'6	7' 4 1/2"	7' 7 1/2"	7' 4 1/4"	7' 8 1/2"	7' 3 3/4"	7' 9 3/4"
7'3	7' 1 1/2"	7' 4 1/2"	7' 1 1/4"	7' 5 1/4"	7' 3/4"	7' 6 1/2"
7'	6' 10 3/4"	7' 1 1/4"	6' 10 1/2"	7' 2"	6' 10"	7' 3 1/4"
6'9	6' 7 3/4"	6' 10 1/4"	6' 7 1/2"	6' 11"	6' 7 1/4"	7'
6'6	6' 4 3/4"	6' 7 1/4"	6' 4 3/4"	6' 7 3/4"	6' 4 1/4"	6' 8 3/4"
6'3	6' 2"	6' 4"	6' 1 3/4"	6' 4 3/4"	6' 1 1/2"	6' 5 1/2"
6'	5' 11"	6' 1"	5' 10 3/4"	6' 1 1/2"	5' 10 1/2"	6' 2 1/4"
5'9	5' 8 1/4"	5' 10"	5' 8"	5' 10 1/2"	5' 7 3/4"	5' 11 1/4"
5'6	5' 5 1/4"	5' 6 3/4"	5' 5"	5' 7 1/4"	5' 4 3/4"	5' 8"
5'3	5' 2 1/4"	5' 3 3/4"	5' 2 1/4"	5' 4 1/4"	5' 2"	5' 4 3/4"
5'	4' 11 1/4"	5' 3/4"	4' 11 1/4"	5' 1"	4' 11"	5' 1 1/2"
4'9	4' 8 1/2"	4' 9 1/2"	4' 8 1/4"	4' 10"	4' 8"	4' 10 1/2"
4'6	4' 5 1/2"	4' 6 1/2"	4' 5 1/2"	4' 6 3/4"	4' 5 1/4"	4' 7 1/4"
4'3	4' 2 1/2"	4' 3 1/2"	4' 2 1/2"	4' 3 3/4"	4' 2 1/4"	4' 4"
4'	3' 11 1/2"	4' 1/2"	3' 11 1/2"	4' 3/4"	3' 11 1/2"	4' 1"
3'9	3' 8 3/4"	3' 9 1/4"	3' 8 1/2"	3' 9 1/2"	3' 8 1/2"	3' 9 3/4"
3'6	3' 5 3/4"	3' 6 1/4"	3' 5 3/4"	3' 6 1/2"	3' 5 1/2"	3' 6 3/4"
3'3	3' 2 3/4"	3' 3 1/4"	3' 2 3/4"	3' 3 1/2"	3' 2 1/2"	3' 3 1/2"

Depth of field tables

# Compact Prime CP.2 85mm/T2.1 T\*

circle of confusion: 0.030 mm

Engraving feet	T-Stop					
	5.6		8		11	
	from	to	from	to	from	to
INF	186' 3 3/4"	INF	125' 8 3/4"	INF	84' 3 1/4"	INF
200'	96' 7"	INF	77' 4"	INF	59' 4 3/4"	INF
100'	65' 2 1/4"	INF	55' 10"	INF	45' 10 1/2"	INF
60'	45' 5 3/4"	119' 4"	40' 8 3/4"	189' 8 3/4"	35' 2 1/4"	INF
40'	33'	59' 8"	30' 5 1/4"	73' 2"	27' 3"	104' 7 1/2"
30'	25' 10 3/4"	39' 9 1/4"	24' 3 3/4"	45' 3 3/4"	22' 2 3/4"	55' 7 1/2"
25'	22' 1 1/4"	31' 4 3/4"	20' 11 1/4"	34' 8 3/4"	19' 4 1/2"	40' 5 1/2"
20'	18' 1 1/4"	23' 10 1/4"	17' 3 3/4"	25' 8 3/4"	16' 3"	28' 8 3/4"
17'	15' 7 1/2"	19' 8 1/4"	15' 1/2"	20' 11 1/4"	14' 2 3/4"	22' 10 1/4"
15'	13' 11"	17' 1/2"	13' 5 1/2"	17' 11 1/2"	12' 9 3/4"	19' 4 1/4"
14'	13' 3/4"	15' 9"	12' 7 3/4"	16' 6 1/2"	12' 1"	17' 8 1/2"
13'	12' 2 1/4"	14' 6"	11' 10"	15' 1 3/4"	11' 4"	16' 1 1/2"
12'	11' 3 3/4"	13' 3"	11'	13' 9 1/2"	10' 6 3/4"	14' 7 1/4"
11'	10' 5"	12' 1/2"	10' 1 3/4"	12' 5 3/4"	9' 9 1/2"	13' 1 1/2"
10'	9' 6 1/4"	10' 10 1/4"	9' 3 1/2"	11' 2 1/2"	9'	11' 8 1/2"
9'6	9' 3/4"	10' 3"	8' 10 1/2"	10' 7"	8' 7"	11' 1/4"
9'	8' 7 1/4"	9' 8"	8' 5 1/4"	9' 11 1/2"	8' 2 1/4"	10' 4 1/4"
8'6	8' 1 3/4"	9' 1 1/4"	8'	9' 4"	7' 9 1/4"	9' 8 1/4"
8'	7' 8 1/4"	8' 6 1/4"	7' 6 3/4"	8' 8 3/4"	7' 4 1/4"	9' 1/2"
7'9	7' 5 1/2"	8' 2 3/4"	7' 4"	8' 5 1/4"	7' 1 3/4"	8' 8 3/4"
7'6	7' 2 3/4"	7' 11 1/2"	7' 1 1/4"	8' 1 3/4"	6' 11 1/4"	8' 4 3/4"
7'3	7'	7' 8"	6' 10 1/2"	7' 10"	6' 8 1/2"	8' 1"
7'	6' 9 1/4"	7' 4 3/4"	6' 8"	7' 6 1/2"	6' 6"	7' 9 1/4"
6'9	6' 6 1/2"	7' 1 1/4"	6' 5 1/4"	7' 3"	6' 3 1/2"	7' 5 1/2"
6'6	6' 3 1/2"	6' 10"	6' 2 1/2"	6' 11 1/2"	6' 1"	7' 1 3/4"
6'3	6' 3/4"	6' 6 3/4"	5' 11 3/4"	6' 8 1/4"	5' 10 1/4"	6' 10 1/4"
6'	5' 10"	6' 3 1/4"	5' 9"	6' 4 3/4"	5' 7 3/4"	6' 6 1/2"
5'9	5' 7"	6'	5' 6 1/4"	6' 1 1/4"	5' 5"	6' 3"
5'6	5' 4 1/4"	5' 8 3/4"	5' 3 1/2"	5' 10"	5' 2 1/4"	5' 11 1/2"
5'3	5' 1 1/2"	5' 5 1/2"	5' 3/4"	5' 6 1/2"	4' 11 3/4"	5' 7 3/4"
5'	4' 10 1/2"	5' 2 1/4"	4' 10"	5' 3 1/4"	4' 9"	5' 4 1/4"
4'9	4' 7 3/4"	4' 11"	4' 7 1/4"	4' 11 3/4"	4' 6 1/4"	5' 1"
4'6	4' 5"	4' 7 3/4"	4' 4 1/4"	4' 8 1/2"	4' 3 1/2"	4' 9 1/2"
4'3	4' 2"	4' 4 1/2"	4' 1 1/2"	4' 5 1/4"	4' 1"	4' 6"
4'	3' 11 1/4"	4' 1 1/4"	3' 10 3/4"	4' 2"	3' 10 1/4"	4' 2 3/4"
3'9	3' 8 1/4"	3' 10 1/4"	3' 8"	3' 10 3/4"	3' 7 1/2"	3' 11 1/4"
3'6	3' 5 1/4"	3' 7"	3' 5"	3' 7 1/2"	3' 4 1/2"	3' 8"
3'3	3' 2 1/2"	3' 3 3/4"	3' 2 1/4"	3' 4 1/4"	3' 1 3/4"	3' 4 3/4"

Depth of field tables

# Compact Prime CP.2 85mm/T2.1 T\*

circle of confusion: 0.030 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
INF	57' 3 3/4"	INF	39' 4 3/4"	INF
200'	44' 7 3/4"	INF	32' 11 3/4"	INF
100'	36' 6 3/4"	INF	28' 4 1/2"	INF
60'	29' 5 1/2"	INF	23' 11"	INF
40'	23' 8 1/2"	263' 7 1/2"	20'	INF
30'	19' 10"	81' 8"	17' 2 1/4"	239' 1/2"
25'	17' 6 1/4"	52' 7 1/2"	15' 5 1/4"	91' 1"
20'	14' 11 1/4"	34' 3 3/4"	13' 4 3/4"	47' 2 3/4"
17'	13' 2 1/2"	26' 3"	12'	33' 1 3/4"
15'	11' 11 3/4"	21' 8 1/2"	10' 11 3/4"	26' 2 1/2"
14'	11' 4 1/4"	19' 7 3/4"	10' 5 1/4"	23' 3"
13'	10' 8 1/4"	17' 8 1/2"	9' 10 3/4"	20' 6 3/4"
12'	10'	15' 10 1/2"	9' 3 3/4"	18' 1 1/2"
11'	9' 3 3/4"	14' 1 3/4"	8' 8 1/2"	15' 10 3/4"
10'	8' 7"	12' 6 1/4"	8' 1"	13' 10 1/4"
9'6	8' 2 3/4"	11' 8 3/4"	7' 9"	12' 10 3/4"
9'	7' 10 1/4"	10' 11 3/4"	7' 5"	11' 11 3/4"
8'6	7' 5 3/4"	10' 2 3/4"	7' 1"	11' 1"
8'	7' 1"	9' 6"	6' 8 3/4"	10' 3"
7'9	6' 10 3/4"	9' 1 3/4"	6' 6 3/4"	9' 10"
7'6	6' 8 1/4"	8' 9 1/2"	6' 4 1/2"	9' 5"
7'3	6' 6"	8' 5 1/2"	6' 2 1/2"	9' 1/4"
7'	6' 3 1/2"	8' 1 1/4"	6' 1/4"	8' 7 1/2"
6'9	6' 1 1/4"	7' 9 1/4"	5' 10"	8' 3"
6'6	5' 10 3/4"	7' 5 1/4"	5' 7 3/4"	7' 10 1/2"
6'3	5' 8 1/4"	7' 1 1/4"	5' 5 1/2"	7' 6"
6'	5' 5 3/4"	6' 9 1/4"	5' 3 1/4"	7' 1 3/4"
5'9	5' 3 1/4"	6' 5 1/2"	5' 1"	6' 9 1/4"
5'6	5' 3/4"	6' 1 3/4"	4' 10 3/4"	6' 5 1/4"
5'3	4' 10 1/4"	5' 10"	4' 8 1/4"	6' 1"
5'	4' 7 3/4"	5' 6 1/4"	4' 6"	5' 9"
4'9	4' 5 1/4"	5' 2 1/2"	4' 3 1/2"	5' 5"
4'6	4' 2 1/2"	4' 10 3/4"	4' 1 1/4"	5' 1"
4'3	4'	4' 7 1/4"	3' 10 3/4"	4' 9"
4'	3' 9 1/4"	4' 3 3/4"	3' 8 1/4"	4' 5 1/4"
3'9	3' 6 3/4"	4' 1/4"	3' 5 3/4"	4' 1 1/2"
3'6	3' 4"	3' 8 3/4"	3' 3 1/4"	3' 9 3/4"
3'3	3' 1 1/4"	3' 5 1/4"	3' 1/2"	3' 6 1/4"

Depth of field tables

**Compact Prime CP.2 100mm/T2.1 CF T\***

circle of confusion: 0.030 mm

Engraving feet	T-Stop					
	2.1		2.8		4	
	from	to	from	to	from	to
INF	524' 5 3/4"	INF	468' 6 1/2"	INF	326' 4 1/4"	INF
300'	191' 1/2"	INF	183' 1"	INF	156' 6"	INF
250'	169' 5 3/4"	INF	163' 2 1/4"	INF	141' 9"	INF
200'	144' 11 1/2"	322' 10 3/4"	140' 4"	INF	124' 2 1/4"	INF
190'	139' 7 1/2"	297' 7"	135' 4"	INF	120' 3 1/4"	INF
180'	134' 2"	273' 8 3/4"	130' 2 1/4"	385' 3 1/2"	116' 2 1/4"	INF
170'	128' 6 1/2"	251' 2 1/2"	124' 10 3/4"	342' 1 1/4"	111' 11 1/2"	INF
160'	122' 9"	229' 11 1/2"	119' 5"	303' 9 1/2"	107' 6 1/2"	INF
150'	116' 9 1/4"	209' 9 3/4"	113' 9 1/4"	269' 7"	102' 11 1/4"	INF
140'	110' 7 3/4"	190' 8 3/4"	107' 11 1/4"	238' 10"	98' 1 1/2"	340' 6"
130'	104' 3 3/4"	172' 7 1/2"	101' 10 3/4"	211' 3/4"	93' 1 1/2"	286' 7 3/4"
120'	97' 9 1/4"	155' 4 3/4"	95' 8"	185' 10 1/4"	87' 10 3/4"	242' 1/4"
110'	91' 1/2"	139'	89' 2 1/2"	162' 10 1/4"	82' 5"	204' 4 3/4"
100'	84' 1"	123' 4 3/4"	82' 6 1/4"	141' 9 3/4"	76' 8 1/4"	172' 3"
90'	76' 11"	108' 6"	75' 7 1/4"	122' 5 1/2"	70' 8 1/4"	144' 6"
80'	69' 6"	94' 3 1/4"	68' 5 1/4"	104' 7 1/2"	64' 4 1/2"	120' 3 1/4"
70'	61' 10"	80' 8"	60' 11 3/4"	88' 1 1/4"	57' 9"	98' 11 1/4"
60'	53' 11"	67' 7 3/4"	53' 3 1/4"	72' 9 1/2"	50' 9 1/2"	80' 1/4"
50'	45' 8 1/2"	55' 2 1/4"	45' 3"	58' 6 1/2"	43' 5 1/4"	63' 1 1/2"
45'	41' 6"	49' 1 3/4"	41' 1 1/2"	51' 9 1/2"	39' 7 1/2"	55' 4"
40'	37' 2 1/2"	43' 3"	36' 11"	45' 3 1/4"	35' 8 1/2"	47' 11 1/4"
35'	32' 10 1/4"	37' 5 1/2"	32' 7 1/2"	38' 11 1/2"	31' 8 1/4"	40' 10 3/4"
30'	28' 5"	31' 9 1/4"	28' 2 3/4"	32' 10"	27' 6 1/2"	34' 2 1/2"
29'	27' 6 1/4"	30' 7 3/4"	27' 4 1/4"	31' 7 3/4"	26' 8 1/4"	32' 11"
28'	26' 7 1/2"	29' 6 1/2"	26' 5 1/2"	30' 5 1/2"	25' 10 1/4"	31' 7 1/2"
27'	25' 8 1/2"	28' 5"	25' 6 3/4"	29' 3 1/4"	25'	30' 4 1/4"
26'	24' 9 3/4"	27' 3 3/4"	24' 8"	28' 1 1/4"	24' 1 1/2"	29' 1"
25'	23' 10 3/4"	26' 2 1/2"	23' 9 1/4"	26' 11 1/4"	23' 3 1/4"	27' 10"
24'	22' 11 3/4"	25' 1 1/4"	22' 10 1/2"	25' 9 1/4"	22' 4 3/4"	26' 7 1/4"
23'	22' 3/4"	24' 1/4"	21' 11 1/2"	24' 7 1/2"	21' 6 1/2"	25' 4 1/2"
22'	21' 1 3/4"	22' 11 1/4"	21' 1/2"	23' 5 3/4"	20' 8"	24' 1 3/4"
21'	20' 2 3/4"	21' 10 1/4"	20' 1 1/2"	22' 4"	19' 9 1/4"	22' 11 1/2"
20'	19' 3 1/2"	20' 9 1/4"	19' 2 1/2"	21' 2 1/2"	18' 10 3/4"	21' 9"
19'	18' 4 1/4"	19' 8 1/4"	18' 3 1/2"	20' 1"	18'	20' 7"
18'	17' 5 1/4"	18' 7 1/4"	17' 4 1/4"	18' 11 1/2"	17' 1 1/4"	19' 4 3/4"
17'	16' 6"	17' 6 1/2"	16' 5 1/4"	17' 10 1/4"	16' 2 1/4"	18' 3"
16'	15' 6 1/2"	16' 5 3/4"	15' 6"	16' 9"	15' 3 1/2"	17' 1"
15'	14' 7 1/4"	15' 5"	14' 6 3/4"	15' 7 3/4"	14' 4 1/2"	15' 11 1/2"
14' 6"	14' 1 1/2"	14' 10 3/4"	14' 1"	15' 1 1/4"	13' 11"	15' 4 1/2"
14'	13' 7 3/4"	14' 4 1/4"	13' 7 1/2"	14' 6 3/4"	13' 5 1/2"	14' 9 3/4"



Depth of field tables

# Compact Prime CP.2 100mm/T2.1 CF T\*

circle of confusion: 0.030 mm

Engraving feet	T-Stop					
	2.1		2.8		4	
	from	to	from	to	from	to
13' 6"	13' 2 1/4"	13' 10"	13' 1 3/4"	14' 1/4"	13'	14' 3"
13'	12' 8 1/2"	13' 3 3/4"	12' 8"	13' 5 3/4"	12' 6 1/4"	13' 8 1/2"
12' 6"	12' 2 3/4"	12' 9 1/2"	12' 2 1/4"	12' 11 1/4"	12' 3/4"	13' 1 3/4"
12'	11' 9"	12' 3 1/4"	11' 8 3/4"	12' 5"	11' 7 1/4"	12' 7"
11' 6"	11' 3 1/4"	11' 9"	11' 3"	11' 10 1/2"	11' 1 1/2"	12' 1/2"
11'	10' 9 1/2"	11' 2 3/4"	10' 9 1/4"	11' 4"	10' 8"	11' 6"
10' 6"	10' 3 3/4"	10' 8 1/2"	10' 3 1/2"	10' 9 3/4"	10' 2 1/4"	10' 11 1/4"
10'	9' 10"	10' 2 1/4"	9' 9 3/4"	10' 3 1/4"	9' 8 3/4"	10' 4 3/4"
9' 9"	9' 7"	9' 11"	9' 6 3/4"	10' 1/4"	9' 5 3/4"	10' 1 1/2"
9' 6"	9' 4 1/4"	9' 8"	9' 4"	9' 9"	9' 3"	9' 10 1/4"
9' 3"	9' 1 1/4"	9' 4 3/4"	9' 1"	9' 5 3/4"	9' 1/4"	9' 7"
9'	8' 10 1/4"	9' 1 3/4"	8' 10 1/4"	9' 2 3/4"	8' 9 1/4"	9' 3 3/4"
8' 9"	8' 7 1/2"	8' 10 3/4"	8' 7 1/4"	8' 11 1/2"	8' 6 1/2"	9' 1/2"
8' 6"	8' 4 1/2"	8' 7 1/2"	8' 4 1/4"	8' 8 1/4"	8' 3 3/4"	8' 9 1/2"
8' 3"	8' 1 1/2"	8' 4 1/2"	8' 1 1/2"	8' 5 1/4"	8' 3/4"	8' 6 1/4"
8'	7' 10 3/4"	8' 1 1/4"	7' 10 1/2"	8' 2"	7' 10"	8' 3"
7' 9"	7' 7 3/4"	7' 10 1/4"	7' 7 3/4"	7' 11"	7' 7"	7' 11 3/4"
7' 6"	7' 4 3/4"	7' 7 1/4"	7' 4 3/4"	7' 7 3/4"	7' 4 1/4"	7' 8 1/2"
7' 3"	7' 2"	7' 4"	7' 1 3/4"	7' 4 3/4"	7' 1 1/4"	7' 5 1/2"
7'	6' 11"	7' 1"	6' 11"	7' 1 1/2"	6' 10 1/2"	7' 2 1/4"
6' 9"	6' 8"	6' 10"	6' 8"	6' 10 1/2"	6' 7 1/2"	6' 11"
6' 6"	6' 5 1/4"	6' 6 3/4"	6' 5"	6' 7 1/4"	6' 4 3/4"	6' 8"
6' 3"	6' 2 1/4"	6' 3 3/4"	6' 2 1/4"	6' 4 1/4"	6' 1 3/4"	6' 4 3/4"
6'	5' 11 1/4"	6' 3/4"	5' 11 1/4"	6' 1"	5' 10 3/4"	6' 1 1/2"
5' 9"	5' 8 1/4"	5' 9 3/4"	5' 8 1/4"	5' 10"	5' 8"	5' 10 1/2"
5' 6"	5' 5 1/2"	5' 6 1/2"	5' 5 1/4"	5' 7"	5' 5"	5' 7 1/4"
5' 3"	5' 2 1/2"	5' 3 1/2"	5' 2 1/2"	5' 3 3/4"	5' 2 1/4"	5' 4 1/4"
5'	4' 11 1/2"	5' 1/2"	4' 11 1/2"	5' 3/4"	4' 11 1/4"	5' 1"
4' 9"	4' 8 1/2"	4' 9 1/2"	4' 8 1/2"	4' 9 3/4"	4' 8 1/4"	4' 10"
4' 6"	4' 5 1/2"	4' 6 1/2"	4' 5 1/2"	4' 6 1/2"	4' 5 1/2"	4' 6 3/4"
4' 3"	4' 2 3/4"	4' 3 1/4"	4' 2 3/4"	4' 3 1/2"	4' 2 1/2"	4' 3 3/4"
4'	3' 11 3/4"	4' 1/4"	3' 11 3/4"	4' 1/2"	3' 11 1/2"	4' 3/4"
3' 9"	3' 8 3/4"	3' 9 1/4"	3' 8 3/4"	3' 9 1/2"	3' 8 1/2"	3' 9 1/2"
3' 6"	3' 5 3/4"	3' 6 1/4"	3' 5 3/4"	3' 6 1/4"	3' 5 3/4"	3' 6 1/2"
3' 3"	3' 2 3/4"	3' 3 1/4"	3' 2 3/4"	3' 3 1/4"	3' 2 3/4"	3' 3 1/2"
3'	2' 11 3/4"	3' 1/4"	2' 11 3/4"	3' 1/4"	2' 11 3/4"	3' 1/4"
2' 9"	2' 9"	2' 9"	2' 8 3/4"	2' 9 1/4"	2' 8 3/4"	2' 9 1/4"
2' 6"	2' 6"	2' 6"	2' 6"	2' 6 1/4"	2' 5 3/4"	2' 6 1/4"

Depth of field tables

# Compact Prime CP.2 100mm/T2.1 CF T\*

circle of confusion: 0.030 mm

Engraving feet	T-Stop					
	5.6		8		11	
	from	to	from	to	from	to
INF	225' 7 1/2"	INF	155' 8 3/4"	INF	107' 3 1/2"	INF
300'	128' 11 1/2"	INF	102' 8 1/4"	INF	79' 2 1/4"	INF
250'	118' 9 1/2"	INF	96' 1 3/4"	INF	75' 3"	INF
200'	106' 2 1/2"	INF	87' 9"	INF	70' 1/4"	INF
190'	103' 4"	INF	85' 9 1/4"	INF	68' 9"	INF
180'	100' 3 3/4"	INF	83' 8 1/4"	INF	67' 5"	INF
170'	97' 1 3/4"	INF	81' 5 3/4"	INF	65' 11 3/4"	INF
160'	93' 9 3/4"	INF	79' 1 1/2"	INF	64' 5"	INF
150'	90' 3 1/2"	INF	76' 7 1/4"	INF	62' 9"	INF
140'	86' 7"	INF	73' 11"	INF	60' 11 1/4"	INF
130'	82' 8"	INF	71' 1/2"	INF	58' 11 3/4"	INF
120'	78' 6 1/4"	INF	67' 11 3/4"	INF	56' 10 1/4"	INF
110'	74' 1 1/2"	312' 3 1/4"	64' 8"	INF	54' 6 1/4"	INF
100'	69' 5 1/2"	242' 11 1/4"	61' 1"	INF	51' 11 1/2"	INF
90'	64' 6"	191' 3/4"	57' 2 3/4"	342' 11 3/4"	49' 1 3/4"	INF
80'	59' 2 1/2"	150' 10"	53' 1/4"	231' 9"	46' 1/4"	INF
70'	53' 6 3/4"	118' 8 1/4"	48' 5 1/2"	163' 6 3/4"	42' 6 3/4"	340' 5"
60'	47' 6 1/4"	92' 5"	43' 5 3/4"	117' 5 1/2"	38' 8"	187' 1 3/4"
50'	41' 1/2"	70' 6 3/4"	38'	84' 2 3/4"	34' 3 1/2"	114' 9 1/2"
45'	37' 7 1/2"	60' 11 1/2"	35' 1/2"	70' 10 1/2"	31' 10 1/2"	91' 3 1/4"
40'	34' 1"	52' 1"	31' 11 1/2"	59' 1 3/4"	29' 3 1/2"	72' 8"
35'	30' 4 3/4"	43' 10 1/2"	28' 8 1/2"	48' 9 1/4"	26' 6 1/2"	57' 6 3/4"
30'	26' 6 3/4"	36' 3 1/4"	25' 3 1/4"	39' 6 1/4"	23' 7"	45' 1"
29'	25' 9 1/4"	34' 9 3/4"	24' 6 3/4"	37' 9 1/2"	22' 11 1/2"	42' 10"
28'	24' 11 3/4"	33' 4 1/2"	23' 10"	36' 1 1/4"	22' 4"	40' 8"
27'	24' 2 1/4"	31' 11 1/2"	23' 1 1/4"	34' 5 1/4"	21' 8 1/2"	38' 6 3/4"
26'	23' 4 3/4"	30' 6 1/2"	22' 4 1/2"	32' 9 3/4"	21' 3/4"	36' 6 1/2"
25'	22' 7"	29' 2"	21' 7 3/4"	31' 2 3/4"	20' 4 3/4"	34' 7"
24'	21' 9 1/4"	27' 9 3/4"	20' 10 3/4"	29' 8"	19' 8 3/4"	32' 8"
23'	20' 11 1/4"	26' 5 3/4"	20' 1 1/2"	28' 1 3/4"	19' 3/4"	30' 10"
22'	20' 1 1/4"	25' 1 3/4"	19' 4 1/4"	26' 7 3/4"	18' 4 1/2"	29' 1/2"
21'	19' 3 1/4"	23' 10"	18' 7"	25' 2 1/4"	17' 8"	27' 3 3/4"
20'	18' 5 1/4"	22' 6 3/4"	17' 9 3/4"	23' 9"	16' 11 1/2"	25' 7 1/2"
19'	17' 7"	21' 3 1/2"	17' 1/4"	22' 4 1/4"	16' 3"	24'
18'	16' 8 3/4"	20' 1/2"	16' 2 1/2"	20' 11 1/2"	15' 6 1/4"	22' 4 3/4"
17'	15' 10 1/4"	18' 9 1/2"	15' 4 3/4"	19' 7 1/4"	14' 9 1/4"	20' 10 1/4"
16'	15'	17' 7"	14' 7"	18' 3 1/2"	14' 1/4"	19' 4 1/4"
15'	14' 1 1/4"	16' 4 1/2"	13' 9"	16' 11 3/4"	13' 3"	17' 10 3/4"
14' 6"	13' 8"	15' 9 1/4"	13' 4"	16' 4"	12' 10 1/4"	17' 2 1/4"
14'	13' 2 3/4"	15' 2 1/4"	12' 11"	15' 8 1/2"	12' 5 1/2"	16' 5 3/4"

Depth of field tables

# Compact Prime CP.2 100mm/T2.1 CF T\*

circle of confusion: 0.030 mm

Engraving	T-Stop					
	5.6		8		11	
feet	from	to	from	to	from	to
13' 6"	12' 9 1/4"	14' 7"	12' 5 3/4"	15' 3/4"	12' 1"	15' 9 1/2"
13'	12' 4"	14'	12' 3/4"	14' 5 1/4"	11' 8"	15' 1 1/4"
12' 6"	11' 10 1/2"	13' 5"	11' 7 1/2"	13' 10"	11' 3 1/4"	14' 5"
12'	11' 5 1/4"	12' 10 1/4"	11' 2 1/4"	13' 2 1/2"	10' 10 1/2"	13' 9"
11' 6"	10' 11 3/4"	12' 3 1/4"	10' 9 1/4"	12' 7 1/4"	10' 5 1/2"	13' 1 1/4"
11'	10' 6 1/4"	11' 8 1/2"	10' 4"	12'	10' 1/2"	12' 5 1/4"
10' 6"	10' 3/4"	11' 1 1/2"	9' 10 1/2"	11' 4 3/4"	9' 7 1/2"	11' 9 3/4"
10'	9' 7 1/4"	10' 6 3/4"	9' 5 1/4"	10' 9 3/4"	9' 2 1/2"	11' 2"
9' 9"	9' 4 1/2"	10' 3 1/2"	9' 2 3/4"	10' 6 1/4"	9'	10' 10 1/4"
9' 6"	9' 1 3/4"	10'	9'	10' 2 3/4"	8' 9 1/2"	10' 6 1/2"
9' 3"	8' 11"	9' 8 3/4"	8' 9 1/4"	9' 11 1/4"	8' 7"	10' 2 3/4"
9'	8' 8 1/4"	9' 5 1/2"	8' 6 1/2"	9' 7 3/4"	8' 4 1/4"	9' 11"
8' 9"	8' 5 1/2"	9' 2"	8' 4"	9' 4 1/4"	8' 1 3/4"	9' 7 1/2"
8' 6"	8' 2 3/4"	8' 10 3/4"	8' 1 1/4"	9' 3/4"	7' 11 1/4"	9' 3 3/4"
8' 3"	7' 11 3/4"	8' 7 1/2"	7' 10 1/2"	8' 9 1/2"	7' 8 1/2"	9' 1/4"
8'	7' 9"	8' 4 1/4"	7' 7 3/4"	8' 6"	7' 6"	8' 8 1/2"
7' 9"	7' 6 1/4"	8' 1"	7' 5"	8' 2 1/2"	7' 3 1/4"	8' 5"
7' 6"	7' 3 1/2"	7' 9 3/4"	7' 2 1/4"	7' 11 1/4"	7' 3/4"	8' 1 1/2"
7' 3"	7' 1/2"	7' 6 1/2"	6' 11 1/2"	7' 7 3/4"	6' 10"	7' 9 3/4"
7'	6' 9 3/4"	7' 3 1/4"	6' 8 3/4"	7' 4 1/2"	6' 7 1/2"	7' 6 1/4"
6' 9"	6' 7"	7'	6' 6"	7' 1"	6' 4 3/4"	7' 2 3/4"
6' 6"	6' 4"	6' 8 3/4"	6' 3 1/4"	6' 9 3/4"	6' 2"	6' 11 1/4"
6' 3"	6' 1 1/4"	6' 5 1/2"	6' 1/2"	6' 6 1/2"	5' 11 1/2"	6' 8"
6'	5' 10 1/2"	6' 2 1/4"	5' 9 3/4"	6' 3 1/4"	5' 8 3/4"	6' 4 1/2"
5' 9"	5' 7 1/2"	5' 11"	5' 7"	6'	5' 6"	6' 1"
5' 6"	5' 4 3/4"	5' 7 3/4"	5' 4"	5' 8 1/2"	5' 3 1/4"	5' 9 3/4"
5' 3"	5' 1 3/4"	5' 4 3/4"	5' 1 1/4"	5' 5 1/4"	5' 1/2"	5' 6 1/4"
5'	4' 11"	5' 1 1/2"	4' 10 1/2"	5' 2"	4' 9 3/4"	5' 3"
4' 9"	4' 8"	4' 10 1/4"	4' 7 1/2"	4' 10 3/4"	4' 7"	4' 11 3/4"
4' 6"	4' 5 1/4"	4' 7 1/4"	4' 4 3/4"	4' 7 3/4"	4' 4 1/4"	4' 8 1/4"
4' 3"	4' 2 1/4"	4' 4"	4' 2"	4' 4 1/2"	4' 1 1/2"	4' 5"
4'	3' 11 1/4"	4' 1"	3' 11"	4' 1 1/4"	3' 10 1/2"	4' 1 3/4"
3' 9"	3' 8 1/2"	3' 9 3/4"	3' 8 1/4"	3' 10"	3' 7 3/4"	3' 10 1/2"
3' 6"	3' 5 1/2"	3' 6 3/4"	3' 5 1/4"	3' 7"	3' 5"	3' 7 1/4"
3' 3"	3' 2 1/2"	3' 3 1/2"	3' 2 1/2"	3' 3 3/4"	3' 2 1/4"	3' 4"
3'	2' 11 3/4"	3' 1/2"	2' 11 1/2"	3' 3/4"	2' 11 1/4"	3' 1"
2' 9"	2' 8 3/4"	2' 9 1/4"	2' 8 1/2"	2' 9 1/2"	2' 8 1/2"	2' 9 3/4"
2' 6"	2' 5 3/4"	2' 6 1/4"	2' 5 3/4"	2' 6 1/2"	2' 5 1/2"	2' 6 1/2"

Depth of field tables

# Compact Prime CP.2 100mm/T2.1 CF T\*

circle of confusion: 0.030 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
<b>INF</b>	73' 11 3/4"	INF	51' 4 1/4"	INF
<b>300'</b>	59' 5 3/4"	INF	43' 11 1/2"	INF
<b>250'</b>	57' 2 3/4"	INF	42' 8 3/4"	INF
<b>200'</b>	54' 2"	INF	41'	INF
<b>190'</b>	53' 5"	INF	40' 7"	INF
<b>180'</b>	52' 7 1/4"	INF	40' 1 1/4"	INF
<b>170'</b>	51' 8 3/4"	INF	39' 7 1/4"	INF
<b>160'</b>	50' 9 1/4"	INF	39' 1/2"	INF
<b>150'</b>	49' 8 3/4"	INF	38' 5"	INF
<b>140'</b>	48' 7 1/4"	INF	37' 9"	INF
<b>130'</b>	47' 4 1/4"	INF	36' 11 3/4"	INF
<b>120'</b>	45' 11 1/2"	INF	36' 1 3/4"	INF
<b>110'</b>	44' 5 1/4"	INF	35' 2 1/4"	INF
<b>100'</b>	42' 8 3/4"	INF	34' 1 1/2"	INF
<b>90'</b>	40' 9 3/4"	INF	32' 10 3/4"	INF
<b>80'</b>	38' 7 3/4"	INF	31' 5 3/4"	INF
<b>70'</b>	36' 2 1/4"	INF	29' 10"	INF
<b>60'</b>	33' 4"	INF	27' 10 1/2"	INF
<b>50'</b>	30' 1/2"	230' 3 3/4"	25' 6 1/2"	INF
<b>45'</b>	28' 2 1/4"	151' 7 1/4"	24' 2 1/4"	INF
<b>40'</b>	26' 1 3/4"	106' 2 3/4"	22' 8 1/4"	304' 5"
<b>35'</b>	23' 11 1/4"	76' 8 1/2"	21' 1/4"	144' 4 1/2"
<b>30'</b>	21' 6 1/4"	55' 11 3/4"	19' 1 3/4"	84' 10 1/2"
<b>29'</b>	21'	52' 6 1/2"	18' 8 3/4"	77' 2 1/4"
<b>28'</b>	20' 5 3/4"	49' 3 3/4"	18' 3 3/4"	70' 4 1/2"
<b>27'</b>	19' 11 1/4"	46' 3"	17' 10 3/4"	64' 3 1/4"
<b>26'</b>	19' 4 3/4"	43' 4 1/4"	17' 5 1/2"	58' 9 1/2"
<b>25'</b>	18' 10 1/4"	40' 7 1/4"	17'	53' 9 3/4"
<b>24'</b>	18' 3 1/4"	38'	16' 6 1/2"	49' 3 3/4"
<b>23'</b>	17' 8 1/4"	35' 6 1/4"	16' 3/4"	45' 2 1/4"
<b>22'</b>	17' 1 1/4"	33' 2"	15' 7"	41' 5"
<b>21'</b>	16' 6"	30' 11"	15' 1"	37' 11 1/2"
<b>20'</b>	15' 10 1/2"	28' 9"	14' 6 3/4"	34' 9"
<b>19'</b>	15' 3"	26' 8 1/2"	14' 1/2"	31' 9 1/2"
<b>18'</b>	14' 7 1/4"	24' 9"	13' 6"	29' 1/2"
<b>17'</b>	13' 11 1/2"	22' 10 1/2"	12' 11 1/4"	26' 5 3/4"
<b>16'</b>	13' 3 1/4"	21' 1"	12' 4 1/4"	24' 1"
<b>15'</b>	12' 7"	19' 4 1/4"	11' 9"	21' 10 1/4"
<b>14' 6"</b>	12' 2 3/4"	18' 6 1/4"	11' 5 1/2"	20' 9 1/2"
<b>14'</b>	11' 10 1/2"	17' 8 1/4"	11' 1 3/4"	19' 9"

Depth of field tables

**Compact Prime CP.2 100mm/T2.1 CF T\***

circle of confusion: 0.030 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
13' 6"	11' 6 1/4"	16' 10 3/4"	10' 10"	18' 9"
13'	11' 2"	16' 1 1/4"	10' 6 1/4"	17' 9 1/2"
12' 6"	10' 9 1/2"	15' 4"	10' 2 1/4"	16' 10"
12'	10' 5"	14' 7"	9' 10 1/4"	15' 11 1/4"
11' 6"	10' 1/2"	13' 10"	9' 6 1/4"	15' 1/2"
11'	9' 8"	13' 1 1/4"	9' 2 1/4"	14' 2 1/4"
10' 6"	9' 3 1/2"	12' 4 3/4"	8' 10"	13' 4 1/4"
10'	8' 10 3/4"	11' 8 1/2"	8' 5 3/4"	12' 6 1/2"
9' 9"	8' 8 1/2"	11' 4 1/4"	8' 3 3/4"	12' 1 3/4"
9' 6"	8' 6"	11' 1/4"	8' 1 1/2"	11' 9"
9' 3"	8' 3 3/4"	10' 8"	7' 11 1/2"	11' 4 1/4"
9'	8' 1 1/4"	10' 4"	7' 9 1/4"	10' 11 3/4"
8' 9"	7' 10 3/4"	10'	7' 7"	10' 7 1/4"
8' 6"	7' 8 1/2"	9' 8"	7' 4 3/4"	10' 2 3/4"
8' 3"	7' 6"	9' 4 1/4"	7' 2 1/2"	9' 10 1/4"
8'	7' 3 1/2"	9' 1/4"	7' 1/4"	9' 6"
7' 9"	7' 1"	8' 8 1/2"	6' 10"	9' 1 3/4"
7' 6"	6' 10 1/2"	8' 4 1/2"	6' 7 3/4"	8' 9 1/2"
7' 3"	6' 8"	8' 3/4"	6' 5 1/4"	8' 5 1/4"
7'	6' 5 1/2"	7' 9"	6' 3"	8' 1 1/4"
6' 9"	6' 3"	7' 5 1/4"	6' 3/4"	7' 9"
6' 6"	6' 1/2"	7' 1 3/4"	5' 10 1/4"	7' 5"
6' 3"	5' 10"	6' 10"	5' 7 3/4"	7' 1 1/4"
6'	5' 7 1/4"	6' 6 1/2"	5' 5 1/2"	6' 9 1/4"
5' 9"	5' 4 3/4"	6' 2 3/4"	5' 3"	6' 5 1/4"
5' 6"	5' 2"	5' 11 1/4"	5' 1/2"	6' 1 1/2"
5' 3"	4' 11 1/2"	5' 7 3/4"	4' 10"	5' 9 3/4"
5'	4' 8 3/4"	5' 4 1/4"	4' 7 1/2"	5' 6"
4' 9"	4' 6 1/4"	5' 3/4"	4' 5"	5' 2 1/4"
4' 6"	4' 3 1/2"	4' 9 1/4"	4' 2 1/2"	4' 10 3/4"
4' 3"	4' 3/4"	4' 6"	3' 11 3/4"	4' 7"
4'	3' 10"	4' 2 1/2"	3' 9 1/4"	4' 3 1/2"
3' 9"	3' 7 1/4"	3' 11 1/4"	3' 6 1/2"	4'
3' 6"	3' 4 1/2"	3' 7 3/4"	3' 4"	3' 8 1/2"
3' 3"	3' 1 3/4"	3' 4 1/2"	3' 1 1/4"	3' 5 1/4"
3'	2' 11"	3' 1 1/4"	2' 10 1/2"	3' 1 3/4"
2' 9"	2' 8 1/4"	2' 10"	2' 7 3/4"	2' 10 1/2"
2' 6"	2' 5 1/4"	2' 6 3/4"	2' 5"	2' 7"

Depth of field tables

# Compact Prime CP.2 135mm/T2.1 T\*

circle of confusion: 0.030 mm

Engraving	T-Stop					
	2.1		2.8		4	
feet	from	to	from	to	from	to
<b>INF</b>	979' 3"	INF	799' 11 1/4"	INF	555' 6"	INF
<b>200'</b>	166' 2 1/2"	256' 6 1/4"	160' 1 3/4"	290' 6"	147' 3"	351' 8 1/2"
<b>100'</b>	90' 9 1/2"	112' 4"	88' 11 3/4"	118' 4"	84' 10 1/2"	127' 3 3/4"
<b>60'</b>	56' 7"	64' 2 1/2"	55' 10 1/2"	66' 1 1/4"	54' 2 3/4"	68' 9 1/2"
<b>40'</b>	38' 5 1/2"	41' 9 3/4"	38' 1 3/4"	42' 7 1/4"	37' 4 1/2"	43' 8 1/4"
<b>30'</b>	29' 1 1/2"	31'	28' 11 1/2"	31' 5"	28' 6 1/4"	32'
<b>25'</b>	24' 4 3/4"	25' 8 1/4"	24' 3 1/4"	25' 11 3/4"	23' 11 1/2"	26' 4 1/2"
<b>20'</b>	19' 7 1/4"	20' 5 1/4"	19' 6 1/2"	20' 7 1/4"	19' 4"	20' 10 1/4"
<b>18'</b>	17' 8 1/4"	18' 4 1/4"	17' 7 1/2"	18' 6"	17' 5 1/2"	18' 8 1/4"
<b>16'</b>	15' 9"	16' 3 1/4"	15' 8 1/2"	16' 4 1/2"	15' 7"	16' 6 1/2"
<b>15'</b>	14' 9 1/2"	15' 2 3/4"	14' 9"	15' 4"	14' 7 1/2"	15' 5 1/2"
<b>14'</b>	13' 9 3/4"	14' 2 1/2"	13' 9 1/4"	14' 3 1/2"	13' 8 1/4"	14' 4 3/4"
<b>13'</b>	12' 10"	13' 2 1/4"	12' 9 3/4"	13' 3"	12' 8 3/4"	13' 4 1/4"
<b>12'</b>	11' 10 1/4"	12' 1 3/4"	11' 10"	12' 2 1/2"	11' 9 1/4"	12' 3 1/2"
<b>11'</b>	10' 10 3/4"	11' 1 1/2"	10' 10 1/4"	11' 2"	10' 9 3/4"	11' 3"
<b>10'</b>	9' 11"	10' 1 1/4"	9' 10 3/4"	10' 1 3/4"	9' 10"	10' 2 1/4"
<b>9' 6"</b>	9' 5"	9' 7"	9' 4 3/4"	9' 7 1/2"	9' 4 1/4"	9' 8"
<b>9'</b>	8' 11"	9' 1"	8' 11"	9' 1 1/4"	8' 10 1/2"	9' 2"
<b>8' 6"</b>	8' 5 1/4"	8' 6 3/4"	8' 5"	8' 7 1/4"	8' 4 3/4"	8' 7 3/4"
<b>8'</b>	7' 11 1/4"	8' 3/4"	7' 11 1/4"	8' 1"	7' 10 3/4"	8' 1 1/2"
<b>7' 6"</b>	7' 5 1/2"	7' 6 3/4"	7' 5 1/4"	7' 7"	7' 5"	7' 7 1/4"
<b>7'</b>	6' 11 1/2"	7' 1/2"	6' 11 1/4"	7' 3/4"	6' 11"	7' 1"
<b>6' 9"</b>	6' 8 1/2"	6' 9 1/2"	6' 8 1/2"	6' 9 3/4"	6' 8 1/4"	6' 10"
<b>6' 6"</b>	6' 5 1/2"	6' 6 1/2"	6' 5 1/2"	6' 6 3/4"	6' 5 1/4"	6' 7"
<b>6' 3"</b>	6' 2 1/2"	6' 3 1/2"	6' 2 1/2"	6' 3 1/2"	6' 2 1/4"	6' 3 3/4"
<b>6'</b>	5' 11 1/2"	6' 1/2"	5' 11 1/2"	6' 1/2"	5' 11 1/4"	6' 3/4"
<b>5' 9"</b>	5' 8 3/4"	5' 9 1/2"	5' 8 1/2"	5' 9 1/2"	5' 8 1/2"	5' 9 3/4"
<b>5' 6"</b>	5' 5 3/4"	5' 6 1/4"	5' 5 3/4"	5' 6 1/2"	5' 5 1/2"	5' 6 3/4"
<b>5' 3"</b>	5' 2 3/4"	5' 3 1/4"	5' 2 3/4"	5' 3 1/2"	5' 2 1/2"	5' 3 1/2"
<b>5'</b>	4' 11 3/4"	5' 1/4"	4' 11 3/4"	5' 1/4"	4' 11 1/2"	5' 1/2"
<b>4' 9"</b>	4' 8 3/4"	4' 9 1/4"	4' 8 3/4"	4' 9 1/4"	4' 8 1/2"	4' 9 1/2"
<b>4' 6"</b>	4' 5 3/4"	4' 6 1/4"	4' 5 3/4"	4' 6 1/4"	4' 5 3/4"	4' 6 1/2"
<b>4' 3"</b>	4' 2 3/4"	4' 3 1/4"	4' 2 3/4"	4' 3 1/4"	4' 2 3/4"	4' 3 1/4"
<b>4'</b>	3' 11 3/4"	4' 1/4"	3' 11 3/4"	4' 1/4"	3' 11 3/4"	4' 1/4"
<b>3' 9"</b>	3' 8 3/4"	3' 9 1/4"	3' 8 3/4"	3' 9 1/4"	3' 8 3/4"	3' 9 1/4"
<b>3' 6"</b>	3' 6"	3' 6"	3' 5 3/4"	3' 6 1/4"	3' 5 3/4"	3' 6 1/4"
<b>3' 3"</b>	3' 3"	3' 3"	3' 3"	3' 3 1/4"	3' 2 3/4"	3' 3 1/4"

Depth of field tables

# Compact Prime CP.2 135mm/T2.1 T\*

circle of confusion: 0.030 mm

Engraving	T-Stop					
	5.6		8		11	
feet	from	to	from	to	from	to
<b>INF</b>	386' 1/2"	INF	268' 5"	INF	187' 2"	INF
<b>200'</b>	131' 11 1/2"	499'	114' 10 1/4"	1202' 11"	96' 11 1/4"	INF
<b>100'</b>	79' 7"	142' 5 1/4"	73' 3/4"	170' 10"	65' 5"	237' 3 3/4"
<b>60'</b>	52' 1/2"	72' 11 1/4"	49' 2 1/4"	79' 8 1/4"	45' 7 1/2"	91' 6 3/4"
<b>40'</b>	36' 4"	45' 3 3/4"	34' 11"	47' 9 1/2"	33' 1 1/4"	51' 9 1/2"
<b>30'</b>	27' 10 3/4"	32' 10 1/4"	27' 1"	34' 1 3/4"	25' 11 3/4"	36' 1 1/4"
<b>25'</b>	23' 6 1/2"	26' 11 1/4"	22' 11 1/2"	27' 9 1/2"	22' 2"	29' 3/4"
<b>20'</b>	19' 3/4"	21' 2 1/2"	18' 8 1/4"	21' 8 3/4"	18' 2"	22' 6"
<b>18'</b>	17' 3"	18' 11 1/2"	16' 11 1/4"	19' 4 1/2"	16' 6"	19' 11 3/4"
<b>16'</b>	15' 4 3/4"	16' 9"	15' 1 3/4"	17' 3/4"	14' 9 3/4"	17' 6 1/4"
<b>15'</b>	14' 5 3/4"	15' 8"	14' 3"	15' 11 1/4"	13' 11 1/2"	16' 4"
<b>14'</b>	13' 6 1/2"	14' 6 3/4"	13' 4 1/4"	14' 9 1/2"	13' 1"	15' 1 3/4"
<b>13'</b>	12' 7 1/4"	13' 5 3/4"	12' 5 1/4"	13' 8 1/4"	12' 2 1/2"	13' 11 3/4"
<b>12'</b>	11' 8"	12' 5"	11' 6 1/4"	12' 7"	11' 4"	12' 9 3/4"
<b>11'</b>	10' 8 3/4"	11' 4"	10' 7 1/4"	11' 5 3/4"	10' 5 1/4"	11' 8 1/4"
<b>10'</b>	9' 9 1/4"	10' 3 1/4"	9' 8"	10' 4 3/4"	9' 6 1/2"	10' 6 1/2"
<b>9' 6"</b>	9' 3 1/2"	9' 9"	9' 2 1/2"	9' 10 1/4"	9' 1"	10'
<b>9'</b>	8' 9 3/4"	9' 2 3/4"	8' 9"	9' 3 3/4"	8' 7 1/2"	9' 5 1/4"
<b>8' 6"</b>	8' 4"	8' 8 1/4"	8' 3 1/4"	8' 9 1/4"	8' 2"	8' 10 3/4"
<b>8'</b>	7' 10 1/4"	8' 2"	7' 9 1/2"	8' 2 3/4"	7' 8 1/2"	8' 4"
<b>7' 6"</b>	7' 4 1/2"	7' 7 3/4"	7' 4"	7' 8 1/2"	7' 3"	7' 9 1/2"
<b>7'</b>	6' 10 3/4"	7' 1 1/2"	6' 10 1/4"	7' 2 1/4"	6' 9 1/2"	7' 3"
<b>6' 9"</b>	6' 7 3/4"	6' 10 1/2"	6' 7 1/4"	6' 11"	6' 6 1/2"	6' 11 3/4"
<b>6' 6"</b>	6' 5"	6' 7 1/4"	6' 4 1/2"	6' 7 3/4"	6' 3 3/4"	6' 8 1/2"
<b>6' 3"</b>	6' 2"	6' 4 1/4"	6' 1 1/2"	6' 4 3/4"	6' 1"	6' 5 1/4"
<b>6'</b>	5' 11"	6' 1"	5' 10 3/4"	6' 1 1/2"	5' 10 1/4"	6' 2 1/4"
<b>5' 9"</b>	5' 8 1/4"	5' 10"	5' 7 3/4"	5' 10 1/4"	5' 7 1/4"	5' 11"
<b>5' 6"</b>	5' 5 1/4"	5' 7"	5' 5"	5' 7 1/4"	5' 4 1/2"	5' 7 3/4"
<b>5' 3"</b>	5' 2 1/4"	5' 3 3/4"	5' 2"	5' 4"	5' 1 1/2"	5' 4 1/2"
<b>5'</b>	4' 11 1/2"	5' 3/4"	4' 11 1/4"	5' 1"	4' 10 3/4"	5' 1 1/2"
<b>4' 9"</b>	4' 8 1/2"	4' 9 3/4"	4' 8 1/4"	4' 10"	4' 8"	4' 10 1/4"
<b>4' 6"</b>	4' 5 1/2"	4' 6 1/2"	4' 5 1/4"	4' 6 3/4"	4' 5"	4' 7"
<b>4' 3"</b>	4' 2 1/2"	4' 3 1/2"	4' 2 1/2"	4' 3 3/4"	4' 2 1/4"	4' 4"
<b>4'</b>	3' 11 3/4"	4' 1/2"	3' 11 1/2"	4' 1/2"	3' 11 1/4"	4' 3/4"
<b>3' 9"</b>	3' 8 3/4"	3' 9 1/4"	3' 8 1/2"	3' 9 1/2"	3' 8 1/4"	3' 9 3/4"
<b>3' 6"</b>	3' 5 3/4"	3' 6 1/4"	3' 5 1/2"	3' 6 1/2"	3' 5 1/2"	3' 6 1/2"
<b>3' 3"</b>	3' 2 3/4"	3' 3 1/4"	3' 2 3/4"	3' 3 1/4"	3' 2 1/2"	3' 3 1/2"

Depth of field tables

# Compact Prime CP.2 135mm/T2.1 T\*

circle of confusion: 0.030 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
INF	131' 1/4"	INF	92' 3/4"	INF
200'	79' 4 3/4"	INF	63' 3 1/4"	INF
100'	56' 11 1/2"	527' 7 1/2"	48' 2 1/4"	INF
60'	41' 4 1/2"	116' 1/4"	36' 7"	186' 9 1/2"
40'	30' 10"	58' 8 3/4"	28' 1 1/4"	72' 6 1/4"
30'	24' 6 3/4"	39' 3 3/4"	22' 9 3/4"	45'
25'	21' 1 1/2"	31' 1 1/4"	19' 10"	34' 6 1/4"
20'	17' 5 3/4"	23' 8"	16' 7"	25' 7"
18'	15' 11 1/4"	20' 10 3/4"	15' 2 1/2"	22' 4 1/4"
16'	14' 4 1/4"	18' 2 3/4"	13' 9 1/4"	19' 4"
15'	13' 6 3/4"	16' 11 1/4"	13' 1/4"	17' 10 1/2"
14'	12' 8 3/4"	15' 8"	12' 3 1/4"	16' 5 1/2"
13'	11' 11"	14' 5"	11' 6"	15' 3/4"
12'	11' 1"	13' 2 1/4"	10' 8 3/4"	13' 8 3/4"
11'	10' 2 3/4"	11' 11 3/4"	9' 11"	12' 5"
10'	9' 4 1/4"	10' 9 1/2"	9' 1 1/4"	11' 1 3/4"
9' 6"	8' 11"	10' 2 1/2"	8' 8 1/2"	10' 6 1/4"
9'	8' 5 3/4"	9' 7 1/2"	8' 3 1/2"	9' 10 3/4"
8' 6"	8' 1/2"	9' 1/2"	7' 10 1/4"	9' 3 1/2"
8'	7' 7 1/4"	8' 5 3/4"	7' 5 1/4"	8' 8 1/4"
7' 6"	7' 1 3/4"	7' 11"	7'	8' 1 1/4"
7'	6' 8 1/4"	7' 4 1/4"	6' 7"	7' 6 1/4"
6' 9"	6' 5 1/2"	7' 1"	6' 4 1/4"	7' 2 3/4"
6' 6"	6' 3"	6' 9 3/4"	6' 1 3/4"	6' 11 1/4"
6' 3"	6' 1/4"	6' 6 1/4"	5' 11"	6' 7 3/4"
6'	5' 9 1/2"	6' 3"	5' 8 1/4"	6' 4 1/4"
5' 9"	5' 6 1/2"	5' 11 3/4"	5' 5 3/4"	6' 1"
5' 6"	5' 3 3/4"	5' 8 1/2"	5' 3"	5' 9 1/2"
5' 3"	5' 1"	5' 5 1/4"	5' 1/4"	5' 6 1/4"
5'	4' 10 1/4"	5' 2"	4' 9 1/2"	5' 2 3/4"
4' 9"	4' 7 1/2"	4' 10 3/4"	4' 6 3/4"	4' 11 1/2"
4' 6"	4' 4 1/2"	4' 7 1/2"	4' 4"	4' 8 1/4"
4' 3"	4' 1 3/4"	4' 4 1/4"	4' 1 1/4"	4' 5"
4'	3' 11"	4' 1 1/4"	3' 10 1/2"	4' 1 3/4"
3' 9"	3' 8"	3' 10"	3' 7 3/4"	3' 10 1/2"
3' 6"	3' 5 1/4"	3' 6 3/4"	3' 5"	3' 7 1/4"
3' 3"	3' 2 1/4"	3' 3 3/4"	3' 2"	3' 4"



Depth of field tables

# Compact Prime CP.2 50mm/T2.1 Macro T\*

circle of confusion: 0.030 mm

Engraving	T-Stop					
	2.1		2.8		4	
feet	from	to	from	to	from	to
<b>INF</b>	146' 9"	INF	122' 5 1/4"	INF	117' 9 1/2"	INF
<b>100'</b>	59' 7"	313' 8 1/2"	55' 2"	INF	54' 2 1/4"	INF
<b>80'</b>	51' 10 1/2"	175' 6 3/4"	48' 6"	INF	47' 9"	INF
<b>60'</b>	42' 8 1/4"	101' 3"	40' 4 1/2"	160' 1"	39' 10 1/4"	INF
<b>50'</b>	37' 4 1/2"	75' 7 3/4"	35' 7 1/4"	104' 2"	35' 2 1/4"	INF
<b>40'</b>	31' 6 1/4"	54' 10"	30' 3"	68' 4 1/2"	29' 11 1/4"	142' 5"
<b>30'</b>	24' 11 3/4"	37' 7 1/4"	24' 2"	43' 5 1/2"	23' 11 3/4"	64' 9 1/4"
<b>25'</b>	21' 5"	30' 1/2"	20' 10"	33' 7 3/4"	20' 8 1/4"	45' 1"
<b>20'</b>	17' 7 3/4"	23' 1"	17' 3"	25' 1 3/4"	17' 1 3/4"	30' 11 3/4"
<b>15'</b>	13' 7 3/4"	16' 7 3/4"	13' 5"	17' 8 1/4"	13' 4 1/4"	20' 4 1/4"
<b>12'</b>	11' 1 1/2"	13' 1/4"	10' 11 3/4"	13' 7 3/4"	10' 11 1/4"	15' 2"
<b>10'</b>	9' 4 3/4"	10' 8 1/4"	9' 3 1/4"	11' 1 1/4"	9' 3"	12' 1"
<b>8'</b>	7' 7 1/4"	8' 5 1/4"	7' 6 1/2"	8' 8 1/4"	7' 6 1/4"	9' 3"
<b>7'</b>	6' 8 1/2"	7' 4"	6' 7 3/4"	7' 6"	6' 7 1/2"	7' 11 1/4"
<b>6'</b>	5' 9 1/2"	6' 2 3/4"	5' 9"	6' 4 1/2"	5' 8 3/4"	6' 8"
<b>5'</b>	4' 10 1/4"	5' 2"	4' 9 3/4"	5' 3"	4' 9 3/4"	5' 5 1/4"
<b>4' 6"</b>	4' 4 1/2"	4' 7 1/2"	4' 4 1/4"	4' 8 1/4"	4' 4 1/4"	4' 10 1/4"
<b>4'</b>	3' 11"	4' 1 1/4"	3' 10 3/4"	4' 1 3/4"	3' 10 1/2"	4' 3 1/4"
<b>3' 9"</b>	3' 8"	3' 10"	3' 7 3/4"	3' 10 1/2"	3' 7 3/4"	3' 11 3/4"
<b>3' 6"</b>	3' 5 1/4"	3' 7"	3' 5"	3' 7 1/4"	3' 5"	3' 8 1/2"
<b>3' 3"</b>	3' 2 1/4"	3' 3 3/4"	3' 2 1/4"	3' 4 1/4"	3' 2"	3' 5"
<b>3'</b>	2' 11 1/2"	3' 3/4"	2' 11 1/4"	3' 1"	2' 11 1/4"	3' 1 3/4"
<b>2' 9"</b>	2' 8 1/2"	2' 9 1/2"	2' 8 1/2"	2' 9 3/4"	2' 8 1/4"	2' 10 1/4"
<b>2' 6"</b>	2' 5 1/2"	2' 6 1/2"	2' 5 1/2"	2' 6 3/4"	2' 5 1/2"	2' 7"
<b>2' 3"</b>	2' 2 3/4"	2' 3 1/4"	2' 2 1/2"	2' 3 1/2"	2' 2 1/2"	2' 3 3/4"
<b>2'</b>	1' 11 3/4"	2' 1/4"	1' 11 3/4"	2' 1/2"	1' 11 3/4"	2' 3/4"
<b>1' 11"</b>	1' 10 3/4"	1' 11 1/4"	1' 10 3/4"	1' 11 1/4"	1' 10 3/4"	1' 11 1/2"
<b>1' 10"</b>	1' 9 3/4"	1' 10 1/4"	1' 9 3/4"	1' 10 1/4"	1' 9 3/4"	1' 10 1/2"
<b>1' 9"</b>	1' 8 3/4"	1' 9 1/4"	1' 8 3/4"	1' 9 1/4"	1' 8 3/4"	1' 9 1/2"
<b>1' 8"</b>	1' 7 3/4"	1' 8 1/4"	1' 7 3/4"	1' 8 1/4"	1' 7 3/4"	1' 8 1/2"
<b>1' 7"</b>	1' 6 3/4"	1' 7 1/4"	1' 6 3/4"	1' 7 1/4"	1' 6 3/4"	1' 7 1/4"
<b>1' 6"</b>	1' 6"	1' 6 1/4"	1' 5 3/4"	1' 6 1/4"	1' 5 3/4"	1' 6 1/4"
<b>1' 5"</b>	1' 5"	1' 5"	1' 4 3/4"	1' 5 1/4"	1' 4 3/4"	1' 5 1/4"
<b>1' 4"</b>	1' 4"	1' 4"	1' 4"	1' 4 1/4"	1' 4"	1' 4 1/4"
<b>1' 3"</b>	1' 3"	1' 3"	1' 3"	1' 3"	1' 3"	1' 3 1/4"
<b>1' 2"</b>	1' 2"	1' 2"	1' 2"	1' 2"	1' 2"	1' 2 1/4"
<b>1' 1"</b>	1' 1"	1' 1"	1' 1"	1' 1"	1' 1"	1' 1 1/4"
<b>1'</b>	1'	1'	1'	1'	1'	1'
<b>11"</b>	11"	11"	11"	11"	11"	11"
<b>10"</b>	10"	10"	10"	10"	10"	10"



Depth of field tables

# Compact Prime CP.2 50mm/T2.1 Macro T\*

circle of confusion: 0.030 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
<b>INF</b>	23' 1 1/4"	INF	15' 5 1/4"	INF
<b>100'</b>	18' 10 1/4"	INF	13' 5 1/4"	INF
<b>80'</b>	18' 1/4"	INF	13' 1/4"	INF
<b>60'</b>	16' 9 1/2"	INF	12' 4 1/4"	INF
<b>50'</b>	15' 11"	INF	11' 10 3/4"	INF
<b>40'</b>	14' 9 1/4"	INF	11' 3"	INF
<b>30'</b>	13' 2"	INF	10' 3 3/4"	INF
<b>25'</b>	12' 1 1/2"	INF	9' 8"	INF
<b>20'</b>	10' 10 1/4"	INF	8' 10"	INF
<b>15'</b>	9' 2 1/2"	243' 10 1/2"	7' 8 3/4"	INF
<b>12'</b>	8'	46' 9 3/4"	6' 10 1/2"	INF
<b>10'</b>	7' 1"	25' 10 3/4"	6' 2 1/4"	60' 10"
<b>8'</b>	6' 1/2"	15' 6"	5' 4 1/2"	23' 5 1/2"
<b>7'</b>	5' 5 1/2"	12' 1/2"	4' 11"	16' 3 1/2"
<b>6'</b>	4' 10 1/4"	9' 3 1/2"	4' 5"	11' 7"
<b>5'</b>	4' 2 1/4"	7' 1/2"	3' 10 1/2"	8' 3"
<b>4' 6"</b>	3' 10"	6' 3/4"	3' 7"	6' 11"
<b>4'</b>	3' 5 3/4"	5' 1 3/4"	3' 3 1/4"	5' 9"
<b>3' 9"</b>	3' 3 1/2"	4' 8 3/4"	3' 1 1/4"	5' 2 3/4"
<b>3' 6"</b>	3' 1 1/4"	4' 4"	2' 11 1/4"	4' 8 3/4"
<b>3' 3"</b>	2' 10 3/4"	3' 11 1/4"	2' 9"	4' 3 1/4"
<b>3'</b>	2' 8 1/2"	3' 6 3/4"	2' 7"	3' 10"
<b>2' 9"</b>	2' 6"	3' 2 1/2"	2' 4 3/4"	3' 5"
<b>2' 6"</b>	2' 3 1/2"	2' 10 1/4"	2' 2 1/2"	3' 1/4"
<b>2' 3"</b>	2' 1"	2' 6 1/4"	2' 1/4"	2' 7 3/4"
<b>2'</b>	1' 10 1/2"	2' 2 1/2"	1' 10"	2' 3 1/2"
<b>1' 11"</b>	1' 9 3/4"	2' 1 1/4"	1' 9"	2' 2 1/4"
<b>1' 10"</b>	1' 8 3/4"	2'	1' 8 1/4"	2' 3/4"
<b>1' 9"</b>	1' 8"	1' 10 3/4"	1' 7 1/2"	1' 11 1/2"
<b>1' 8"</b>	1' 7"	1' 9 1/2"	1' 6 1/2"	1' 10 1/4"
<b>1' 7"</b>	1' 6 1/4"	1' 8 1/4"	1' 5 3/4"	1' 9"
<b>1' 6"</b>	1' 5 1/4"	1' 7 1/4"	1' 5"	1' 7 3/4"
<b>1' 5"</b>	1' 4 1/4"	1' 6"	1' 4"	1' 6 1/2"
<b>1' 4"</b>	1' 3 1/2"	1' 4 3/4"	1' 3 1/4"	1' 5 1/4"
<b>1' 3"</b>	1' 2 1/2"	1' 3 3/4"	1' 2 1/4"	1' 4"
<b>1' 2"</b>	1' 1 1/2"	1' 2 1/2"	1' 1 1/2"	1' 2 3/4"
<b>1' 1"</b>	1' 3/4"	1' 1 1/2"	1' 1/2"	1' 1 3/4"
<b>1'</b>	11 3/4"	1' 1/4"	11 3/4"	1' 1/2"
<b>11"</b>	10 3/4"	11 1/4"	10 3/4"	11 1/4"
<b>10"</b>	9 3/4"	10 1/4"	9 3/4"	10 1/4"